end

```
module ClassMethods #:nodoc:
end
migration_lookup_at(dirname).grep(/\d+_#{file_name}.rb$/).first
end
def current_migration_number(dirname)
end.max.to_i
end
```

def next_migration_number(d.rname) A SOFIWARE end ENGTIVE ER def create_migration(destination, data, config = {}, &block)

```
end
```

```
destination = File.expand_path(destination, destination_root)
@migration_number = self.class.next_migration_number(migration_dir)
```



encora 🗱



QUIEN SOY?

Martha Rodriguez SOFTWARE ENGINEER















UN BREVE RESUMEN


- Internships vs Full-Time
- Dream Job // Visualizacion
- Que buscar en una internship?
- Tips and tricks
- Mi experiencia



INTERNSHIPS VS FULL-TIME



- DURACION CORTA
- BECA
- MENOS EXPERIENCIA
- PROBAR VARIOS CAREER PATHS
- APRENDER//ENTRENAMIENTO




- DURACION COMUNMENTE LARGA
- SALARIO Y PRESTACIONES*
- EXPERIENCIA MINIMA
- COMENZAR UN CARRER PATH
- APRENDER//TRABAJO

```
@migration_file_name = File.basename(destination, ".rb")
end
# Creates a migration template at the given destination. The difference
# to the default template method is that the migration version is appended
# The migration version, migration file name, migration class name are
# available as instance variables in the template to be rendered.
# migration_template "migration.rb", "db/migrate/add_foo_to_bar.rb"
def migration_template(source, destination, config = {})
source = File.expand_path(find_in_source_paths(source.to_s))
numbered_destination = File.join(dir, ["%migration_number%", base].join("_"))
file = create_migration numbered_destination, nil, config do
if ERB.instance method(:initialize).parameters.assoc(:key) # Ruby 2.6+
ERB.new(::File.binread(source), trim_mode: "-", eoutvar: "@output_buffer").result
```

@migration_number = self.class.next_migration_number(migration_dir)

QUE QUIERO HACER?


- Economía
- Tiempo
- Visualización
- Contexto
- Disfrutar lo que haces
 - Balance laboral-personal



QUE BUSCAR EN UNA INTERNSHIP?

CRECIMIENTO

Podrías hacer lo que te gusta hacer y crecer en ese ámbito.



VALORES

Feedback, libertad, cultura.

AMBIENTE LABORAL


Certificaciones externas, ambiente de confianza.


PERO SOBRE TODO...

```
destination = File.expand path(destination, destination root)
@migration_number = self.class.next_migration_number(migration_dir)
end
source = File.expand_path(find_in_source_paths(source.to_s))
set_migration_assigns!(destination) CUBRA
dir, base = File.split(destination)
numbered_destination = File.join(dir, ["%magration_number%", base].join("_"))
         NECESIDADES
```

ECONOMICAS - LABORALES - PERSONALES

```
destination = File.expand_path(destination, destination_root)
@migration_number = self.class.next_migration_number(migration_dir)
@migration file name = File.basename(destination, ".rb")
end
# to the default template method is that the migration version is appended.
# to the destination file name.
# available as instructions the Amplitude be recommended by the state of the state 
def migration_template(source, destination, config = {})
source = File.expand_path(find_in_source_paths(source.to_s))
set migration assigns!(destination)
context = instance_eval("binding")
dir, base = File.split(destination)
numbered_destination = File.join(dir, ["%migration_number%", base].join("_"))
 file = create_migration numbered_destination, nil, config do
if ERB.instance_method(:initialize).parameters.assoc(:key) # Ruby 2.6+
ERB.new(::File.binread(source), trim_mode: "-", eoutvar: "@output_buffer").result(context)
else
ERB.new(::File.binread(source), nil, "-", "@output buffer").result(context)
```





- https://www.codewars.com/
- https://hyperskill.org/knowledge-map/1162
- https://www.codecademy.com/learn
- https://30secondsofinterviews.org/
- https://codingcompetitions.withgoogle.com/codejam/archive
- https://www.hackerrank.com/
- https://projecteuler.net/
- https://www.dailycodingproblem.com/
- https://www.codetriage.com/
- https://events.google.com/io/?hl=ES&lng=en

RECURSOS

ENCIA EXPE

H Σ

FREELANCE










ENCORA ACADEMY

OBTENER UN BUEN PRIMER TRABAJO EN SOFTWARE

- Entrenamiento intensivo
- Apoyo de la comunidad
- Mentores
- Networking



```
require "active_support/concern"
require "rails/generators/actions/create_migration"

module Rails
module Generators
# Holds common methods for migrations. It assumes that migrations have the
# [0-9]*_name_rollar and in a decreation with the sequel)
# just by implies the the left migration wiresion method.
module Migratic
extend ActiveSupport::Concern
attr_reader :migration_number, :migration_file_name, :migration_class_name

module ClassMethods #:nodoc:
def migration_lookup_at(dirname)
Dir.glob("#{dirname}/[0-9]*_*.rb")
end
```



@marthaerm_



martha.rodriguez@encora.com



in/marthaerm/



marthaerm.medium.com/







