

Scenario Repository Portfolio

Governed operational scenarios, metadata variants, implementation approach, and rollout roadmap

ILLUSTRATIVE IMPLEMENTATION REFERENCE • EXPANDED V3.0 • AUTHORITATIVE CHAT CONTEXT • JULY 2026


PORTFOLIO THESIS

This is a governed combination library—not a list of demo cases. Each stable Scenario_ID binds commercial conditions to source events, bounded metadata atoms, rod/branch behavior, generated transactions, reconciliations, metrics, temporal lineage, security policy, and the UI explanation of what changed.

2,400 EXPLICIT SCENARIOS 2,400 unique configuration signatures; no duplicate combinations	16 / 93 DIMENSIONS / VALUES Canonical variant vocabulary with stable value codes	10 EVENT FAMILIES New sale through reactivation, each with a lineage-root event
139 001A ATOMS / 45 MOLECULES Enterprise Foundation semantic registry; distinct from the 16 scenario dimensions	150 GOVERNED METRICS 10 implemented/core definitions plus a 140-metric roadmap	4 RECONCILIATIONS Revenue→GL • Invoice→AR • Payment→Cash • Debt rollforward

FROM VARIANT COMBINATION TO EXPLAINABLE OPERATING TRUTH

ILLUSTRATIVE LOGICAL MODEL




REPOSITORY PROMISE Event-first • transaction-grounded • reconciled • versioned • agent-secured • temporally reproducible • explainable upstream and downstream.

SOURCE NOTE Salt_Basin_2400_Scenario_Repository.xlsx, Salt_Basin_Workbook_001A_Enterprise_Foundation_v4.xlsx, and the SBHOS metadata definition workbook; repository counts reflect the source files reviewed for this portfolio.

Operational Scenario & Metadata Variant Reference

The repository balances commercial-event coverage while preserving the exact dimensions that make each scenario materially different in execution, accounting, evidence, security, and downstream reporting.



CANONICAL VARIANT DOMAINS

Customer	Segment 4 • State 3
Commercial	Product 5 • Pricing 7 • Term 5 • Event 10
Billing & pay	Cadence 5 • Timing 4 • Method 5
Usage & revenue	Usage state 6 • Revenue pattern 5
Financial state	Invoice 6 • Payment 6 • Debt 5
Evidence & access	Source system 10 • Security slice 7

All 16 dimensions are populated across all 2,400 scenario rows; values remain queryable as canonical atoms rather than an opaque metadata blob.

ILLUSTRATIVE GOVERNED SCENARIO PATH

SB-SCN-0005 Enterprise Subscription / Block Pricing / Modification • Actual configured repository row; presentation below is illustrative.

CONTEXT	Enterprise • Existing Customer	ECONOMICS	Subscription • Block • Evergreen • In Arrears
EVENT ROOT	CONTRACT_MODIFIED	L3 PATH	Existing Customer → Modification → Paid → Settled → Point-in-Time
PARALLEL RODS	Revenue Lifecycle • Customer Channel • Member Journey	BRANCH	Existing-Customer Branch Rod with preserved merge lineage
GENERATED TRUTH	Contract/line/subscription → usage → invoice/AR → revenue schedule/subledger → GL → payment/cash → debt	CONTROLS	Revenue→GL • Invoice→AR • Payment→Cash • Debt rollforward
GOVERNANCE	Effective dates + stage history + cache freshness + next review	AGENT POLICY	Bank source scope • Org Admin exposure • propose/stage/commit

What a scenario row governs

L1 / L2 / L3	Journey, variant dimensions, and end-to-end path	Atoms → molecules	Bounded definitions with evidence, validation, time, confidence, and path color
Transactions → controls	Declared entities only; retain source_event_id and generation-rule version	Metrics → UI	Dependency invalidation, recalculation, prior lineage, Customer Trace, Contract Lineage, Why Changed?

SOURCE NOTE Commercial-event counts and dimension cardinalities come directly from the Scenario Repository and Coverage Dashboard sheets; the SB-SCN-0005 path is drawn from its configured row.

Implementation Approach & Rollout Roadmap

Implement the repository as governed configuration plus deterministic proof—not as 2,400 bespoke workflows. Vertical slices should begin with a source event and end only when financial truth, metrics, lineage, security, and user explanation agree.

REPEATABLE IMPLEMENTATION LOOP

01 LOAD CANONICAL Dimension dictionary • atom/molecule map • event map • controls • metric registry	02 SELECT + SEED Choose Scenario_IDs by feature slice; combine stable ID with Fixture_Seed_Key	03 EMIT EVENT FIRST Create source event, materialize atoms, assign molecules, rods, branches, and agent scope
04 GENERATE TRUTH Create only declared entities/transactions; retain source event and rule version	05 CONTROL + EXPLAIN Reconcile, calculate, invalidate downstream nodes, recalculate, and render trace UI	06 REGRESSION GATE Pass state, controls, metrics, exceptions, time, lineage, propagation, and security

PHASE-BASED ROLLOUT

PHASE	SCOPE	BUILD / PROOF	EXIT GATE
0 • Foundation	Canonical model	16 dimensions • 93 values • 16 atom paths • 12 molecules • event/control/metric maps	Stable codes load; crosswalk validates; no opaque metadata
1 • Core	240 Core scenarios	All 10 event families; deterministic fixtures; first 10 metrics; four reconciliations	Expected states and zero/explained control variance reproduce
2 • Extended	960 Extended scenarios	Broaden systems, security slices, branches, timing/status exceptions, and UI traces	Branch/merge, temporal history, exceptions, and explanation pass
3 • Edge	1,200 Edge scenarios	Stress corrections, restatements, propagation, distributed permissions, and performance	Recalculation is bounded, secure, reproducible, and regression-safe
4 • Operate + expand	Versioned releases	Scale from 10 to 150 metrics; publish coverage/gap register; add codes and IDs without mutation	Release evidence is reviewable; prior scenarios remain reproducible

EXPANSION CONTRACT

ID IMMUTABILITY	Never change the historical meaning of a Scenario_ID; add a new ID for a new meaning.	DEFINITION FIRST	Add canonical value code, atom path, molecule, evidence rule, and validation before scenario proliferation.
EXPECTED PROOF	Declare event, entities, transactions, controls, metric dependencies, propagation targets, and exception class.	FULL GOVERNANCE	Carry created/effective/updated/stage/cache/review time plus agent and user entitlement behavior.
EXPANDABLE PORTFOLIO	Append family briefs, variant definitions, fixture packs, implementation evidence, and UI screenshots by release.	RELEASE RECORD	Maintain coverage counts, unresolved gaps, formula versions, pass/fail evidence, owners, and next review.
ROADMAP NOTE Phases are deliberately outcome-gated rather than date-based. Owners, dates, budget, margin, and completion percentages should be managed in the Thesis / Tributary Ledger so this portfolio remains the durable reference layer.			

SOURCE NOTE Implementation rules consolidate the repository’s Implementation Guide with the transaction-grounded portfolio and DataBasin bridge methodology. © 2026 Salt Basin Holdings. All rights reserved.

Portfolio Map & Source Authority

This expanded edition turns the repository and its surrounding Salt Basin materials into one navigable operating reference. Authority is explicit: current canonical data governs; supporting frameworks explain how to implement it; precursor and visual artifacts supply context without silently redefining the model.

HOW TO USE THIS PORTFOLIO

ORIENT Begin with the operating model, repository profile, and L1/L2/L3 journey rules.	DESIGN Use the metadata, rod, branch, temporal, security, and transaction sections as the implementation contract.	PROVE Use reconciliations, metric dependencies, lineage, and evidence maturity as release gates.
ROLL OUT Sequence Foundation → Core → Extended → Edge → Operate using outcome-based gates.	EXPAND Copy the scenario-family brief and release-record templates; never mutate a historical Scenario_ID.	TRACE Use the full source estate appendix to locate governing, supporting, precursor, and visual artifacts.


AUTHORITY HIERARCHY

Authority	Source Estate	Use
T1 • Current / governing	Repository, metadata definition, enterprise foundation, transaction model, DataBasin, EIDOS / Constitution / Ledger, design system	Defines current codes, counts, rules, controls, governance, and presentation.
T2 • Supporting	Mappings, annotated notes, evidence examples, research memos, current scenario-specific workbooks	Adds implementation detail and worked evidence without overriding T1.
T3 • Precursor / variant	Earlier 2,400 and 10,000-scenario proliferations, duplicated versions, experimental workbooks	Cross-checks coverage and evolution; not a silent source of truth.
T3 • Reference	Proposals, prototypes, experience documents, diagrams, and adjacent research	Explains intent, user experience, and market framing; values remain illustrative.
SOURCE ESTATE SCREEN 122 candidate Salt Basin artifacts were screened with broad, unrestricted query terms. Inclusion in the source register does not imply equal authority; contradictions resolve upward through the hierarchy above.		

SOURCE NOTE The complete artifact register appears in Appendix C. Every diagram and worked value in this portfolio is labeled illustrative or conceptual.

Canonical Operating Architecture

The repository is a governed configuration system. A scenario is complete only when commercial conditions, semantic meaning, lineage, generated truth, controls, metrics, temporal states, entitlements, and user explanation remain mutually consistent.



SOURCE NOTE Operating architecture consolidates the 2,400-scenario repository, Enterprise Foundation v4, EIDOS, SBHOS metadata definitions, and transaction-grounded portfolio.

Scenario Record Anatomy

Each record is designed to be executable and testable. The minimum contract below can become the schema for configuration, fixture generation, regression evidence, and portfolio documentation.

RECORD LAYER	REQUIRED CONTENT	ACCEPTANCE RULE
Identity	Scenario_ID; title; coverage tier; lifecycle status; owner; release version	Stable ID never changes meaning.
Variant configuration	16 canonical dimension codes; fixture seed; source system; security slice	No opaque metadata blob.
Journey semantics	L1 channel; L2 scenario; L3 path; stage maturity; branch and merge points	Existing-customer history is preserved.
Lineage root	source_event_id; event type; occurred/effective/ingested time; generation-rule version	Event is created first.
Crystal model	Atoms; molecule membership; cluster/rod/orbit placement; evidence and validation	Definitions remain bounded and queryable.
Generated truth	Declared entities, commercial objects, invoices, AR, revenue, GL, cash, debt	Only scenario-declared records may be generated.
Control proof	Control IDs; expected variance; exception classification; resolution evidence	Zero or fully explained variance.
Metrics and UI	Metric dependencies; invalidation and recalculation targets; prior/current lineage; explanation views	Why Changed? is reproducible.
Policy and time	Agent envelope; user entitlement; created/effective/stage/cache/review/as-of time	Security and temporal truth are first-class.


FIXTURE IDENTITY

SCENARIO KEY	Scenario_ID + Fixture_Seed_Key	SOURCE KEY	source_event_id + generation_rule_version
RESULT KEY	entity_id / transaction_id / metric_run_id	REPRODUCTION	scenario version + as-of time + entitlement context
EXPANSION RULE If meaning changes, add a new Scenario_ID. If implementation evolves without changing meaning, version the rule, expected result, and proof record.			

SOURCE NOTE Record fields are a cohesive reference schema derived from the repository implementation guide and surrounding Salt Basin governance materials.

Operational Scenario Coverage

The current canonical repository contains 2,400 unique configuration signatures. Coverage is intentionally distributed across ten commercial-event families and three implementation tiers.



ILLUSTRATIVE PRESENTATION • EXACT REPOSITORY COUNTS

CORE	240 scenarios • first production proof set	EXTENDED	960 scenarios • broader branches, states, systems, and policy
EDGE	1,200 scenarios • corrections, restatements, stress, and exceptions	UNIQUENESS	2,400 rows • 2,400 signatures • zero duplicates

INTERPRETATION Event-family counts are balanced enough to exercise the lifecycle without forcing equal counts. The canonical dimensions—not event names alone—define material behavioral variance.

SOURCE NOTE Counts come directly from the Scenario Repository and Coverage Dashboard sheets in Salt_Basin_2400_Scenario_Repository.xlsx.

Operational Scenario Family Briefs

A family brief anchors implementation, testing, and future portfolio expansion. Each family begins with a distinct commercial source event but shares the same proof discipline.

FAMILY	PRIMARY BEHAVIOR	FOCUS OF PROOF
New Sale • 241	Create customer/contract/subscription roots; initialize billing and revenue patterns	Identity, contract, price, bill timing, first value and cash states
Ramp Step • 222	Apply scheduled quantity, price, capacity, or commitment step	Effective dating, schedule revision, backlog and revenue propagation
Renewal • 227	Extend, reprice, reterm, or replace expiring rights	Existing-customer branch, history merge, cohort and retention integrity
Expansion • 239	Add products, seats, usage, entities, or geography	Cross-sell/upsell attribution, contract lineage, ARR and backlog
Contraction • 218	Reduce scope, price, term, or usage commitment	Partial churn, credits, revenue catch-up, forecast and customer economics
Churn • 262	End service, rights, or commercial relationship	Final bill, deferred revenue, cash/AR, retention and evidence of cause
Modification • 259	Change enforceable terms without losing historical truth	Versioned contract lines, accounting treatment, Why Changed?
Credit • 232	Reduce obligation through approved commercial adjustment	Invoice/AR application, revenue impact, approvals and control evidence
Refund • 244	Return cash or settle overpayment/exception	Cash movement, AR status, fees, customer/member implications
Reactivation • 256	Resume a prior relationship, service, or entitlement	Historical lineage merge, new effective state, cohort treatment
BRIEF EXTENSION FIELDS Add owner, representative Scenario_IDs, fixture pack, expected transactions, control results, metric impacts, screenshots, unresolved gaps, and next review date to each family as delivery progresses.		

SOURCE NOTE Family counts reflect the canonical 2,400-row repository. Behaviors summarize the configuration and transaction-grounded implementation contract.

Metadata Variant Model

The 16 canonical dimensions provide the stable vocabulary for scenario selection, test coverage, analytics, and future expansion. Together they contain 93 governed values.

DIMENSION	VALUES	WHAT IT CHANGES
Customer_Segment	4	Commercial scale / operating context
Customer_State	3	Lifecycle relationship state
Product_Model	5	Product/service delivery structure
Pricing_Model	7	Economic calculation and commercial mechanism
Contract_Term	5	Duration and enforceability pattern
Billing_Cadence	5	Frequency of invoicing
Billing_Timing	4	In advance / in arrears and related timing
Payment_Method	5	Settlement channel
Commercial_Event	10	Lifecycle event family and lineage root
Usage_State	6	Consumption / commitment condition
Revenue_Pattern	5	Recognition behavior
Invoice_State	6	Invoice lifecycle
Payment_State	6	Cash settlement lifecycle
Debt_State	5	Financing and balance condition
Source_System	10	Authoritative source class
Security_Slice	7	Entitlement and exposure context
VARIANT DISCIPLINE Add a canonical value only after definition, code, atom path, molecule placement, evidence, validation, temporal behavior, and policy implications are explicit.		

SOURCE NOTE Dimension names and cardinalities are exact canonical repository facts. Descriptions are concise implementation interpretations.

Crystal Metadata Hierarchy

Salt Basin models meaning as an inspectable hierarchy: bounded atoms converge into molecules, clusters, rods, and an evidence orbit. The hierarchy makes definitions, evidence, validation, confidence, time, and lineage visible instead of hiding them in tags.

LEVEL	PURPOSE	GOVERNANCE
Atom	Smallest governed meaning unit	Definition • source • evidence • validation • effective time • confidence • lineage • path color
Molecule	Capability-level semantic grouping	Combines related atoms while preserving each atom’s definition and proof
Cluster	Cross-capability convergence point	Surfaces dependencies, conflicts, and negative-convergence rules
Rod	Journey or operating channel	Revenue • Customer • Member • Data Channel; includes stage and branch behavior
Orbit	Enterprise evidence context	Connects thesis, claims, transactions, metrics, agents, controls, and exit evidence

METADATA PATH TREATMENT

GREEN / VALIDATED Definition and evidence satisfy current validation policy.	GOLD / REVIEW Meaning is usable but requires review, stronger evidence, or temporal refresh.	PLUM / CONFLICT Competing meanings, entitlements, or negative-convergence rules block merge.
SLATE / INACTIVE Historical, expired, superseded, or out-of-scope for the current as-of view.	PROMPT, DO NOT GUESS When a material definition is missing, the agent surfaces the gap and requests governed completion.	PRESERVE PROVENANCE Every rollup retains atom-level lineage and does not erase source authority.
DESIGN PRINCIPLE Convergence yields one governed, defensible truth only when definitions, evidence, time, identity, and policy are compatible.		

SOURCE NOTE Hierarchy and maturity treatment consolidate the metadata definition workbook, Enterprise Foundation, annotated notes, and Thesis Evidence Orbit materials.

Journeys, Rods & Stage Maturity

L1 identifies the journey or channel, L2 identifies the variant scenario, and L3 records the end-to-end path. Four rods provide the shared operating frame; branches keep context without duplicating truth.

ROD	PATH	PRIMARY OUTCOME
Revenue Rod	Commercial events through billing, revenue, GL, cash, debt, metrics, and controls	Financial truth and economics
Customer Rod	Account, opportunity, contract, service, renewal, expansion, contraction, churn	Relationship and commercial lifecycle
Member Rod	Eligible member, access, service, encounter, claim, outcome, consent	Human/service journey under native permissions
Data Channel Rod	Belief/Define → Plan → Execute → Realize → Sustain → Exit/Prove	Thesis evidence and maturity

STAGE-STATE RULES

NORMALIZED STATE	0.00–1.00 represents the principal journey	RENEWAL STATE	Values above 1.00 can represent renewal / subsequent cycle
ADJUSTMENT STATE	Two-decimal state values preserve corrections or exceptions	HISTORY	Stage history is append-only and as-of reproducible
MATURITY	May advance or regress as evidence changes	MERGE	Branches rejoin only when identity, time, and policy align

EXISTING-CUSTOMER RULE Renewal, expansion, contraction, churn, modification, credit, refund, and reactivation must not be reclassified as new leads. They merge with the Historical Lineage Agent so prior relationship and transaction truth remain intact.

SOURCE NOTE Journey rules derive from the Master Recap, HOS scenario workbook, metadata definition work, and standing Salt Basin scenario conventions.

Branch, Merge & Historical Lineage

Branching represents real operating divergence—product, payer, entity, source, security, or journey—not a duplication of master truth. Merge behavior is governed and evidence-preserving.

TRIGGER	BRANCH	LINEAGE CARRIED	MERGE RESULT
New commercial motion	Lead / opportunity branch	Customer identity, product, price, financing, qualification	Contract or disqualified outcome
Existing-customer change	Historical lineage branch	Prior contract, invoices, payments, entitlements, metrics	Modified or renewed state with full prior lineage
Parent price → child purchase	Hierarchy branch	Parent commercial terms; child fulfillment/billing responsibility	Shared contract lineage without identity collapse
Partner → end customer	Channel branch	Reseller economics, end-customer rights, source authority	Visible dual-party relationship and policy
Member / provider / payer	Service branch	Consent, eligibility, service, claim, payment, privacy	Authorized projections only
Correction / restatement	Temporal exception branch	Prior output, cause, new rule/source, approvals	Superseded result retained; downstream recalculated

NEGATIVE CONVERGENCE GATES

EXPIRED ENTITLEMENT Do not merge or expose data after entitlement expiry.	PRODUCT MISMATCH Keep semantically incompatible product definitions separate.	LEGAL-ENTITY AMBIGUITY Do not fuzzy-merge legal entities without governed resolution.
MEMBER CONFLICT Prevent cross-school or cross-program member collision.	EXPLICIT DENY A source or policy deny overrides convenience projections.	MISSING CONSENT No protected member/health projection without valid consent.
ZERO-COPY PRINCIPLE Filter and aggregate at the authoritative source where practical; persist only governed outputs and the lineage required to reproduce them.		

SOURCE NOTE Branch/merge patterns are synthesized from the HOS workbook, Enterprise Foundation negative-convergence rules, POC mapping, and Master Recap.

Canonical Scenario 000001 — Multi-Party Healthcare & Education

The enterprise foundation names SB-SCEN-000001 as a multi-party government healthcare and education program. It is the reference scenario for party roles, tributaries, service journeys, permissions, evidence, and multi-system convergence.

DEAL DRIVER	State Department of Education initiates the commercial motion	FINANCING PARTY	State health plan funds / pays; it is not the originating deal driver
CUSTOMERS	State, districts, schools, and related organizations	MEMBERS	Students / eligible participants with protected journey data
PROVIDERS	Mental and physical health service organizations	OPERATIONS	Devices, encounters, claims, payroll, accounting
IDENTITY RULE	Share governed district/student/member references	NO DUPLICATION	Do not create competing master data to serve separate rods

ILLUSTRATIVE EVENT AND SEMANTIC PROGRESSION

STAGE	EVENT / ACTIVITY	SEMANTIC RESULT
1 • Signal	EmailReceived / PhoneCallCompleted / SalesforceOpportunityImported	Commercial Signal atoms
2 • Qualify	QualificationElementValidated / OpportunityQualified	Opportunity Qualification molecule
3 • Finance	FinancingPartyIntroduced	Party Relationship + Financing Connection
4 • Contract	Commercial terms, program, product, price, entitlement	Contract / Product / Organization molecules
5 • Deliver	Eligibility, device, service, encounter, claim	Member and provider rods under native permissions
6 • Settle	Invoice, claim adjudication, payment, payroll, accounting	Revenue rod and control proof
7 • Prove	Outcome, evidence maturity, thesis and exit package	Data Channel rod and evidence orbit

ILLUSTRATIVE SCENARIO RULE All organizations, roles, events, values, and impacts in the worked scenario are illustrative. Production use requires source authority, consent, entitlement, reconciliation, and token-owner validation.

SOURCE NOTE Scenario structure comes from Enterprise Foundation v4 and supporting Salt Basin annotated materials. The role distinction between deal driver and financing party is preserved explicitly.

Representative Scenario Patterns

The repository’s value is not in memorizing 2,400 rows. It is in applying the same deterministic contract to materially different operating patterns.

PATTERN	CONFIGURATION	LINEAGE ROOT	PROOF FOCUS
SB-SCN-0005 • Modification	Enterprise existing customer; subscription; block; evergreen; in arrears	CONTRACT_MODIFIED	Versioned contract line; usage/invoice/AR/revenue/GL/payment/cash/debt; four controls; Why Changed?
Parent price → child purchase	Parent establishes commercial terms; child purchases or consumes	ORDER / CONTRACT lineage	Hierarchy-aware entitlement, billing, fulfillment, revenue, and attribution
Usage with commitment	Committed minimum plus metered or tiered usage	USAGE_RECORDED / BILLING	Usage state, commitment shortfall/overage, invoice timing, revenue pattern, metric propagation
Renewal with reprice	Existing customer enters a new term and pricing version	RENEWAL_EXECUTED	Historical merge, cohort integrity, contract lineage, ARR/backlog and retention
Contraction / partial churn	Seats, products, geography, or commitment reduced	CONTRACT_REDUCED	Credit or catch-up, revenue impact, retention attribution, customer-economics evidence
Refund after settlement	Payment already settled; approved cash return	REFUND_APPROVED / PAID	Cash reversal, AR/invoice status, revenue treatment, approvals and explanation

SCENARIO 0005 CONFIGURED PATH

L3 PATH	Existing Customer → Modification → Paid → Settled → Point-in-Time	RODS	Revenue Lifecycle • Customer Channel • Member Journey
BRANCH	Existing-Customer Branch Rod with historical merge	POLICY	Bank source scope • Org Admin exposure • propose/stage/commit
CONTROLS	Revenue→GL • Invoice→AR • Payment→Cash • Debt rollforward	EXPLANATION	Customer Trace • Contract Lineage • Why Changed?
PATTERN EXTENSION For each pattern, append the exact Scenario_ID set, fixture seeds, expected records, control evidence, metric delta graph, entitlement tests, screenshots, and unresolved exceptions.			

SOURCE NOTE SB-SCN-0005 values are drawn from the canonical repository. Other patterns synthesize explicit HOS and POC mapping patterns and remain illustrative.

Event → Transaction → Control → Metric → UI

The implementation begins with an immutable source event and ends with a user-visible explanation. No KPI or visual state is accepted without a reproducible evidence path back to source and rule versions.

STEP	IMPLEMENTATION	PASS CONDITION
1 • Capture	Source event with IDs, party, object, occurred/effective/ingested time, source authority	Immutable lineage root
2 • Interpret	Resolve canonical atoms, molecules, rods, branches, identities, and policy	No hidden semantic assumptions
3 • Generate	Create declared entities and financial/operational transactions only	source_event_id + generation_rule_version retained
4 • Reconcile	Run revenue, AR, cash, and debt controls; classify explainable exceptions	Zero or fully explained variance
5 • Calculate	Execute metric contracts with dependency versions and as-of context	Prior/current values and lineage stored
6 • Propagate	Invalidate downstream nodes; recalculate bounded dependencies; refresh projections	No silent stale results
7 • Explain	Customer Trace, Contract Lineage, Why Changed?, evidence and approval views	User can reproduce the answer

MINIMUM LINEAGE FIELDS

SOURCE source_event_id • source system • native object ID • event type	RULE generation_rule_version • formula version • semantic definition version	TIME occurred • effective • ingested • calculated • reviewed • as-of
IDENTITY party/entity/object IDs • hierarchy • branch / merge lineage	POLICY agent ID • entitlement slice • exposure and action policy	OUTCOME record IDs • control result • metric run • UI explanation ID
NO DEMO KPIS Illustrative values may demonstrate layout or logic, but production KPI claims require governed formulas, source lineage, reconciled inputs, and explicit as-of context.		

SOURCE NOTE Sequence is the central contract of the transaction-grounded intelligence portfolio and repository implementation guide.

Reconciliation & Exception Control

Four canonical controls connect operational transactions to financial truth. They are both accounting checks and implementation gates for deterministic scenario reproduction.

CONTROL	RECONCILIATION	SCOPE	PASS
CTL-REV-001	Revenue Subledger → GL	Recognized / adjusted revenue records to posted general ledger	Zero unexplained variance
CTL-AR-001	Invoices → AR	Invoice states, credits, write-offs, payments to receivable balance	Zero unexplained variance
CTL-CASH-001	Payments → Cash	Settled payment records, fees, refunds, reversals to cash movement	Zero unexplained variance
CTL-DEBT-001	Debt Balance → Debt Activity	Opening balance + draws + accrued interest – repayments ± adjustments	Closing balance mathematically reproduced

EXCEPTION CLASSES

TIMING Expected latency or close-boundary difference with defined clearing rule.	MAPPING Unmapped or incorrectly mapped account, entity, product, or event.	SOURCE QUALITY Missing, duplicated, malformed, or contradictory source record.
RULE DEFECT Generation, recognition, allocation, or formula implementation error.	ENTITLEMENT Projection or action blocked because policy/consent is absent or expired.	APPROVED ADJUSTMENT Governed correction with owner, reason, effective time, and evidence.
CONTROL EVIDENCE RECORD Control ID • scenario and source-event scope • expected/actual • variance • exception class • owner • evidence links • resolution • approval • calculated/reviewed time • rule version.		

SOURCE NOTE Control names and pass conditions are exact canonical repository definitions. Exception taxonomy is an implementation-ready extension.

Governed Metric Registry

The repository contains 150 governed metrics across ten families. Ten are Implemented/Core; 140 form the Registry Roadmap. Metrics behave as executable semantic contracts, not dashboard labels.

FAMILY	COUNT	OPERATING SCOPE
Billing & AR	15	Invoice state, receivables, aging, credits, collections
Bookings & Backlog	15	Commitments, remaining performance, contracted pipeline
Cash & Payments	15	Settlements, cash timing, refunds, payment performance
Controls & Data Quality	15	Reconciliation, completeness, exceptions, freshness
Customer Economics	15	Acquisition, service, margin, payback, profitability
Debt & Leverage	15	Balance, draws, repayments, interest, coverage, leverage
Recurring Revenue	15	ARR/MRR components, starts, changes, ending state
Retention	15	Renewal, expansion, contraction, churn, cohort behavior
Revenue	15	Recognized, deferred, catch-up, adjustments, mix
Usage	15	Entitlement, consumption, commitment, overage, adoption

EXECUTABLE METRIC CONTRACT

DEFINITION	Human-readable meaning + exclusions	FORMULA	Executable expression and version
GRAIN	Entity, product, contract, member, period	TIME	Effective/as-of window and restatement policy
DEPENDENCIES	Source events, transactions, atoms, other metrics	POLICY	Agent/user exposure and aggregation rules
VALIDATION	Fixtures, reconciliations, thresholds, regression proof	LINEAGE	Prior/current value, rule, sources, Why Changed?
PROPAGATION RULE When a source, definition, entitlement, or formula changes, invalidate only affected dependency nodes, recalculate them in order, preserve prior values, and publish the reason.			

SOURCE NOTE Family counts are exact: 15 metrics in each of 10 families. Contract fields consolidate the repository and Salt Basin metric-governance guidance.

Thesis, Claims & Evidence Orbit

The Data Channel Rod links operational execution to investment and enterprise claims. The unit of proof is a business claim and its evidence path—not a narrative or an untraceable success metric.

OBJECT	PORTFOLIO REQUIREMENT
Claim	Precise, bounded statement with owner, scope, target, time, and status
Candidate driver	Proposed causal mechanism or initiative
Counterfactual	Expected outcome absent the driver
Evidence	Source-linked observations, transactions, controls, metrics, approvals
Competing driver	Alternative explanation that could affect attribution
Allocation rule	Governed method for shared or uncertain value
Confidence	Evidence quality, attribution strength, completeness, temporal integrity, exit readiness
Temporal validity	Effective window, refresh/review date, supersession history

CLAIM MATURITY

0 • ASSERTED Claim exists; proof is not yet defined.	1 • DEFINED Meaning, owner, scope, target, and evidence requirements are explicit.	2 • REPRODUCIBLE Another reviewer can regenerate the result from governed sources.
3 • RECONCILED Inputs and outputs satisfy applicable controls.	4 • EXPLAINABLE Drivers, competing causes, allocation, and changes are visible.	5 • OUTCOME VALIDATED Sustained outcome evidence supports the claim for its valid period.
NON-MONOTONIC MATURITY Maturity can regress when evidence expires, rules change, contradictory facts appear, entitlements lapse, or outcomes no longer hold. Preserve the history; do not overwrite it.		

SOURCE NOTE Claim chain and maturity levels derive from the Thesis Evidence Orbit and fully annotated Salt Basin notes.

Temporal Truth & Reproducibility

Salt Basin separates multiple kinds of time so the platform can answer what was known, what was effective, what was calculated, and what a user was entitled to see at any prior point.

CLOCK	MEANING	WHY IT MATTERS
Occurred time	When the source event happened	Event sequence and operational causality
Effective time	When the business meaning or rule applies	Contract, price, entitlement, metric and claim validity
Ingested time	When the platform received the source record	Latency, late-arriving data, replay
Recorded / updated time	When the governed record changed	Audit history
Stage time	When a journey entered/exited a maturity state	Funnel and lifecycle reproduction
Calculated time	When a control or metric result was produced	Result-version lineage
Cache freshness	Projection age and next refresh	Distributed semantic projection
Review time	Last and next human/token-owner review	Definition and evidence governance
As-of time	Viewer-selected reconstruction point	Prior-state UI and audit

BITEMPORAL-PLUS RULE Never collapse effective time into database update time. Store source, rule, identity, policy, and calculation versions required to reproduce the result as it was shown.

RESTATEMENT BEHAVIOR

PRESERVE	Prior record/result and source lineage	SUPERSEDE	New effective result with reason and approval
INVALIDATE	Affected downstream nodes only	RECALCULATE	Dependency-ordered results with new run IDs
EXPLAIN	Prior vs current, driver, rule/source change	AUDIT	Who/what/when, entitlement context, evidence

SOURCE NOTE Temporal model synthesizes the repository’s governance fields, annotated notes, distributed projection model, and transaction-grounded implementation rules.

Agent-Centric Security & Distributed Projection

Security is an envelope around each persistent agent. User authentication changes what the entitled user can reveal, slice, propose, stage, or commit; it does not erase the agent’s governed source, memory, and action boundaries.

POLICY LAYER	REQUIRED DEFINITION
Source policy	Which native systems, objects, fields, scopes, and queries the agent may access
Transform policy	Which definitions, aggregations, joins, models, and inference methods are permitted
Memory policy	What may persist, at what grain, for how long, and with what deletion/refresh behavior
Exposure policy	Which users, roles, entities, schools/programs, funds, and aggregation levels may see outputs
Action policy	Observe, recommend, propose, stage, commit; required approvals and separation of duties
Evidence policy	Which lineage, controls, confidence, and explanation must accompany an output or action

REPRESENTATIVE ENVELOPES

REVENUE AGENT	CRM/email/phone/calendar/marketing; deal-team exposure; propose/stage/commit if entitled; no clinical data	MEMBER AGENT	Native systems under native permissions; authorized projections only; restricted retention; protect student/health data
CLAIMS AGENT	Payer/provider claim scope; adjudication lineage; minimum necessary exposure	ACCOUNTING AGENT	ERP/subledger scope; posting, close, reconciliation, and approval separation
USER SESSION	Adds identity, role, entity and purpose context	ZERO-COPY	Filter/aggregate at source; persist only governed projections and proof
DEFAULT-DENY MERGE	Identity, definition, time, consent, source authority, and entitlement must all pass before cross-rod convergence or data exposure.		

SOURCE NOTE Policy model comes from Enterprise Foundation security policies and the standing agent-centric security convention.

Implementation Approach

Build the repository as governed configuration plus deterministic proof. Use vertical slices, configuration-driven variants, and an event-first pipeline; avoid 2,400 bespoke workflows.

METHOD	WORK	EXIT
DEFINE	Load canonical dimensions, atoms, molecules, events, controls, metrics, policy and time models	Codes and definitions validate; gaps visible
MAP	Crosswalk native source fields/events to canonical objects and lineage roots	Source authority and transforms are explicit
CONTRACT	Select Scenario_IDs; generate fixtures; declare outputs, controls, metrics, UI and exception behavior	Expected results are executable
VALIDATE	Run transactions, reconciliations, metric dependencies, temporal replay, policy tests and explanation	Reproducible release evidence

DATABASIN TRANSITION PATH

INGEST Connect and capture authoritative source events without losing native identifiers.	PRESERVE Retain raw/source truth and temporal lineage.	MODEL Map to canonical objects, atoms, molecules, rods, policies, and event types.	CLEANSE Resolve quality defects and identity conflicts under governed rules.
RECONCILE Tie operational and financial truth; classify exceptions.	VALIDATE Run fixtures, metrics, policies, UI explanation, and regression gates.	WRITE BACK Propose/stage/commit only through entitled agents and approvals.	PERSIST Store governed transaction/evidence truth and reproducible projections.
MIGRATION GATE No reporting migration is accepted until source-to-target lineage, reconciliation, semantic definitions, temporal replay, security, and user explanation pass. Material AI-synthesized definitions require token-owner validation.			

SOURCE NOTE Implementation approach consolidates the 15-step repository guide, DataBasin bridge methodology, POC mapping, and transaction-grounded portfolio.

Rollout Roadmap & Release Gates

The roadmap is outcome-gated rather than date-driven. Calendar commitments, owners, budget, margin, dependencies, and completion belong in the Thesis / Tributary Ledger; this portfolio records the durable implementation contract and evidence.

PHASE	SCOPE	DELIVER	EXIT GATE
0 • Foundation	Canonical vocabulary and platform spine	16 dimensions; 93 values; atoms/molecules; event/control/metric/policy/time models	Codes load; mappings validate; source authority known; no opaque metadata
1 • Core	240 Core scenarios	All ten event families; deterministic fixtures; four controls; first ten metrics; trace UI	Expected state and financial truth reproduce under policy
2 • Extended	960 Extended scenarios	More systems, hierarchies, branches, timing/status exceptions, distributed projections	Branch/merge, temporal replay, exception handling, explanation pass
3 • Edge	1,200 Edge scenarios	Corrections, restatements, propagation, denial paths, performance and recovery	Bounded recalculation, secure failure, complete regression evidence
4 • Operate	Versioned production releases	Metric registry 10→150; monitoring; coverage/gap register; control operations	Release evidence reviewable; prior results reproducible
5 • Expand	New values, scenarios, rods, industries and claims	Definition-first additions; new IDs; migration and compatibility records	No historical meaning mutation; adoption and value evidence

LEDGER GOVERNANCE

HIERARCHY	Enterprise → Portfolio → Initiative/Thesis → Tributary → Capability → Feature	DELIVERY	Component → Task → Deliverable → Validation → Production → Measured Value
OWNERSHIP	Executive, token owner, product, data, finance/control, security, reviewer	MEASUREMENT	Budget, forecast, margin, completion, maturity, evidence, realized value
DECISIONS	Approve, defer, reject, supersede, accept exception	RELEASE	Scenario set, code/rule versions, proof pack, gaps, next review
OUTCOME GATE A phase is complete only when its scenarios, controls, metrics, policy, temporal replay, user explanation, and release evidence agree—not when configuration alone is loaded.			

SOURCE NOTE Roadmap extends the compact v1 phase model with Thesis Ledger governance and explicit release proof.

Portfolio Expansion Kit

Use the templates below to add scenario families, implementation evidence, and release history without redesigning the portfolio or weakening canonical governance.

SCENARIO-FAMILY BRIEF TEMPLATE

SECTION	COMPLETE WITH
Identity	Family / pattern • purpose • owner • lifecycle status • related release
Coverage	Scenario_ID set • tier • event families • canonical values • known gaps
Operating path	L1 journey • L2 variant • L3 path • rods • branches • merge points
Lineage	Source event types • source systems • native IDs • generation-rule versions
Metadata	Atoms • molecules • definitions • evidence • validation • temporal states • confidence
Generated truth	Entities • operational records • financial transactions • postings • write-backs
Proof	Controls • metrics • dependency propagation • exceptions • temporal replay • security tests
Experience	Customer Trace • Contract Lineage • Why Changed? • screenshots • reviewer notes
Delivery	Dependencies • milestone • validation evidence • production date • measured value

RELEASE RECORD TEMPLATE

RELEASE ID	Semantic version + date + owner	SCENARIO SCOPE	Added/changed/retired IDs; coverage counts
MODEL CHANGE	Codes, definitions, mappings, rules, policies, formulas	COMPATIBILITY	Migration, replay, prior-result treatment
PROOF PACK	Fixtures, expected/actual, controls, metrics, policy, UI	GAPS	Known exceptions, debt, owner, next review
APPROVAL	Token owner / finance / security / product / release	VALUE	Adoption, operating evidence, measured outcome
STANDING RULE Expand through governed additions. Do not redesign the canonical structure, invent placeholders, or overwrite prior meaning; document open decisions explicitly.			

SOURCE NOTE Templates are intentionally editable and designed for continued expansion alongside repository releases.

Terminology, Alignment & Open Decisions

The source estate contains current, supporting, and precursor terminology. This register prevents accidental conflation and gives future contributors a place to resolve differences deliberately.

TERM	REFERENCE MEANING	PORTFOLIO RULE
Scenario_ID	Stable identifier for one governed configuration meaning	Never repurpose; add a new ID when meaning changes.
L1 / L2 / L3	Journey/channel • variant scenario • end-to-end path	Keep all three in every implemented brief.
Atom / molecule / cluster / rod / orbit	Progressive semantic convergence hierarchy	Preserve atom-level provenance in every rollout.
Branch / tributary	Context-specific path feeding a rod or outcome	Use role names explicitly; do not duplicate master truth.
Deal driver / financing party	Originator of commercial motion / funding or payer role	Do not conflate in multi-party scenarios.
Stage maturity	Normalized journey state; claim maturity is separate	Document values above 1 and two-decimal adjustment states.
Metric	Executable semantic contract	Distinguish from illustrative demo values.
Claim	Bounded business assertion with an evidence path	Maturity may regress; confidence and temporal validity are explicit.
Current / precursor	Authority class for source artifacts	Conflicts resolve to current governing sources.


OPEN-DECISION REGISTER

ID	DECISION	OWNER CLASS	SAFE DEFAULT
OD-001	Canonical naming crosswalk among SB-SCN, SB-SCEN, HOS and EIDOS precursor IDs	Data governance	Map; do not rename historical IDs
OD-002	Formal path-color code set and validation semantics	Metadata governance	Approve visual/semantic contract
OD-003	Exact promotion criteria for 10 Core metrics into the broader 150 registry	Metric owner	Publish dependency and validation plan
OD-004	Production entitlement/retention policies by agent and source	Security/privacy	Validate before protected-data rollout
OD-005	Release cadence, environment gates, and evidence retention	Delivery governance	Record in Thesis / Tributary Ledger

SOURCE NOTE Open decisions are explicit portfolio management items; they are not placeholders or implied redesigns.

Authoritative Methodology & Evidence Chain

The portfolio now uses one explicit operating method from investment belief to buyer-ready proof. Every downstream result must remain traversable to definitions, source events, reconciliations, and rule versions.



METHOD

Prioritize → Underwrite → Measure → Attribute → Prove. Salter Momentum™ describes the operating progression as Understanding → Rendering → Manifesting.

SOURCE NOTE Authoritative pasted chat context and source-derived Data Channel Rod visual. Cost to Produce Truth™ is the governed effort required to traverse a claim backward to its original thesis and evidence.

Implementation Reality & Configurability


The existing Salt Basin website already provides a configurable public experience and substantial application surfaces. The operational SB-SCN registry and 001A semantic kernel remain integration work; the evidence below avoids treating client-code presence as proof of inaccessible backend records.

Surface	Observed status	Configurable now	Portfolio implication
Public experience	Verified live: 4 published pages / 23 sections	CMS draft/publish, section fields, layouts	Extend the current publishing model; do not create a second website platform.
Journey rods + calculator	Verified live interaction	Labels/defaults partly configurable; behavior coded	Reuse interaction patterns for scenario and evidence views.
Admin CMS	Deployed client code; 29 templates	Pages, sections, order, status, layout	Add scenario explorer/detail section types.
QA scenarios	Generic test-case schema	Test steps, expected results, runs, defects	Keep separate from operational SB-SCN definitions.
Scenario runtime registry	Exact SB-SCN IDs not found in deployed client	No current client configuration surface found	Import the 2,400 rows as governed runtime configuration.
Workbook 001A kernel	Rich source workbook; private backend unverified	Versioned workbook import contract supplied	Load atoms, molecules, events, stages, policies, connections, and projections.
EVIDENCE BOUNDARY	No SB-SCN-*, SB-SCEN-*, ATOM-*, or MOL-* identifiers were found in the reviewed deployed client bundle. This does not prove protected/private backend records are absent.		

SOURCE NOTE Public site/API observation and deployed client-bundle review completed 2026-07-15; detailed per-scenario coverage is included in the organization import workbook.


Organization Import & Semantic Kernel Data Model

The new workbook is a validate-first, idempotent import contract for extending the current Supabase build. It carries organization scope, stable identifiers, explicit source provenance, version fields, effective dates, and skip-safe templates for runtime facts that must not be fabricated.



Product Suite & Claim-Safe Outcomes

Nine coordinated products support one evidence architecture. The products organize thesis, journey, semantic, operational, cost, agent, and experience capabilities; outcomes are governed hypotheses until production evidence validates them.



Product family	Primary responsibility	Evidence-chain contribution
Thesis Ledger System	Targets, assumptions, hypotheses, evidence requirements	Preserves belief, version, owner, counterfactual, and acceptance criteria.
Journey Data Rods + Dynamic Journey Agents	Stages, branches, merges, what-if simulation	Preserves operational context without duplicating master truth.
Evidence Chain Engine + Data Basin	Capture, normalize, validate, link, classify	Makes claim-to-source traversal inspectable and repeatable.
Revenue Engine OS + Operating Reality Lens	Patterns, metrics, anomalies, risk, leading signals	Connects governed events and reconciliations to operating results.
Cost Basis & Data ROI + Dashboards / Agents	Truth-production cost, ROI, recommendations, explanation	Makes evidence cost and decision support visible to entitled users.
CLAIM-SAFE THESIS	Investment → defined capability → operational change → source events → reconciliation → EBITDA / ARR effect → attribution → exit evidence. A stronger evidence chain can improve defensibility; it does not guarantee market pricing or a higher multiple.	

SOURCE NOTE Authoritative pasted chat context and source-derived platform architecture visual.

Scenario-to-001A Semantic Coverage

Workbook 001A is materially richer than the prior portfolio cover implied: 139 atoms, 45 molecules, 48 channels, 47 tributaries, 44 magnetic fields, 45 events, 28 stages, 10 security policies, 21 negative-convergence rules, and 5 zero-copy projections. Its scenario-level crosswalk remains incomplete.

Scenario family	Rows	001A component support	Representative semantics	Next definition action
New Sale	241	Direct component support	CH-REV-0001; EVT-0012; revenue stages	Add explicit SB-SCN crosswalk and load configuration.
Modification	259	Direct component support	EVT-0033; EVT-0007; TR-0011	Add explicit SB-SCN crosswalk and load configuration.
Renewal	227	Partial	STG-REV-11; STG-CUST-07; ATOM-SUB-007	Define dedicated renewal event and crosswalk.
Expansion	239	Partial	Renewal/expansion stages; EVT-0033	Define explicit expansion event and crosswalk.
Reactivation	256	Partial	EVT-0032; subscription + entitlement molecules	Define reactivation transition and crosswalk.
Churn	262	Partial	EVT-0035; at-risk/former-customer stages	Define termination/churn event and crosswalk.
Ramp Step	222	Partial	Pricing versions; modification; ramp atom	Define ramp-step event/schedule and crosswalk.
Contraction	218	Partial	Subscription/pricing modification semantics	Define contraction event and crosswalk.
Credit	232	Definition gap	No credit-issued / credit-memo event	Create credit event, state, accounting, and crosswalk.
Refund	244	Definition gap	No refund-issued / refund-settled event	Create refund event, state, accounting, and crosswalk.
STRICT RESULT 0 of 2,400 SB-SCN rows has an explicit 001A scenario crosswalk. Component assessment: 500 direct, 1,424 partial, 476 definition gaps. The import workbook preserves all 2,400 per-scenario assessments.				

SOURCE NOTE [Salt_Basin_Workbook_001A_Enterprise_Foundation_v4.xlsx](#), [Salt_Basin_2400_Scenario_Repository.xlsx](#), and the 2026-07-15 implementation audit.

Supabase Implementation & Rollout Roadmap


The roadmap extends the current application instead of rebuilding a parallel platform. Release gates are evidence-based: a phase advances only when definitions, source lineage, deterministic fixtures, reconciliation, security, and user explanation are reproducible.

Method stage	Implementation increment	Release proof	Exit condition
Prioritize	Migrations, organization scope, import manifest, 001A registry seed	Schema contract; authority profile; idempotent validate mode	Template org values replaced; validation shows no blocking structural errors.
Underwrite	2,400 scenario definitions + 38,400 dimension values	Scenario list/detail/filter; source/event/fixture lineage	Core 240 scenarios queryable; explicit semantic gaps visible.
Measure	Event ingestion, transactions, controls, metric definitions/observations	Golden fixtures; Revenue→GL, Invoice→AR, Payment→Cash, debt controls	Core calculations reconcile with zero unexplained variance.
Attribute	Claim, evidence requirement, attribution, versions, time semantics	Claim-to-source traversal; counterfactual and confidence treatment	Every claim resolves to definitions, events, results, explanations, and owners.
Prove	Scenario explorer, evidence views, world projection, sponsor/buyer experience	Entitlement tests; Why Changed? explanation; proof-pack export	Production slice is reproducible as-of prior versions and entitled views.
REPOSITORY LAYOUT	supabase/migrations • supabase/seed • supabase/functions • src/semantic-engine • src/workbook-importer • src/agent-engine • src/world-projection • src/adapters		

SOURCE NOTE Authoritative pasted chat context; roadmap remains outcome-gated. Owners, dates, budget, dependencies, and completion evidence belong in the Thesis / Tributary Ledger.

Maturity Signals & Operational Volatility

Maturity is evaluated claim by claim. Seven independent signals determine whether a claim is merely asserted, defined, reproducible, reconciled, explainable, or outcome validated; any weak signal constrains the overall maturity.




SIGNALS

Definition quality • data lineage • reconciliation • business-event linkage • data quality • ownership and governance • temporal coverage.

SOURCE NOTE The Signals That Matter in the Maturity Model visual and Salt_Basin_Thesis_Evidence_Chain_Examples workbook. Levels and example treatments are illustrative until calibrated and backtested.

Hold-Period Evidence Preservation

Leadership turnover, system changes, billing redesigns, acquisitions, chart-of-accounts changes, and reporting drift can break the path from thesis to outcome. Effective dating, lineage, crosswalks, reconciliation, and continuous evidence packaging preserve it.




BUYER-READY PRINCIPLE

Every material event creates a potential break. Salt Basin preserves meaning and proof so the exit response is assembled from governed history instead of reconstructed under time pressure.

SOURCE NOTE How the Evidence Chain Is Impacted Through the Hold Period visual; pricing transformation and add-on examples remain illustrative.

Data Cost Basis & Claim-Safe Value Thesis

Data cost basis documents the people, process, system, definition, lineage, quality, and control investment required to make data reusable and defensible. Operational and financial effects must then be measured and attributed; they are not assumed.




GUARDRAIL

The source visual contains illustrative investment, EBITDA, enterprise-value, and multiple ranges. They are hypotheses for pilot measurement and backtesting—not forecasts, guarantees, or production results.

SOURCE NOTE Data as an Asset / Cost Basis Creates Value visual and Salt_Basin_Thesis_Evidence_Chain_Examples workbook.


TH-001 Worked Claim: Pricing Transformation

The worked example shows how a single source record becomes governed identity, contract, pricing, evidence, event, and reconciliation objects across three rods before it can support an attributable claim.



Crystal Atom, Molecule, Rod & Orbit Model

A crystal atom is the smallest bounded unit of governed truth: definition, evidence, validation, temporal history, confidence, and lineage. Atoms group into molecules and clusters, operate through journey rods, and converge into an enterprise orbit.




COUNT BOUNDARY

Workbook 001A contains 139 canonical atoms and 45 molecules. The separate 5,000-row Metadata Atom Catalog is explicitly a generated starter catalog and remains a review/reference layer; it does not change the canonical 001A count.

SOURCE NOTE Salt Basin Orbit Visual & Data Model, Metadata Atom Catalog v0.1, Website Data Model Build Aligned v1.0, and Workbook 001A.

Data Channel Rod: Claim to Exit Proof

The Data Channel Rod carries thesis metadata and evidence across time. Its six states connect the claim object, attribution object, evidence classification, operational reporting, confidence recalculation, and exit-defense package.



SIX STATES Define → Plan → Execute → Realize → Sustain → Exit / Prove. State and confidence are recomputed as governed evidence, definitions, amendments, and reconciliations arrive.


SOURCE NOTE Salt Basin Data Channel Rod visual, Thesis Evidence Orbit annotated notes, and DataBasin Data Bridge methodology.

Product Suite → Operating Method → Outcomes

ILLUSTRATIVE • CONCEPTUAL • NOT A PRODUCTION SCREEN

Product Suite → Operating Method → Outcomes

Nine coordinated products, one governed evidence architecture



CLAIM-SAFE OPERATING THESIS

Investment → defined capability → operational change → source events → reconciliation → EBITDA / ARR effect
→ attribution → exit evidence

Higher valuation is a hypothesis to test—not a guarantee. Evidence strengthens defensibility; market pricing remains external.

Salter Momentum™ : Understanding → Rendering → Manifesting


Source-derived native reference diagram connecting the nine-product suite to the operating method and claim-safe outcomes.

Scenario Runtime & Metadata-Governed Rods

ILLUSTRATIVE • CONCEPTUAL • NOT A PRODUCTION SCREEN

Scenario Runtime & Metadata-Governed Rods

A scenario advances when required definitions and evidence mature—not when a system object merely exists




Source-derived native reference diagram showing scenario profiles, metadata-chip lifecycle, parallel rods, stage maturity, and the event-to-experience chain.

Organization Import → Semantic Kernel → Runtime

ILLUSTRATIVE • CONCEPTUAL • NOT A PRODUCTION SCREEN

Organization Import → Semantic Kernel → Runtime

Versioned workbook contract for extending the current Supabase implementation



IMPORT GUARANTEES
Organization scope • stable IDs • source lineage • effective dates • validate-before-upsert • idempotency key

The UI renders governed state; accounting logic, definitions, lineage, and permissions remain in the semantic kernel.

© 2026 Martha Elizabeth Salter. All Rights Reserved. • Confidential & Proprietary

SALT BASIN • GOVERNED REFERENCE


Authoritative chat-context reference for a versioned organization workbook import into the current Supabase semantic kernel and runtime services.

Evidence Chain & Cost to Produce Truth™

ILLUSTRATIVE • CONCEPTUAL • NOT A PRODUCTION SCREEN

Evidence Chain & Cost to Produce Truth™

Authoritative methodology from belief through defensible buyer response



Forward method Prioritize → Underwrite → Measure → Attribute → Prove

Reverse friction test Claim ← Attribution ← Explanation ← Result ← Source Events ← Measurement Definition ← Original Thesis

Cost to Produce Truth = the governed effort required to traverse this chain backward with complete, versioned evidence.
© 2026 Martha Elizabeth Salter. All Rights Reserved. • Confidential & Proprietary SALT BASIN • GOVERNED REFERENCE

Authoritative evidence-chain reference. Valuation uplift remains a hypothesis to validate; the diagram makes claim-to-source traversal and truth-production friction explicit.

Appendix A — Canonical Dimension Dictionary

A compact implementation dictionary for the 16 scenario dimensions. Extend with the exact canonical value codes, definitions, evidence rules, mappings, and regression fixtures from the repository workbook.

DIMENSION	N	IMPLEMENTATION INTERPRETATION
Customer_Segment	4	Defines commercial scale/context; affects pricing, service, hierarchy and metrics.
Customer_State	3	Separates new, existing and lifecycle relationship behavior.
Product_Model	5	Defines product/service structure and fulfillment pattern.
Pricing_Model	7	Defines fixed, unit, tier, block, usage, commitment or related economics.
Contract_Term	5	Defines duration, evergreen, renewal and enforceability behavior.
Billing_Cadence	5	Defines invoice frequency and period boundaries.
Billing_Timing	4	Defines advance/arrears timing and related recognition/cash implications.
Payment_Method	5	Defines settlement source, fees, timing, reversals and controls.
Commercial_Event	10	Defines the lifecycle event family and primary lineage root.
Usage_State	6	Defines committed, consumed, overage, dormant or related usage behavior.
Revenue_Pattern	5	Defines point-in-time, ratable, usage-based or related recognition.
Invoice_State	6	Defines draft/issued/partially paid/paid/void/other lifecycle state.
Payment_State	6	Defines initiated/settled/failed/refunded/reversed/other settlement state.
Debt_State	5	Defines draw, outstanding, accrual, repayment and closing-balance behavior.
Source_System	10	Defines authoritative source and native lineage behavior.
Security_Slice	7	Defines entitled exposure/action context and policy tests.

DICTIONARY COMPLETION For each value add: stable code • display label • definition • inclusion/exclusion • atom path • molecule • evidence • validation • event compatibility • transaction impact • temporal behavior • agent/user policy • regression IDs.

SOURCE NOTE Cardinalities are exact; short interpretations are implementation guidance and remain subordinate to the source dictionary.

Appendix B — Implementation Checklists

These checklists convert the reference model into repeatable definition, build, test, release, and operating reviews.

DEFINITION READINESS

IDENTITY Stable codes, owners, lifecycle states and authority hierarchy approved.	MEANING Definitions, inclusions/exclusions, atoms, molecules and path treatment complete.	LINEAGE Source events, native IDs, rules and time fields mapped.
TRANSACTIONS Declared records, postings and no-generate rules explicit.	CONTROLS Expected reconciliations, exception classes and pass thresholds defined.	METRICS Formula, grain, time, dependencies, policy and validation versioned.

REGRESSION PROOF

GATE	PASS CONDITION
State	Expected L1/L2/L3 path, statuses, branch/merge and maturity reproduce
Financial	Transactions and balances tie under all four applicable controls
Metrics	Expected values, dependencies, invalidation and propagation reproduce
Exceptions	Timing, mapping, source, rule, entitlement and adjustment paths classify correctly
Temporal	Prior as-of state, restatement, supersession and replay reproduce
Lineage	Source → rule → record → control/metric → UI remains traversable
Security	Allow and deny paths, memory, exposure and actions follow agent policy
Experience	Trace and Why Changed? explain current/prior results without hidden assumptions
Performance	Bounded recalculation, projection freshness and recovery meet target
Release	Evidence pack, gaps, approvals, compatibility and next review recorded

SOURCE NOTE Checklist consolidates validation themes present across the repository, DataBasin, EIDOS, security, and UI/experience materials.

APPENDIX C

Source Estate Register — Broad Screen

122 candidate artifacts were identified using unrestricted Salt Basin source queries. The register is intentionally broad; authority tier and category prevent duplicates, prototypes, and precursor work from silently overriding governing sources.

ARTIFACT	FORMAT	CATEGORY	AUTHORITY	MODIFIED
Enterprise_Intelligence_and_Delivery_Operating_System_EIDOS_v1_0.docx	Document	Operating governance	T1 • Current / governing	2026-07-05
Salt_Basin_2400_Scenario_Repository.xlsx	Workbook	Scenario & metadata	T1 • Current / governing	2026-07-13
Salt_Basin_DataBasin_Data_Bridge_Methodology.docx	Document	Implementation	T1 • Current / governing	2026-07-09
Salt_Basin_Holdings_Enterprise_Constitution_v1_0.docx	Document	Operating governance	T1 • Current / governing	2026-07-05
Salt_Basin_Transaction_Grounded_Intelligence_Portfolio.docx	Document	Adjacent reference	T1 • Current / governing	2026-07-13
Salt_Basin_Visual_Design_System_v1.docx	Document	Visual reference	T1 • Current / governing	2026-07-08
Salt_Basin_Workbook_001A_Enterprise_Foundation_v4.xlsx	Workbook	Adjacent reference	T1 • Current / governing	2026-07-14
SBHOS_Metadata_Definition_By_L2_Scenario_and_Data_Rod.xlsx	Workbook	Scenario & metadata	T1 • Current / governing	2026-07-09
Thesis_Ledger_System_Framework_v1.docx	Document	Thesis & evidence	T1 • Current / governing	2026-07-05
Salt_Basin_Last_3_Chats_Fully_Annotated_Notes_July_2026.docx	Document	Adjacent reference	T2 • Supporting	2026-07-14
Salt_Basin_Master_Recap_and_Smart_Use_Guide.docx	Document	Experience	T2 • Supporting	2026-07-13
Salt_Basin_PE_Exit_Evidence_Research_Memo_v3.docx	Document	Thesis & evidence	T2 • Supporting	2026-07-14
Salt_Basin_POC_to_Data_Model_Mapping.xlsx	Workbook	Adjacent reference	T2 • Supporting	2026-07-14
Salt_Basin_Thesis_Evidence_Chain_Examples.xlsx	Workbook	Thesis & evidence	T2 • Supporting	2026-07-14
Salt_Basin_Thesis_Evidence_Orbit_Annotated_Notes.docx	Document	Thesis & evidence	T2 • Supporting	2026-07-14
Salt Basin Net Works(1).pdf	PDF	Adjacent reference	T3 • Precursor / variant	2026-06-18
Salt_Basin_EIDOS_Expanded_Proliferated_L2_Scenarios.xlsx	Workbook	Scenario & metadata	T3 • Precursor / variant	2026-07-09
salt_basin_highway_html_artifacts(1).zip	Artifact	Adjacent reference	T3 • Precursor / variant	2026-07-10
salt_basin_highway_interactive(1).html	Web / prototype	Adjacent reference	T3 • Precursor / variant	2026-07-10
Salt_Basin_HOS_2400_L2_Scenarios_Workbook.xlsx	Workbook	Scenario & metadata	T3 • Precursor / variant	2026-07-10
Salt_Basin_LoneTree_Thesis_to_Exit_Proposal_v3_Clean(1).pdf	PDF	Thesis & evidence	T3 • Precursor / variant	2026-07-14
Salt_Basin_LoneTree_Thesis_to_Exit_Proposal_v3_Clean(1).pptx	Artifact	Thesis & evidence	T3 • Precursor / variant	2026-07-14
Salt_Basin_Prospect_Crystal_3D_Experience(1).html	Web / prototype	Experience	T3 • Precursor / variant	2026-07-14
Salt_Basin_Prospect_Send_Package(1).zip	Artifact	Adjacent reference	T3 • Precursor / variant	2026-07-14
Salt_Basin_Variable_Config_and_3D_World_Spec(1).docx	Document	Implementation	T3 • Precursor / variant	2026-07-04
Salt_Basin_Variable_Config_and_3D_World_Spec(2).docx	Document	Implementation	T3 • Precursor / variant	2026-07-04
Salt_Basin_Variable_Config_and_3D_World_Spec(3).docx	Document	Implementation	T3 • Precursor / variant	2026-07-04
Salt_Basin_White_Paper(1).pdf	PDF	Adjacent reference	T3 • Precursor / variant	2026-03-31
Salt_Basin_Workbook_001A_Enterprise_Foundation(1).xlsx	Workbook	Adjacent reference	T3 • Precursor / variant	2026-07-15
Salt_Basin_Workbook_001A_Enterprise_Foundation_v3(1).xlsx	Workbook	Adjacent reference	T3 • Precursor / variant	2026-07-14
START_HERE_Salt_Basin_Prospect_Experience(1).pdf	PDF	Experience	T3 • Precursor / variant	2026-07-14
Betsy_Salter_Career_Master_Database_Final.pdf	PDF	Adjacent reference	T3 • Reference	2026-07-08
Betsy_Salter_Case_Study_Portfolio_Canva_Source_Final.pdf	PDF	Adjacent reference	T3 • Reference	2026-07-08
Betsy_Salter_Flagship_Resume_Concept.pptx	Artifact	Adjacent reference	T3 • Reference	2026-07-08
Consolidated_Package_Manifest.xlsx	Workbook	Adjacent reference	T3 • Reference	2026-06-13
Corporate product impact matrix infographic.png	Image	Visual reference	T3 • Reference	2026-07-14
Corporate strategy dashboard and priorities overview.png	Image	Visual reference	T3 • Reference	2026-07-14
Data channel rod for thesis analysis.png	Image	Visual reference	T3 • Reference	2026-07-14
EIDOS_Process_Definition_Repository_Starter.xlsx	Workbook	Operating governance	T3 • Reference	2026-07-09
eidos_spatial_semantic_prototype.html	Web / prototype	Operating governance	T3 • Reference	2026-07-11
eidos_true_3d_webgl_prototype.html	Web / prototype	Operating governance	T3 • Reference	2026-07-11
HERQ_Master_Repository_v1.xlsx	Workbook	Adjacent reference	T3 • Reference	2026-06-13
Home_Equity_Recovery_Fund_Executive_With_Charts.pdf	PDF	Experience	T3 • Reference	2026-03-13
Maturity models: competition vs Salt Basin.png	Image	Visual reference	T3 • Reference	2026-07-14
OPEN_SALT_BASIN_EXPERIENCE.html	Web / prototype	Experience	T3 • Reference	2026-07-14

ARTIFACT	FORMAT	CATEGORY	AUTHORITY	MODIFIED
SaaS journey and metadata flow diagram.png	Image	Visual reference	T3 • Reference	2026-07-09
Salt Basin data model overview.png	Image	Visual reference	T3 • Reference	2026-07-14
Salt Basin highway operating system diagram.png	Image	Visual reference	T3 • Reference	2026-07-09
Salt Basin Highway Operating System workflow.png	Image	Visual reference	T3 • Reference	2026-07-09
Salt Basin methodology infographic.png	Image	Visual reference	T3 • Reference	2026-07-09
Salt Basin modeling evidence chain roadmap.png	Image	Visual reference	T3 • Reference	2026-07-14
Salt Basin modeling evidence chain visualization.png	Image	Visual reference	T3 • Reference	2026-07-14
Salt Basin Net Works.pdf	PDF	Adjacent reference	T3 • Reference	2026-06-18
Salt Basin platform architecture diagram.png	Image	Visual reference	T3 • Reference	2026-07-14
Salt Basin product to outcome matrix.png	Image	Visual reference	T3 • Reference	2026-07-14
Salt Basin proof of concept dashboard.png	Image	Visual reference	T3 • Reference	2026-07-14
Salt_Basin_Cinematic_3D_Interactive_Experience.html	Web / prototype	Experience	T3 • Reference	2026-07-10
Salt_Basin_Crystal_Evidence_Operating_System_Artifact.html	Web / prototype	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_EIDOS_L2_Scenario_Repository_Initial_500.xlsx	Workbook	Scenario & metadata	T3 • Reference	2026-07-09
Salt_Basin_EIDOS_Proliferated_L2_Scenarios.xlsx	Workbook	Scenario & metadata	T3 • Reference	2026-07-09
Salt_Basin_Enterprise_Constitution_Master_Blueprint_Volume_I_Draft.docx	Document	Operating governance	T3 • Reference	2026-07-05
Salt_Basin_Hierarchical_Prospect_Crystal_Experience.html	Web / prototype	Experience	T3 • Reference	2026-07-14
Salt_Basin_Hierarchical_Prospect_Crystal_Experience_v2.html	Web / prototype	Experience	T3 • Reference	2026-07-14
salt_basin_highway_html_artifacts.zip	Artifact	Adjacent reference	T3 • Reference	2026-07-10
salt_basin_highway_interactive.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-10
Salt_Basin_Holdings_Enterprise_Constitution_v0_1.docx	Document	Operating governance	T3 • Reference	2026-07-05
Salt_Basin_Holdings_White_Paper_Full.pdf	PDF	Adjacent reference	T3 • Reference	2026-03-31
Salt_Basin_HOS_Commercial_Scenario_Intelligence.html	Web / prototype	Scenario & metadata	T3 • Reference	2026-07-10
Salt_Basin_HOS_Plaid_Integration_Starter.zip	Artifact	Adjacent reference	T3 • Reference	2026-07-10
Salt_Basin_HOS_Product_Experience_Readability_Fix.html	Web / prototype	Experience	T3 • Reference	2026-07-10
Salt_Basin_HOS_Product_Experience_Updated.html	Web / prototype	Experience	T3 • Reference	2026-07-10
Salt_Basin_HOS_Product_Experience_With_Plaid.html	Web / prototype	Experience	T3 • Reference	2026-07-10
Salt_Basin_HOS_Refined_Polished_Interactive.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-10
Salt_Basin_Interactive_End_Result_Deliverables.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-10
Salt_Basin_Interactive_Methodology_Document.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-09
Salt_Basin_Interactive_Methodology_Document_ANCHOR_FIXED.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-09
Salt_Basin_Interactive_Methodology_Document_FIXED.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-09
Salt_Basin_Interactive_Prospect_Experience.html	Web / prototype	Experience	T3 • Reference	2026-07-14
Salt_Basin_Large_L2_Scenario_Explorer.html	Web / prototype	Scenario & metadata	T3 • Reference	2026-07-09
Salt_Basin_Lead_to_Cash_Workshop_Intake_Expanded.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-09
Salt_Basin_LoneTree_Capital_Proposal.pdf	PDF	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Capital_Proposal.pptx	Artifact	Adjacent reference	T3 • Reference	2026-07-13
Salt_Basin_LoneTree_End_to_End_Thesis_Salt_Basin_Branding_2026.pdf	PDF	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_End_to_End_Thesis_Salt_Basin_Branding_2026.pptx	Artifact	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Executive_Preview.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Executive_Preview_Package.zip	Artifact	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Operating_Diagnostic_Companion_Pared_Down.pdf	PDF	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Operating_Diagnostic_Companion_Pared_Down.pptx	Artifact	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Thesis_to_Exit_Proposal_v2.pdf	PDF	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Thesis_to_Exit_Proposal_v2.pptx	Artifact	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Thesis_to_Exit_Proposal_v3_Clean.pdf	PDF	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_LoneTree_Thesis_to_Exit_Proposal_v3_Clean.pptx	Artifact	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_NoJS_Scenario_Simulator.html	Web / prototype	Scenario & metadata	T3 • Reference	2026-07-09
Salt_Basin_PE_Exit_Evidence_200_Query_Research_Memo.docx	Document	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_Platform_Interactive_Experience.html	Web / prototype	Experience	T3 • Reference	2026-07-10

ARTIFACT	FORMAT	CATEGORY	AUTHORITY	MODIFIED
Salt_Basin_Preload_L2_Scenario_Library_Translator.html	Web / prototype	Scenario & metadata	T3 • Reference	2026-07-09
Salt_Basin_Product_Demo_Full_Experience.html	Web / prototype	Experience	T3 • Reference	2026-07-10
Salt_Basin_Prospect_Crystal_3D_Experience.html	Web / prototype	Experience	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Experience_Accurate_Visual_Rebuilds.html	Web / prototype	Visual reference	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Experience_NoJS_Clickable.html	Web / prototype	Experience	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Experience_NoJS_Clickable_v2.html	Web / prototype	Experience	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Immersive_Crystal_Operating_Thesis.html	Web / prototype	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Immersive_Crystal_Operating_Thesis_Built_Out.html	Web / prototype	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Operating_Thesis_Experience_Mobile.html	Web / prototype	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Operating_Thesis_Experience_Mobile_v2.html	Web / prototype	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_Prospect_Send_Package.zip	Artifact	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_Robust_Build.html	Web / prototype	Experience	T3 • Reference	2026-07-10
Salt_Basin_Scenario_Repository_Portfolio_v1.docx	Document	Scenario & metadata	T3 • Reference	2026-07-15
Salt_Basin_Variable_Config_and_3D_World_Spec.docx	Document	Implementation	T3 • Reference	2026-07-04
Salt_Basin_Variable_Config_and_3D_World_Spec.pdf	PDF	Implementation	T3 • Reference	2026-07-04
Salt_Basin_Visual_Design_System_v1.pdf	PDF	Visual reference	T3 • Reference	2026-07-08
Salt_Basin_White_Paper.pdf	PDF	Adjacent reference	T3 • Reference	2026-03-31
Salt_Basin_Workbook_001A_Enterprise_Foundation.xlsx	Workbook	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_Workbook_001A_Enterprise_Foundation_v2.xlsx	Workbook	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_Workbook_001A_Enterprise_Foundation_v3.xlsx	Workbook	Adjacent reference	T3 • Reference	2026-07-14
Salt_Basin_Workshop_Capture_Interactive_Prototype.html	Web / prototype	Experience	T3 • Reference	2026-07-09
Salt_Basin_x_LoneTree_End_to_End_Thesis_Proposal_Extended.pdf	PDF	Thesis & evidence	T3 • Reference	2026-07-14
Salt_Basin_x_LoneTree_End_to_End_Thesis_Proposal_Extended.pptx	Artifact	Thesis & evidence	T3 • Reference	2026-07-14
SBHOS_Interactive_Smart_Art.html	Web / prototype	Adjacent reference	T3 • Reference	2026-07-09
START_HERE_Salt_Basin_Prospect_Experience.pdf	PDF	Experience	T3 • Reference	2026-07-14
The Salt Basin Methodology blueprint.png	Image	Visual reference	T3 • Reference	2026-07-09
The Salt Basin Methodology overview.png	Image	Visual reference	T3 • Reference	2026-07-09

SCREEN SUMMARY

Adjacent reference: 39 • Experience: 20 • Implementation: 6 • Operating governance: 7 • Scenario & metadata: 11 • Thesis & evidence: 20 • Visual reference: 19
T1 • Current / governing: 9 • T2 • Supporting: 6 • T3 • Precursor / variant: 16 • T3 • Reference: 91

SOURCE NOTE The source register is a screened estate index, not a representation that every artifact was equally authoritative or exhaustively quoted.

Appendix D — Reference Stewardship

Keep this document cohesive by treating it as the narrative index to governed repository releases. Add evidence and decisions; do not allow the portfolio to become a parallel source of truth.

ROLE	STEWARDSHIP
Repository owner	Owns Scenario_IDs, dimensions, value codes, coverage tiers and release compatibility
Metadata/token owners	Own definitions, atom/molecule placement, evidence, validation, path treatment and review
Product/engineering	Own fixtures, generation rules, dependency graph, UI trace and performance
Finance/control	Own transaction rules, reconciliations, metric contracts, exceptions and close evidence
Security/privacy	Own agent envelopes, entitlements, retention, consent and action policies
Thesis/value owner	Own claims, drivers, counterfactuals, attribution, confidence and measured value
Release steward	Own proof pack, open gaps, approvals, version notes and next review

DOCUMENT UPDATE RHYTHM

PER RELEASE	Coverage, code/rule changes, proof summary, gaps, approvals	PER QUARTER	Metric/claim maturity, evidence freshness, roadmap and source authority
ON INCIDENT	Exception, correction, restatement, security or lineage learning	ON EXPANSION	New family brief, value definitions, fixtures, compatibility and rollout gate
PRESERVE	Prior editions and reproducible source references	PUBLISH	One current reference edition with explicit as-of date

COPYRIGHT AND USE CONFIDENTIAL • PROPRIETARY • ILLUSTRATIVE. © 2026 Salt Basin Holdings / Martha Elizabeth Salter. All Rights Reserved. Worked scenarios, diagrams, values, valuation impacts, and operating examples are conceptual unless separately validated against governed production evidence.

SOURCE NOTE Expanded portfolio prepared July 2026 as a cohesive, extensible reference to the Salt Basin scenario repository and surrounding source estate.