

# MIRROR, MIRROR:

## A RANDOM WALK WITH A TWIST

Lucy Martinez  
Rutgers University


# ABOUT ME

- Grade: 22
- Math: Games and puzzles

$$\sigma = \sqrt{\frac{\sum (x_i - \mu)^2}{N}}$$



# PROBABILITY



# PROBABILITY

Concerns events and numerical descriptions of how likely they are to occur

# PROBABILITY

Concerns events and numerical descriptions of how likely they are to occur

The probability of an event is a number between zero and one

# **TYPES OF PROBABILITY**

**Empirical/Experimental**

**Estimates by using  
experience and observation**

# **TYPES OF PROBABILITY**

**Empirical/Experimental**

Estimates by using  
experience and observation

**Theoretical**

Calculates the likeliness of  
an event happening based on  
reasoning and mathematics

# EXAMPLE 1

Empirical Probability: You toss a coin 8 times and you record the following outcomes

# EXAMPLE 1

Empirical Probability: You toss a coin 8 times and you record the following outcomes

Experiment	1	2	3	4	5	6	7	8
Outcome	heads	heads	tails	heads	tails	tails	heads	heads

# EXAMPLE 1

## Empirical Probability

Experiment	1	2	3	4	5	6	7	8
Outcome	heads	heads	tails	heads	tails	tails	heads	heads

What is the empirical probability of getting tails?

# EXAMPLE 1

## Empirical Probability

Experiment	1	2	3	4	5	6	7	8
Outcome	heads	heads	tails	heads	tails	tails	heads	heads

What is the empirical probability of getting tails?  $3/8 = 37.5\%$ .

# EXAMPLE 2

Theoretical Probability:

$$\frac{\text{number of desired outcomes}}{\text{total number of all outcomes}}$$

# EXAMPLE 2

Theoretical Probability:

$$\frac{\text{number of desired outcomes}}{\text{total number of all outcomes}}$$

Probability of getting tails?  $P(\text{tails}) =$

# EXAMPLE 2







Theoretical Probability:

$$\frac{\text{number of desired outcomes}}{\text{total number of all outcomes}}$$

Probability of getting tails?  $P(\text{tails}) = \frac{1}{2} = 50\%$

# EXAMPLE 3







Example: Consider a six-sided die.



What is the probability of getting a 4? How likely do we get a 4 if you throw the dice?

# EXAMPLE 3







Example: Consider a six-sided die.



What is the probability of getting a 4? How likely do we get a 4 if you throw the dice? Answer:  $\frac{1}{6}$

# EXAMPLE 4







Example: Consider a six-sided die.



What is the probability of getting an even number?

# EXAMPLE 4

Example: Consider a six-sided die.




What is the probability of getting an even number? Answer:

$$\frac{3}{6} = \frac{1}{2} = 50\%$$

# EXAMPLE 5

How likely is it you will get a  
blue gumball?


How likely is it you will get a  
red gumball?





# EXAMPLE 5

How likely is it you will get a blue gumball? Answer:  $\frac{3}{8}$

How likely is it you will get a red gumball? Answer:  $\frac{5}{8}$



# WALKS




# ACTIVITY 1

Flip a coin:

Heads: take one step forward

Tails: take one step back

Record the location



# ACTIVITY 1

Share your thoughts: If you take a walk with coin flips as your guide like our volunteer just did, what would you wonder about?

What are you curious about? Write it down!

# ACTIVITY 2

Let's investigate

Starting at zero on the number line:

if heads: step forward one unit

if tails: step back one unit

Where will you arrive on the number line after six flips?

# ACTIVITY 2

	Flip 1	Flip 2	Flip 3	Flip 4
	heads	tails	tails	heads
Location				
0				

# **ACTIVITY 2**

**Let's all share our thoughts**

# ACTIVITY 2

Let's all share our thoughts

Now let's all do the activity!

# OBSERVATIONS

After first step: Is this what you expected?

# OBSERVATIONS

After first step: Is this what you expected?

How did you get to your location?

# OBSERVATIONS

After first step: Is this what you expected?

How did you get to your location?

Final step: Single columns

# MORE OBSERVATIONS

What do we notice in the bar graph we have created?

# RANDOM WALKS!



# MORE OBSERVATIONS


Question: What were some of your noticing and wonderings about the human bar graph we created? Let's record them on our handout and then share with someone!

# LET'S ANALYZE


Let's predict what the human bar graph would look like if we only did 2-flips, 3-flips, 4-flips, or 5-flips with the coin.

Be specific: Where could people arrive after 4-flips?  
What fraction or percentage of the people would arrive in each column of the bar graph?

# OUTCOMES



# OUTCOMES (2)



**TTTT**

**-4**

**HTTT**

**-3**

**THTT**

**-2**

**TTHT**

**-1**

**TTTH**

**0**

**THTH**

**HTTH**

**TTHH**

**1**

**HTHT**

**THTH**

**2**

**THHT**

**HTHT**

**HTHH**

**HHHH**

**3**

**4**

**HHTTT**

**TTHHH**

**HTHTT**

**THTHH**

**HTTHT**

**THHHT**

**HTTTH**

**THHHT**

**THHTT**

**HTTHH**

**TTTTH**

**THTHT**

**HTHTH**

**HHHHT**

**TTTHT**

**THTTH**

**HTHHT**

**HHHTH**

**TTHTT**

**TTHHT**

**HHTTH**

**HHTHH**

**THTTT**

**TTHTH**

**HHTHT**

**HTHHH**

**TTTTT**

**HTTTT**

**TTTHH**

**HHHTT**

**THHHH**

**HHHHH**

# QUESTIONS

Is this a coincidence?

# QUESTIONS

Is this a coincidence?

How often will I get heads or tails?

# QUESTIONS

Is this a coincidence?

How often will I get heads or tails?

What happens to the total possible outcomes when flipping a coin as the number of flips grows by 1? How many more outcomes do we get from 2-flips to 3-flips?

# RESULTS

Number of possible outcomes doubles as the number of flips grows by one:

2 flips: 4 outcomes

3 flips: 8 outcomes

4 flips: 16 outcomes

# QUESTIONS

Where will I arrive after a certain number of flips?

# QUESTIONS

Where will I arrive after a certain number of flips?

What do you notice about the number of ways to arrive at a location in  $N$ -flips compared to the number of ways of arriving at the two adjacent locations in  $(N-1)$ -flips?

# QUESTIONS

Where will I arrive after a certain number of flips?

What do you notice about the number of ways to arrive at a location in  $N$ -flips compared to the number of ways of arriving at the two adjacent locations in  $(N-1)$ -flips?

Look at the number of ways to arrive at ‘zero’ and the number of ways of arriving at ‘two’ in 4-flips and compare to the number of ways of arriving at ‘one’ in 5-flips

# RESULTS

There are 6 ways to arrive at zero in 4-flips

There are 4 ways to arrive at one in 4-flips

There are 10 ways to arrive at one in 5-flips

# RESULTS

There are 6 ways to arrive at zero in 4-flips

There are 4 ways to arrive at one in 4-flips

There are 10 ways to arrive at one in 5-flips

This is not a coincidence!

**TTTT**

**-4**

**HTTT**

**-3**

**THTT**

**-2**

**TTTH**

**-1**

**TTHT**

**0**

**TTHH**

**HTTH**

**HHTT**

**HTHT**

**THTH**

**THHT**

**1**

**HHHT**

**THHH**

**HHTH**

**HTHH**

**HHHH**

**HHHH**

**4**

**HHTTT**

**TTHHH**

**HTHTT**

**THTHH**

**HTTHT**

**THHHT**

**HTTTH**

**THHHHT**

**THHTT**

**HTTHH**

**TTTTH**

**THTHT**

**HTHTH**

**HHHHT**

**TTTHT**

**THTTH**

**HTHHT**

**HHHTH**

**TTHTT**

**TTHHT**

**HHTTH**

**HHTHH**

**THTTT**

**TTHTH**

**HHTHT**

**HTHHH**

**TTTTT**

**HTTTT**

**TTTHH**

**HHHTT**

**THHHH**

**HHHHH**

# MORE QUESTIONS

What if we used dice and made a walk like so:

Move forward by one if you get 1,2,3, or 4

Move back by one if you get 5 or 6

# MORE QUESTIONS


What if we used dice and made a walk like so:

Move forward by one if you get 1,2,3, or 4

Move back by one if you get 5 or 6

How would the final positions change?

# MY WORK



# WHAT DO I DO?

Use a die with 3 sides: one, two and three on the sides  
if it lands on 'one', move forward by one step  
if it lands on 'two', move back by one step  
if it lands on 'three' move to the 'mirror' side

# WHAT DO I DO?

Use a die with 3 sides: one, two and three on the sides  
if it lands on ‘one’, move forward by one step

move from  $x$  to  $x + 1$


if it lands on ‘two’, move back by one step

move from  $x$  to  $x - 1$

if it lands on ‘three’ move to the ‘mirror’ side

move from  $x$  to  $N - x$

# RANDOM WALK



# MY WORK

The kind of questions I studied:

- Probability of getting all the way to the right

# MY WORK

The kind of questions I studied:

- Probability of getting all the way to the right
- How long (on average) does it take to get to either of the ends?

# MY WORK

The kind of questions I studied:

- Probability of getting all the way to the right
- How long (on average) does it take to get to either of the ends?
- End behavior

# QUESTIONS?



Website: <https://marti3l0.github.io>

Email: [lucy.martinez@rutgers.edu](mailto:lucy.martinez@rutgers.edu)