Important info : This script is made by Martyn van Dijke , if you have any questions e-mail me at : m.v.dijke@student.tue.nl

This script is meant as extension to Google spreadsheet , it will confirm users with an e-mail if users have submitted a form.

In the current setup the e-mail will included html text and files (pdf's).

If you want to run this script : Copy the text and run the Initialize() function and everything should be ready , the script will ask for e-mail permission the first time it is activated.

```
// Made by Martyn van Dijke
2
   function Initialize() {
3
5
     var triggers = ScriptApp.getProjectTriggers();
     for (var i in triggers) {
       ScriptApp.deleteTrigger(triggers[i]);
7
8
     ScriptApp.newTrigger("SendConfirmationMail")
Q
10
        . \ for Spread sheet (Spread sheet \verb|App.getActiveSpread sheet()) \\
11
        .onFormSubmit()
12
        .create();
13
14
15
   function SendConfirmationMail(e) {
16
17
     try {
18
     //varaibles :
       var ss, cc, sendername, subject, columns;
19
20
       var message, value, textbody, sender;
21
       var name,lastname,thor;
22
       var n;
       var fileId = '********; //google drive file id to be send
23
            along with the e-mail
        var fileId2 = '*******'; //google drive file id to be send
24
            along with the e-mail
25
       var file = DriveApp.getFileById(fileId);
26
       var file2 = DriveApp.getFileById(fileId2);
27
       var full = 0:
28
       var nummer;
29
30
       // This is your email address and you will be in the CC
        cc = "*****@thor.edu"; //add desired e-mail that will recieve
31
           the conformation e-mail in the cc
32
33
        // This will show up as the sender's name
        sendername = "Acci-lan subscription";
34
35
36
       // to have a custom subject for Google Docs emails
37
       subject = "Acci-lan subscription";
38
39
        //get the google spreadsheet it is connected to
40
        ss = SpreadsheetApp.getActiveSheet();
41
         columns = ss.getRange(1, 1, 1, ss.getLastColumn()).getValues
```

```
()[0]; //gets the lastes infor from each colum
42
         name = e.namedValues["name"].toString(); //searches for the
             coloumn 'name' (if the script does not find this column
             no e-mail will be send)
         thor = e.namedValues["thor"].toString(); //searches for the
43
             coloumn 'thor
44
45
       n = thor.equals("yes"); //if subscriberd has enter yes (
           meaning in this case he/she is a thor member)
46
47
       // This is the submitter's email address
        sender = e.namedValues["email"].toString();//searches for the
48
           coloumn 'email'
49
        //gets the lastets row number for debugging and limitting the
           amount of subscription's
50
       nummer = ss.getLastRow();
51
       Logger.log(ss.getLastRow());
52
        //if more then 100 people have susbcriped
53
54
       if( nummer > 101){
55
        full = 1;
56
57
       if( full == 1){ //the body of the messeages becomes :
         message = "Dear "+ name +", <br>>";
58
59
         message = message + " Your reservantion number is :" + nummer
         message = message + "<br> Unfortanally , all the 100
60
             reservations are full at the moment.";
61
         message = message +" <br > There is only room for 100 people at
              the Gaslab <br/> <br/>br>.As soon as there is room we will contact
              you trough this e-mail address. ";
         message = message + "<br> Sincerly, <br> The Acci-lan
62
             commitee. <br>" ;
         message = message +" <h4> This is an automated message <br> If
63
              you want to contact us e-mail us at acci-lan@thor.edu<br
             > (This should happen automatically when you reply to
             this email)";
64
         textbody = message.replace("<br>", "\n");
65
66
             MailApp.sendEmail({ //send the e-mail
         to: sender,
67
68
         cc: cc,
69
         replyTo : "acci-lan@thor.edu",
70
         name : "Acci-lan subscription",
71
         subject: sendername,
72
         htmlBody: message, });
73
         full = 10;
74
75
76
       if(full ==0){ //if the maximum number of people has not been
           reached:
77
        //message input in with html attributes <i>, <b> etc
78
         message = "Dear "+ name +", <br>";
       message = message + " <br > We have received your details for the
79
            Acci-lan party. <br> "+
80
         "Your reservation number is <b><i>"+nummer +"</i>.</b>"+
81
        "<br>" +
```

```
82
                  "But before your reservation is completed , you have to pay the
                             participation fee. <br <br > "+
                       "You have <i><b>5</b></i> days to complete your payment
 83
                               otherwise the reservation will not be valid anymore. <br/> "
                                 ;
 84
 85
                      if( n == true ){
 86
                          message = message + "The price you have to pay is <b>
                                   7.50 </b>since you are Thor member. <br>> This can be
                                   transferd to NL 58 ABNA 0422 7263 89 the account name
                                   is e.t.s.v. Thor <br > <h3> Please state Acci-lan , your
                                   name and reservation number in the payment info.<br> So
                                    it will look like : Acci - lan payment ";
                          message = message + name +" reservation : " + nummer + "</h3
 87
 88
                          message = message + "<br>"; }
 89
                        if(n ==false){
                    message = message + "The price you have to pay is<b>
 90
                             \mbox{\ensuremath{\mbox{\scriptsize der}}}\mbox{\ensuremath{\mbox{\scriptsize euro}}}\mbox{\ensuremath{\mbox{\scriptsize can}}}\mbox{\ensuremath{\mbox{\scriptsize be}}}\mbox{\ensuremath{\mbox{\scriptsize transferd}}}\mbox{\ensuremath{\mbox{\scriptsize to}}}\mbox{\ensuremath{\mbox{\scriptsize NL}}}\mbox{\ensuremath{\mbox{\scriptsize 38}}}\mbox{\ensuremath{\mbox{\scriptsize ABNA}}}\mbox{\ensuremath{\mbox{\scriptsize 0422}}}\mbox{\ensuremath{\mbox{\scriptsize der}}}\mbox{\ensuremath{\mbox{\scriptsize der}}}\mbox{\ensuremath{\mbox
                            7263 89 the account name is e.t.s.v. Thor<br/> \hdots Please
                               state Acci-lan , your name and reservation number in the
                             payment info. <br > So it will look like : Acci - lan
                            payment ";
 91
                          message = message + name +" reservation : " + nummer + "</h3</pre>
 92
                           message = message + "<br>";
 93
 94
 95
                  //message input in with html attributes <i> , <b> etc
               message = message + "The Acci-lan party takes place at the TU/e
 96
                        in the Gaslab (a map with the location of the Gaslab is
                        attached to this mail). <br/> The doors of the Gaslab will open
                          at 18:00 (18-12-2015) and will close at 15:00 (20-12-2015)
                        .<br/>There will be free drinks and snacks available, of
                        course you are free to take your own food with you as well (
                        there is beer for only 50 cent, but you will have to
                        identify as 18 years or older). <br > " +
 97
         "The address of the Gaslab is Den Dolech 2, 5612AZ Eindhoven. <br/>
                    there are any questions you could always contact us at <i>acci
                  -lan@thor.edu</i><br>";
                  message = message + " <br > Sincerly, <br > The Acci-lan commitee
 98
                          .<br>";
                  message = message +" <h4> This is an automated message <br> If
 99
                          you want to contact us e-mail us at i>acci-lan@thor.edu</i
                          ><br> (This should happen automatically when you reply to
                          this email)";
100
                  textbody = message.replace("<br>", "\n");
101
102
                  MailApp.sendEmail({ //send the e-mail with the attachments
103
                      to: sender,
104
                      cc: cc,
105
                      replyTo : "acci-lan@thor.edu",
106
                      name : "Acci-lan subscription",
107
                      subject: sendername,
                      htmlBody: message,
108
109
110
                      attachments: [file.getAs(MimeType.PDF),file2.getAs(MimeType.
```

Listing 1: Google Form emailer