

Vitaspec_fruits


12 décembre 2025


Load & Save data

Cross-Val

Mesocarpe Frais - 24-25

Mesocarpe Frais – 24-25 spectres bruts






[1] "eau"

Pré : adj_red_c(1, 1000, 1)snv


R2 : 0.37 0.68 0.82 0.85 0.88 0.9 0.91 0.91 0.91 0.91 0.91 0.92 0.92 0.92 0.92

SEP : 7.65 5.51 4.14 3.75 3.4 3.12 2.91 2.84 2.85 2.92 2.97 2.81 2.73 2.72 2.73

eau – Mesocarpe Frais – 24–25



C14.0




[1] "C14.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.02 0.17 0.3 0.38 0.43 0.44 0.45 0.45 0.43 0.42 0.39 0.34 0.29 0.25 0.22

SEP : 0.37 0.34 0.31 0.3 0.28 0.28 0.28 0.28 0.29 0.29 0.31 0.33 0.37 0.4 0.43

C14.0 – Mesocarpe Frais – 24-25



C16.0




[1] "C16.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.01 0.19 0.57 0.69 0.77 0.79 0.8 0.8 0.79 0.76 0.74 0.73 0.72 0.7 0.69

SEP : 5.63 5.17 3.69 3.15 2.72 2.58 2.55 2.52 2.61 2.8 2.91 2.99 3.07 3.18 3.25

C16.0 – Mesocarpe Frais – 24-25



C18.0




[1] "C18.0"

Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0 0.01 0.04 0.07 0.2 0.11 0.2 0.25 0.26 0.31 0.34 0.33 0.34 0.34 0.34

SEP : 1.7 1.7 1.68 1.67 1.55 1.65 1.54 1.51 1.5 1.45 1.42 1.43 1.43 1.46 1.5

C18.0 – Mesocarpe Frais – 24-25



C18.1n9




[1] "C18.1n9"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.11 0.54 0.64 0.78 0.82 0.84 0.85 0.84 0.84 0.83 0.82 0.8 0.79 0.78 0.77

SEP : 5.7 4.05 3.57 2.79 2.57 2.41 2.36 2.44 2.44 2.54 2.63 2.77 2.92 2.99 3.13

C18.1n9 – Mesocarpe Frais – 24-25



C18.1n7




[1] "C18.1n7"

Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0.09 0.21 0.31 0.33 0.41 0.4 0.41 0.4 0.41 0.41 0.42 0.4 0.37 0.36

SEP : 0.59 0.55 0.51 0.51 0.48 0.48 0.48 0.49 0.49 0.49 0.49 0.49 0.5 0.53 0.55

C18.1n7 – Mesocarpe Frais – 24-25



C18.2




[1] "C18.2"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.01 0.06 0.19 0.3 0.45 0.5 0.54 0.55 0.55 0.55 0.53 0.52 0.48 0.46 0.45

SEP : 1.72 1.68 1.55 1.45 1.29 1.25 1.21 1.21 1.22 1.26 1.33 1.41 1.5 1.62 1.73

C18.2 – Mesocarpe Frais – 24-25



C18.3




[1] "C18.3"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.12 0.17 0.24 0.3 0.32 0.31 0.28 0.28 0.26 0.19 0.13 0.09 0.04 0.03 0.03

SEP : 0.12 0.11 0.11 0.11 0.1 0.1 0.1 0.11 0.11 0.11 0.12 0.13 0.13 0.14 0.15

C18.3 – Mesocarpe Frais – 24–25



C20.0




[1] "C20.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0 0.02 0.08 0.15 0.17 0.17 0.14 0.12 0.1 0.09 0.08 0.06 0.03 0.02 0.01

SEP : 0.12 0.12 0.12 0.11 0.11 0.11 0.11 0.12 0.12 0.13 0.13 0.14 0.16 0.17 0.18

C20.0 – Mesocarpe Frais – 24-25



trans.alpha.carotne




[1] "trans.alpha.carotne"

Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0.37 0.4 0.43 0.48 0.48 0.51 0.53 0.53 0.53 0.56 0.58 0.59 0.62 0.64 0.65

SEP : 292.64 286.61 279.69 269.96 270.84 263.29 258.15 260.43 263.61 251.5 245.56 242.25 234.34 225.67 224.95

trans.alpha.carotne – Mesocarpe Frais – 24-25



trans.beta.carotene




[1] "trans.beta.carotene"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.51 0.53 0.58 0.61 0.61 0.54 0.57 0.61 0.59 0.61 0.62 0.59 0.61 0.59 0.61

SEP : 248.37 242.36 229.94 222.09 220.57 244.71 234.83 223.02 229.1 223.62 222.08 230.49 224.91 236.2
232.01

trans.beta.carotene – Mesocarpe Frais – 24-25



X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.53 0.58 0.62 0.63 0.62 0.6 0.58 0.56 0.53 0.51 0.52 0.56 0.51 0.5 0.53

SEP : 24.94 23.63 22.63 22.21 22.59 23.15 23.98 24.6 25.54 26.27 26.09 24.87 26.49 27.17 26.31

X13.cis.beta.carotene – Mesocarpe Frais – 24–25



X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"


Pré : adj_red_c(1, 1300, 1)snv

R2 : 0.48 0.5 0.54 0.56 0.56 0.54 0.56 0.58 0.59 0.62 0.63 0.64 0.66 0.66 0.67

SEP : 52.18 50.95 49.26 48.25 48.43 49.61 48.43 47.23 47 44.73 44.32 43.97 42.71 42.46 42

X9.cis.beta.carotene – Mesocarpe Frais – 24–25






[1] "total.beta.carotenes"


Pré : adj_red_c(1, 1300, 1)snv

R2 : 0.55 0.57 0.62 0.64 0.65 0.58 0.6 0.63 0.66 0.66 0.66 0.65 0.67 0.66 0.66

SEP : 299.08 291.43 275.61 265.64 264.28 295.18 287.49 273.56 260.33 260.26 263.22 265.06 258.41
263.31 264.73

total.beta.carotenes – Mesocarpe Frais – 24–25






[1] "total.carotenes"

Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0.51 0.56 0.63 0.64 0.64 0.66 0.67 0.67 0.64 0.65 0.66 0.66 0.67 0.68 0.69

SEP : 527.52 503.92 462.99 456.37 456.01 446.62 439.02 443.6 465.88 460.66 455.1 454.05 444.4 439.57
435.41

total.carotenes – Mesocarpe Frais – 24–25



tlip.MS



Nombre de Variables Latentes


[1] "tlip.MS"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)

R2 : 0.48 0.45 0.62 0.72 0.74 0.72 0.72 0.7 0.69 0.66 0.61 0.59 0.55 0.56 0.56


SEP : 3.42 3.56 2.92 2.5 2.41 2.52 2.5 2.58 2.66 2.78 3.02 3.12 3.26 3.24 3.26


tlip.MS – Mesocarpe Frais – 24–25



Exocarpe Frais - 24-25

Exocarpe Frais – 24–25 spectres bruts






[1] "eau"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.01 0.18 0.57 0.52 0.56 0.56 0.53 0.53 0.54 0.6 0.57 0.55 0.52 0.51

SEP : 9.6 8.75 6.34 6.65 6.39 6.37 6.63 6.71 6.58 6.16 6.43 6.62 6.85 6.83 7

eau – Exocarpe Frais – 24-25



C14.0




[1] "C14.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.06 0.08 0.14 0.25 0.25 0.19 0.18 0.19 0.18 0.17 0.16 0.14 0.12 0.09 0.07

SEP : 0.31 0.31 0.3 0.28 0.28 0.3 0.31 0.31 0.33 0.34 0.35 0.37 0.41 0.46 0.51

C14.0 – Exocarpe Frais – 24-25



C16.0




[1] "C16.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.07 0.2 0.38 0.54 0.61 0.61 0.62 0.64 0.64 0.63 0.59 0.54 0.5 0.47 0.43

SEP : 5.08 4.74 4.16 3.57 3.26 3.28 3.24 3.16 3.18 3.27 3.5 3.87 4.21 4.54 4.97

C16.0 – Exocarpe Frais – 24-25



C18.0




[1] "C18.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.1 0.14 0.34 0.32 0.36 0.27 0.28 0.24 0.25 0.24 0.22 0.18 0.16 0.15 0.12

SEP : 1.33 1.32 1.16 1.17 1.14 1.25 1.29 1.34 1.37 1.43 1.51 1.63 1.73 1.89 2.03

C18.0 – Exocarpe Frais – 24–25



C18.1n9




[1] "C18.1n9"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.09 0.21 0.37 0.51 0.59 0.6 0.61 0.64 0.63 0.63 0.63 0.62 0.6 0.59 0.54

SEP : 5.41 5.07 4.56 3.97 3.62 3.57 3.56 3.44 3.47 3.5 3.56 3.66 3.78 3.94 4.38

C18.1n9 – Exocarpe Frais – 24–25



C18.1n7




[1] "C18.1n7"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.09 0.1 0.18 0.24 0.31 0.33 0.33 0.32 0.28 0.25 0.22 0.19 0.17 0.17 0.15

SEP : 0.55 0.56 0.53 0.5 0.48 0.48 0.48 0.49 0.53 0.56 0.59 0.63 0.66 0.68 0.7

C18.1n7 – Exocarpe Frais – 24–25



C18.2




[1] "C18.2"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.05 0 0.07 0.15 0.2 0.22 0.24 0.22 0.23 0.24 0.24 0.26 0.27 0.27 0.25

SEP : 1.6 1.83 1.65 1.55 1.5 1.51 1.52 1.62 1.66 1.68 1.68 1.63 1.63 1.68 1.77

C18.2 – Exocarpe Frais – 24–25



C18.3




[1] "C18.3"

Pré : adj_red_c(1, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0.02 0.08 0.17 0.2 0.16 0.12 0.12 0.1 0.1 0.09 0.09 0.07 0.06 0.05 0.05

SEP : 0.12 0.12 0.11 0.11 0.12 0.12 0.13 0.13 0.14 0.15 0.15 0.16 0.16 0.17 0.17

C18.3 – Exocarpe Frais – 24–25



C20.0




[1] "C20.0"


Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)

R2 : 0.01 0 0.08 0.03 0.07 0.08 0.08 0.1 0.13 0.11 0.1 0.08 0.08 0.06 0.05

SEP : 0.12 0.12 0.12 0.12 0.12 0.13 0.13 0.13 0.13 0.14 0.15 0.16 0.17 0.18 0.19

C20.0 – Exocarpe Frais – 24-25






[1] "trans.alpha.carotne"

Pré : adj_red_c(950, 20, 1)_snv_sder_c(2, 3, 15)


R2 : 0.1 0.02 0.07 0.11 0.17 0.12 0.17 0.17 0.2 0.12 0.12 0.14 0.13 0.13 0.11

SEP : 398.27 383.14 426.73 469.98 509.78 528.47 558.9 566.8 586.76 569.51 568.68 584.33 591.07 592.67 584.98

trans.alpha.carotne – Exocarpe Frais – 24–25



trans.beta.carotene




[1] "trans.beta.carotene"


Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)

R2 : 0.01 0.16 0.09 0.13 0.18 0.19 0.21 0.22 0.21 0.19 0.17 0.12 0.11 0.11 0.09

SEP : 281.54 248.36 263.49 261.14 253.54 250.24 248.28 251.59 257.4 268.63 282.79 310.65 335.15 348.53
363.34

trans.beta.carotene – Exocarpe Frais – 24–25






[1] "X13.cis.beta.carotene"

Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0 0.11 0.03 0.07 0.12 0.14 0.14 0.12 0.13 0.12 0.1 0.08 0.09 0.08 0.07

SEP : 36.94 32.8 35.73 35.36 33.86 33.48 33.86 35.82 35.74 36.96 38.42 40.73 41.61 43.14 43.91

X13.cis.beta.carotene – Exocarpe Frais – 24–25



X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"


Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)

R2 : 0 0.06 0.08 0.13 0.18 0.21 0.22 0.21 0.23 0.21 0.16 0.16 0.14 0.12

SEP : 62.72 58.44 58.9 58.31 55.64 54.32 54.74 56.01 55.3 57.56 58.13 62.75 65.25 68.66 71.08

X9.cis.beta.carotene – Exocarpe Frais – 24–25






[1] "total.beta.carotenes"


Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)

R2 : 0.01 0.17 0.08 0.14 0.2 0.22 0.24 0.25 0.24 0.22 0.21 0.14 0.14 0.13 0.1

SEP : 362.32 316.53 342.24 333.62 320.86 315.86 312.29 315.51 320.89 333.77 345.26 382.47 408.64
426.86 452.55

total.beta.carotenes – Exocarpe Frais – 24–25






[1] "total.carotenes"

Pré : adj_red_c(950, 20, 1)_snv_sder_c(2, 3, 15)


R2 : 0.02 0.08 0.1 0.2 0.2 0.15 0.16 0.2 0.21 0.14 0.15 0.16 0.16 0.13 0.11

SEP : 668.72 721.26 814.99 925.37 968.14 991.07 1043.24 1087.18 1148.82 1108.33 1113.01 1126.5
1149.08 1116.91 1111.79

total.carotenes – Exocarpe Frais – 24–25



tlip.MS




[1] "tlip.MS"

Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)

R2 : 0.07 0.15 0.22 0.22 0.22 0.24 0.25 0.26 0.26 0.24 0.19 0.17 0.12 0.12 0.11


SEP : 4.77 4.59 4.41 4.48 4.57 4.48 4.42 4.39 4.47 4.68 5.07 5.36 5.79 5.87 5.95


tlip.MS – Exocarpe Frais – 24-25



Mesocarpe Silicagel - 24-25

Mesocarpe Silicagel – 24-25 spectres bruts






[1] "eau"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.24 0.34 0.41 0.46 0.6 0.66 0.72 0.74 0.8 0.81 0.83 0.84 0.84 0.84 0.84

SEP : 8.45 7.84 7.42 7.13 6.16 5.68 5.13 4.97 4.35 4.2 3.96 3.89 3.86 3.9 3.95

eau – Mesocarpe Silicagel – 24–25



C14.0




[1] "C14.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.22 0.48 0.52 0.54 0.56 0.58 0.58 0.59 0.59 0.59 0.58 0.54 0.53 0.5 0.47

SEP : 0.33 0.27 0.26 0.25 0.25 0.24 0.24 0.24 0.24 0.24 0.25 0.26 0.26 0.28 0.29

C14.0 – Mesocarpe Silicagel – 24–25



C16.0




[1] "C16.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.38 0.82 0.85 0.87 0.88 0.89 0.9 0.9 0.9 0.9 0.91 0.9 0.9 0.89 0.89

SEP : 4.43 2.41 2.17 2 1.95 1.89 1.82 1.75 1.81 1.74 1.73 1.76 1.8 1.86 1.89

C16.0 – Mesocarpe Silicagel – 24–25



C18.0




[1] "C18.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.13 0.3 0.33 0.37 0.39 0.39 0.4 0.41 0.4 0.41 0.37 0.34 0.27 0.27

SEP : 1.56 1.4 1.38 1.33 1.33 1.33 1.33 1.33 1.34 1.34 1.33 1.39 1.44 1.58 1.59

C18.0 – Mesocarpe Silicagel – 24–25



C18.1n9




[1] "C18.1n9"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.39 0.81 0.81 0.84 0.86 0.88 0.9 0.91 0.91 0.91 0.91 0.91 0.91 0.91 0.91

SEP : 4.68 2.64 2.58 2.37 2.23 2.08 1.94 1.84 1.83 1.78 1.76 1.82 1.78 1.77 1.83

C18.1n9 – Mesocarpe Silicagel – 24-25



C18.1n7




[1] "C18.1n7"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.14 0.25 0.3 0.33 0.35 0.36 0.39 0.37 0.38 0.34 0.32 0.29 0.28 0.27 0.27

SEP : 0.57 0.53 0.52 0.5 0.5 0.49 0.49 0.49 0.49 0.52 0.53 0.55 0.56 0.57 0.58

C18.1n7 – Mesocarpe Silicagel – 24-25



C18.2




[1] "C18.2"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.09 0.15 0.27 0.45 0.58 0.65 0.69 0.74 0.75 0.75 0.76 0.76 0.76 0.75 0.75

SEP : 1.64 1.59 1.49 1.28 1.12 1.01 0.95 0.87 0.87 0.86 0.85 0.84 0.85 0.87 0.87

C18.2 – Mesocarpe Silicagel – 24–25



C18.3




[1] "C18.3"

Pré : snv_sder_c(1, 3, 9)_red_c(10, 10, 1)


R2 : 0.2 0.24 0.24 0.24 0.17 0.16 0.17 0.2 0.14 0.12 0.11 0.1 0.09 0.08 0.06

SEP : 0.11 0.11 0.11 0.11 0.12 0.12 0.12 0.12 0.13 0.13 0.14 0.14 0.15 0.15 0.16

C18.3 – Mesocarpe Silicagel – 24–25



C20.0




[1] "C20.0"

Pré : adj_snv_sder_c(2, 3, 15)


R2 : 0.01 0.02 0.04 0.05 0.07 0.1 0.07 0.12 0.1 0.13 0.14 0.16 0.2 0.22 0.25

SEP : 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.11 0.11

C20.0 – Mesocarpe Silicagel – 24–25



trans.alpha.carotne




[1] "trans.alpha.carotne"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.25 0.36 0.42 0.46 0.47 0.5 0.49 0.51 0.52 0.53 0.53 0.51 0.54 0.56 0.56

SEP : 319.99 295.55 282.03 273.52 269.61 262.52 267.61 261.21 260.16 258.46 261.3 265.86 258.93 254.86 255.83

trans.alpha.carotne – Mesocarpe Silicagel – 24–25



trans.beta.carotene




[1] "trans.beta.carotene"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.36 0.49 0.55 0.58 0.59 0.59 0.59 0.59 0.57 0.53 0.52 0.51 0.5 0.53 0.55

SEP : 283.97 253.19 237.65 228.21 225.81 227.52 228.79 227.99 234.95 247 253.53 259.26 262.72 254.85
249.27

trans.beta.carotene – Mesocarpe Silicagel – 24-25



X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.43 0.58 0.63 0.64 0.64 0.65 0.64 0.65 0.63 0.62 0.6 0.55 0.53 0.5 0.49

SEP : 27.58 23.58 22.14 21.87 21.83 21.59 22.08 21.72 22.24 22.64 23.53 25.39 26.28 27.31 27.9

X13.cis.beta.carotene – Mesocarpe Silicagel – 24–25



X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.35 0.45 0.53 0.55 0.59 0.6 0.62 0.62 0.62 0.6 0.58 0.57 0.53 0.48 0.46

SEP : 58.22 53.6 49.59 48.29 46.56 45.61 44.88 44.66 44.68 46.26 47.49 48.24 51.85 55.33 56.99

X9.cis.beta.carotene – Mesocarpe Silicagel – 24–25



total.beta.carotenes




[1] "total.beta.carotenes"


Pré : adj_red_c(1, 1300, 1)snv

R2 : 0.39 0.53 0.61 0.64 0.66 0.65 0.66 0.67 0.65 0.62 0.6 0.59 0.57 0.58 0.61

SEP : 346.5 303.89 279.53 267.16 261.37 262.05 261.73 256.76 266.81 277.63 286.52 293.66 301.76 299.25
290.18

total.beta.carotenes – Mesocarpe Silicagel – 24–25






[1] "total.carotenes"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.38 0.54 0.62 0.66 0.68 0.69 0.67 0.66 0.66 0.66 0.61 0.62 0.64 0.64 0.64

SEP : 592.86 515.18 469.34 444.13 430.82 420.74 432.77 441.55 444.82 444.19 481.2 477.81 468.06 470.75 473.35

total.carotenes – Mesocarpe Silicagel – 24-25



tlip.MS




[1] "tlip.MS"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)

R2 : 0.31 0.62 0.65 0.68 0.69 0.74 0.74 0.77 0.79 0.8 0.8 0.79 0.77 0.76 0.75


SEP : 3.94 2.92 2.81 2.7 2.63 2.43 2.4 2.27 2.16 2.15 2.13 2.18 2.33 2.38 2.5


tlip.MS – Mesocarpe Silicagel – 24–25



Mesocarpe Lyoph - 24-25

Mesocarpe Lyoph – 24–25 spectres bruts






[1] "eau"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.11 0.18 0.24 0.36 0.59 0.64 0.71 0.73 0.76 0.78 0.8 0.81 0.82 0.83 0.83

SEP : 9.12 8.78 8.43 7.78 6.22 5.81 5.19 5.07 4.79 4.52 4.31 4.18 4.05 4.03 4.05

eau – Mesocarpe Lyoph – 24–25



C14.0




[1] "C14.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.25 0.48 0.48 0.5 0.53 0.54 0.52 0.54 0.53 0.53 0.53 0.53 0.53 0.51

SEP : 0.32 0.27 0.27 0.26 0.26 0.25 0.26 0.26 0.26 0.26 0.26 0.26 0.27 0.27 0.28

C14.0 – Mesocarpe Lyoph – 24–25



C16.0




[1] "C16.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.38 0.78 0.79 0.86 0.88 0.89 0.9 0.9 0.91 0.91 0.91 0.92 0.91 0.91 0.91

SEP : 4.46 2.64 2.56 2.1 1.92 1.89 1.78 1.79 1.7 1.67 1.65 1.63 1.69 1.69 1.75

C16.0 – Mesocarpe Lyoph – 24–25



C18.0




[1] "C18.0"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.1 0.22 0.2 0.22 0.33 0.3 0.28 0.35 0.29 0.3 0.3 0.29 0.28 0.27 0.26

SEP : 1.59 1.49 1.52 1.51 1.39 1.44 1.48 1.4 1.48 1.47 1.48 1.51 1.54 1.58 1.59

C18.0 – Mesocarpe Lyoph – 24–25



C18.1n9




[1] "C18.1n9"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.38 0.78 0.78 0.83 0.85 0.89 0.9 0.91 0.92 0.92 0.92 0.93 0.93 0.93 0.93

SEP : 4.72 2.82 2.78 2.46 2.29 2 1.87 1.78 1.71 1.68 1.65 1.6 1.59 1.61 1.61

C18.1n9 – Mesocarpe Lyoph – 24–25



C18.1n7




[1] "C18.1n7"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.14 0.19 0.22 0.28 0.35 0.4 0.42 0.44 0.44 0.42 0.39 0.38 0.38 0.35 0.34

SEP : 0.57 0.55 0.55 0.52 0.5 0.48 0.47 0.46 0.47 0.48 0.5 0.51 0.51 0.53 0.54

C18.1n7 – Mesocarpe Lyoph – 24–25



C18.2




[1] "C18.2"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.11 0.15 0.16 0.2 0.36 0.44 0.54 0.68 0.75 0.77 0.79 0.79 0.79 0.79 0.79

SEP : 1.62 1.6 1.58 1.56 1.39 1.3 1.17 0.97 0.87 0.82 0.79 0.78 0.8 0.8 0.8

C18.2 – Mesocarpe Lyoph – 24–25



C18.3




[1] "C18.3"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.21 0.21 0.2 0.22 0.2 0.22 0.3 0.28 0.28 0.26 0.2 0.25 0.21 0.18 0.19

SEP : 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.11 0.12 0.12 0.12 0.13 0.13

C18.3 – Mesocarpe Lyoph – 24–25



C20.0




[1] "C20.0"

Pré : adj_red_c(950, 20, 1)_snv_sder_c(2, 3, 15)


R2 : 0.05 0.09 0.08 0.04 0.1 0.12 0.1 0.13 0.11 0.13 0.14 0.17 0.18 0.2 0.2

SEP : 0.12 0.11 0.12 0.12 0.12 0.12 0.12 0.13 0.13 0.13 0.13 0.12 0.12 0.12 0.12

C20.0 – Mesocarpe Lyoph – 24–25



trans.alpha.carotne




[1] "trans.alpha.carotne"

Pré : snv_sder_c(1, 3, 9)_red_c(10, 10, 1)


R2 : 0.42 0.41 0.43 0.46 0.54 0.53 0.55 0.59 0.58 0.6 0.59 0.59 0.59 0.57 0.56

SEP : 281.85 285.58 280.78 274.87 252.5 257.81 252.5 239.64 244.48 238.1 241.37 241.97 243.8 252.18 256.52

trans.alpha.carotne – Mesocarpe Lyoph – 24–25



trans.beta.carotene




[1] "trans.beta.carotene"

Pré : adj_red_c(1, 1000, 1)snv


R2 : 0.39 0.51 0.52 0.54 0.5 0.52 0.54 0.59 0.56 0.61 0.56 0.53 0.53 0.52 0.51

SEP : 277.17 247.54 244.87 239.85 253.56 246 241.34 229.5 236.44 223.23 237.94 248.88 250.6 256.91
261.33

trans.beta.carotene – Mesocarpe Lyoph – 24–25



X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"

Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.47 0.58 0.6 0.61 0.54 0.58 0.6 0.6 0.58 0.59 0.59 0.59 0.58 0.53 0.47

SEP : 26.43 23.54 22.93 22.7 24.9 23.65 23.07 23.06 23.93 23.51 23.69 23.8 24.21 25.95 27.94

X13.cis.beta.carotene – Mesocarpe Lyoph – 24–25



X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"


Pré : adj_red_c(1, 1300, 1)snv

R2 : 0.43 0.5 0.56 0.59 0.62 0.62 0.63 0.64 0.63 0.62 0.61 0.6 0.58 0.58 0.57

SEP : 54.39 51.19 48.08 46.11 44.85 44.75 43.92 43.44 44.36 44.81 45.39 46.24 47.8 48.11 48.51

X9.cis.beta.carotene – Mesocarpe Lyoph – 24–25






[1] "total.beta.carotenes"


Pré : adj_red_c(1, 1000, 1)snv

R2 : 0.43 0.56 0.58 0.6 0.57 0.58 0.61 0.66 0.63 0.63 0.64 0.61 0.6 0.59 0.58

SEP : 335.2 294.55 289.38 280.96 294.51 290.52 278.43 260.36 271.41 273.51 268.5 284.27 286.92 294.81
296.79

total.beta.carotenes – Mesocarpe Lyoph – 24-25






[1] "total.carotenes"


Pré : adj_red_c(1, 1000, 1)snv

R2 : 0.42 0.57 0.59 0.62 0.62 0.59 0.61 0.58 0.6 0.63 0.65 0.63 0.64 0.6 0.59

SEP : 574.1 494.35 483.31 464.07 467.88 485.5 477.04 495.54 480.6 461.47 448.91 468.91 463.52 487.72
498.69

total.carotenes – Mesocarpe Lyoph – 24–25






[1] "tlip.MS"

Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.32 0.55 0.47 0.57 0.66 0.64 0.71 0.68 0.69 0.69 0.69 0.69 0.67 0.68

SEP : 3.91 3.18 3.51 3.14 2.78 2.85 2.56 2.67 2.64 2.65 2.66 2.68 2.67 2.75 2.73

tlip.MS – Mesocarpe Lyoph – 24-25



Comparaison des spectres selon conditions



Cal 2024, applied on 2025

Calibration with dried mesocarp - Compare AGAP and DIADE spectrometer

Explore 2 years on fresh fruits

