

# Vitaspec\_fruits


12 décembre 2025


Load & Save data

Cross-Val

## Mesocarpe Frais - 24-25

### Mesocarpe Frais – 24-25 spectres bruts






[1] "eau"

Pré : snv\_


R2 : 0.62 0.79 0.84 0.84 0.86 0.88 0.89 0.89 0.9 0.9 0.9 0.9 0.9 0.9 0.9

SEP : 5.96 4.49 3.89 3.82 3.57 3.28 3.2 3.14 3.06 3.03 2.99 3.05 3.07 3.04 3.05

### eau – Mesocarpe Frais – 24–25



# C14.0



[1] "C14.0"


Pré : snv\_\_

R2 : 0 0 0 0 0.01 0 0 0.01 0.04 0.07 0.08 0.12 0.11 0.12 0.15


SEP : 0.37 0.38 0.38 0.39 0.4 0.41 0.41 0.41 0.4 0.39 0.4 0.4 0.41 0.42 0.4



### C14.0 – Mesocarpe Frais – 24–25



## C16.0




[1] "C16.0"

Pré : `snv_sder_c(1, 3, 15)`


R2 : 0.04 0.05 0.06 0.06 0.04 0.03 0.05 0.08 0.17 0.2 0.23 0.24 0.25 0.26 0.26

SEP : 5.55 5.64 5.67 5.82 6.39 6.92 6.71 6.28 5.85 5.71 5.55 5.64 5.68 5.65 5.72

### C16.0 – Mesocarpe Frais – 24-25



## C18.0




[1] "C18.0"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.02 0.04 0.08 0.09 0.06 0.07 0.06 0.07 0.07 0.09 0.09 0.09 0.09 0.08 0.08

SEP : 1.67 1.68 1.63 1.64 1.76 1.8 1.85 1.89 1.94 1.93 1.96 2.04 2.06 2.14 2.2

### C18.0 – Mesocarpe Frais – 24-25



## C18.1n9




[1] "C18.1n9"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.09 0.11 0.11 0.12 0.12 0.1 0.12 0.15 0.18 0.21 0.22 0.23 0.24 0.25 0.25

SEP : 5.72 5.72 5.84 5.84 6.17 6.66 6.49 6.28 6.1 5.94 5.99 6 5.97 5.94 6.02

### C18.1n9 – Mesocarpe Frais – 24-25



## C18.1n7



[1] "C18.1n7"


Pré : snv\_\_

R2 : 0.13 0.23 0.25 0.28 0.3 0.33 0.3 0.29 0.27 0.26 0.28 0.28 0.29 0.3 0.26


SEP : 0.58 0.54 0.53 0.53 0.52 0.51 0.54 0.55 0.56 0.57 0.56 0.56 0.57 0.57 0.59



### C18.1n7 – Mesocarpe Frais – 24-25



## C18.2




[1] "C18.2"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.1 0.15 0.14 0.16 0.18 0.19 0.15 0.15 0.14 0.13 0.12 0.14 0.13 0.13 0.11

SEP : 1.63 1.6 1.62 1.62 1.62 1.65 1.75 1.77 1.82 1.88 1.91 1.88 1.94 1.98 2.05

### C18.2 – Mesocarpe Frais – 24-25



### C18.3




[1] "C18.3"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.19 0.31 0.27 0.21 0.15 0.16 0.14 0.13 0.14 0.14 0.12 0.13 0.11 0.1 0.09

SEP : 0.11 0.1 0.11 0.12 0.13 0.13 0.13 0.14 0.14 0.14 0.15 0.15 0.15 0.16 0.16

### C18.3 – Mesocarpe Frais – 24-25



## C20.0




[1] "C20.0"


Pré : snv\_\_sder\_c(2, 3, 15)

R2 : 0.03 0.03 0.08 0.1 0.11 0.06 0.04 0.03 0.02 0.02 0.03 0.03 0.03 0.03 0.03

SEP : 0.12 0.12 0.12 0.12 0.12 0.13 0.14 0.14 0.15 0.15 0.15 0.15 0.15 0.15 0.16

## C20.0 – Mesocarpe Frais – 24-25





[1] "trans.alpha.carotne"


Pré : snv\_


R2 : 0.38 0.43 0.47 0.52 0.59 0.59 0.57 0.56 0.55 0.53 0.52 0.51 0.48 0.41

SEP : 291.3 279.74 270.75 257.55 235.94 238.29 244.6 250.17 253.42 259.59 262.78 272.88 276.14 292.25  
323.97



### trans.alpha.carotne – Mesocarpe Frais – 24-25






[1] "trans.beta.carotene"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.55 0.61 0.6 0.61 0.59 0.57 0.54 0.52 0.51 0.48 0.47 0.43 0.41 0.4 0.38

SEP : 236.96 219.95 224.67 221.64 231.35 240.46 250.09 259.59 263.65 277.36 284.07 297.87 307.13 314.8  
318.95

### trans.beta.carotene – Mesocarpe Frais – 24-25



### X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"

Pré : snv\_\_


R2 : 0.54 0.55 0.61 0.63 0.62 0.59 0.53 0.51 0.51 0.49 0.48 0.48 0.45 0.46 0.42

SEP : 24.81 24.44 22.82 22.42 22.77 23.71 25.89 26.3 26.71 27.11 27.39 27.99 29.42 29.24 30.73

### X13.cis.beta.carotene – Mesocarpe Frais – 24–25



## X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"


Pré : snv\_sder\_c(1, 3, 9)\_red\_c(10, 10, 1)

R2 : 0.45 0.52 0.52 0.54 0.47 0.49 0.48 0.49 0.47 0.44 0.42 0.41 0.39 0.38 0.36

SEP : 53.35 49.91 50.45 49.34 55.04 54.41 55.02 55.11 57.63 59.14 62.07 63.41 65.17 66.9 69.21

### X9.cis.beta.carotene – Mesocarpe Frais – 24–25





[1] "total.beta.carotenes"


Pré : snv\_


R2 : 0.54 0.59 0.61 0.64 0.65 0.63 0.61 0.55 0.54 0.5 0.46 0.47 0.46 0.43 0.42

SEP : 302.41 285.85 278.95 269.28 266.16 274.3 280.69 313.17 316.29 336.93 353.23 352.58 361.64 381.66 396.4



### total.beta.carotenes – Mesocarpe Frais – 24–25






[1] "total.carotenes"


Pré : snv\_\_

R2 : 0.54 0.6 0.65 0.71 0.71 0.7 0.69 0.61 0.51 0.48 0.42 0.41 0.39 0.34 0.33

SEP : 513.13 481.44 450.29 411 409.54 415.04 422.56 489.27 575.89 602.53 659.51 684.33 718.33 794.42  
805.45

### total.carotenes – Mesocarpe Frais – 24–25






[1] "tlip.MS"

Pré : snv\_

R2 : 0.27 0.45 0.49 0.61 0.66 0.73 0.72 0.71 0.65 0.59 0.56 0.55 0.53 0.55 0.59


SEP : 4.08 3.52 3.39 2.98 2.75 2.45 2.5 2.54 2.79 3.02 3.15 3.21 3.27 3.2 3.08


### tlip.MS – Mesocarpe Frais – 24–25



# Exocarpe Frais - 24-25

## **Exocarpe Frais – 24–25 spectres bruts**






[1] "eau"

Pré : snv\_

R2 : 0.21 0.4 0.47 0.47 0.49 0.51 0.54 0.56 0.55 0.54 0.55 0.53 0.51 0.52 0.52


SEP : 8.6 7.48 7.03 7.02 6.92 6.78 6.56 6.49 6.55 6.65 6.66 6.88 7.09 6.99 7

### eau – Exocarpe Frais – 24-25





# C14.0




[1] "C14.0"


Pré : snv\_\_

R2 : 0.02 0.02 0.01 0.01 0.01 0.03 0.06 0.07 0.04 0.03 0.03 0.03 0.04 0.03 0.01

SEP : 0.32 0.32 0.34 0.35 0.36 0.35 0.35 0.36 0.38 0.38 0.39 0.4 0.41 0.43 0.47

### C14.0 – Exocarpe Frais – 24-25






[1] "C16.0"

Pré : snv\_


R2 : 0.04 0.08 0.03 0.06 0.08 0.15 0.2 0.24 0.2 0.18 0.17 0.2 0.2 0.19 0.13

SEP : 5.16 5.09 5.66 5.44 5.27 5.03 4.88 4.81 5.17 5.27 5.35 5.14 5.27 5.23 5.58

### C16.0 – Exocarpe Frais – 24-25



## C18.0




[1] "C18.0"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.11 0.1 0.08 0.08 0.06 0.08 0.1 0.1 0.08 0.08 0.06 0.07 0.06 0.05 0.05

SEP : 1.35 1.4 1.47 1.55 1.59 1.57 1.55 1.61 1.67 1.68 1.76 1.78 1.81 1.84 1.84

### C18.0 – Exocarpe Frais – 24–25



## C18.1n9




[1] "C18.1n9"

Pré : snv\_

R2 : 0.02 0.06 0.01 0.02 0.02 0.18 0.27 0.27 0.23 0.25 0.26 0.25 0.26 0.27 0.26


SEP : 5.67 5.55 6.01 5.99 6.06 5.26 4.93 5.15 5.5 5.37 5.43 5.59 5.57 5.49 5.45

### C18.1n9 – Exocarpe Frais – 24–25





**C18.1n7**




[1] "C18.1n7"

Pré : snv\_


R2 : 0.03 0.07 0.06 0.05 0.07 0.11 0.12 0.09 0.09 0.1 0.09 0.1 0.1 0.1 0.12

SEP : 0.58 0.57 0.59 0.62 0.62 0.62 0.61 0.64 0.68 0.68 0.69 0.67 0.69 0.7 0.69

### C18.1n7 – Exocarpe Frais – 24–25



## C18.2




[1] "C18.2"

Pré : snv\_


R2 : 0.02 0.03 0.01 0.03 0.04 0.04 0.06 0.05 0.05 0.07 0.09 0.12 0.1 0.1 0.07

SEP : 1.63 1.62 1.73 1.72 1.73 1.78 1.75 1.79 1.86 1.82 1.86 1.88 2.03 2.09 2.23

### C18.2 – Exocarpe Frais – 24-25



### C18.3




[1] "C18.3"

Pré : snv\_\_sder\_c(2, 3, 7)


R2 : 0.03 0.03 0.1 0.09 0.13 0.12 0.12 0.1 0.1 0.11 0.11 0.1 0.1 0.09 0.09

SEP : 0.12 0.12 0.12 0.12 0.12 0.13 0.13 0.14 0.14 0.14 0.14 0.14 0.15 0.15 0.15

### C18.3 – Exocarpe Frais – 24-25



## C20.0




[1] "C20.0"

Pré : snv\_

R2 : 0.03 0 0 0.02 0.05 0.04 0.04 0.03 0.04 0.06 0.05 0.04 0.02 0.01 0.01


SEP : 0.13 0.12 0.13 0.13 0.12 0.13 0.13 0.13 0.13 0.13 0.14 0.15 0.16 0.17 0.18

## C20.0 – Exocarpe Frais – 24-25





## trans.alpha.carotne




[1] "trans.alpha.carotne"


Pré : snv\_sder\_c(2, 3, 15)

R2 : 0.01 0.08 0.02 0.02 0.03 0.03 0.04 0.03 0.04 0.04 0.04 0.02 0.02 0.02 0.02

SEP : 379.46 423.53 409.85 438.98 469.62 478.91 495.51 499.88 497.58 501.98 515.41 510.22 506.39  
499.91 500.93

### trans.alpha.carotne – Exocarpe Frais – 24–25






[1] "trans.beta.carotene"

Pré : snv\_\_sder\_c(2, 3, 15)


R2 : 0.05 0.07 0.07 0.15 0.15 0.11 0.07 0.08 0.09 0.07 0.07 0.06 0.05 0.05 0.04

SEP : 304.61 308.87 341.31 384.8 407.95 408.68 407.85 410.94 419.82 425.33 425.11 428.87 431.33 425.71 424.56

### trans.beta.carotene – Exocarpe Frais – 24–25



### X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"

Pré : snv\_\_


R2 : 0.03 0.04 0.05 0.08 0.08 0.12 0.14 0.18 0.21 0.26 0.25 0.2 0.16 0.14 0.11

SEP : 33.84 33.94 34.63 34.48 35.28 34.15 33.47 32.89 32.32 30.45 30.83 34.82 37.42 39.79 43.64

### X13.cis.beta.carotene – Exocarpe Frais – 24–25



## X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"  
 Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.03 0.11 0.06 0.01 0 0.01 0 0.01 0.01 0.01 0.01 0.01 0.01 0.01

SEP : 66.06 74.46 76.56 74.74 72.43 70.7 71.39 73.39 74.29 74.97 75.79 76.63 77.49 78.68 80.49

### X9.cis.beta.carotene – Exocarpe Frais – 24–25








[1] "total.beta.carotenes"


Pré : snv\_sder\_c(2, 3, 7)

R2 : 0.09 0.11 0.11 0.17 0.19 0.24 0.22 0.24 0.23 0.25 0.25 0.25 0.24 0.24 0.24

SEP : 407.56 451.4 460.9 509.5 561.95 583.35 598.21 616.63 630.86 649.19 653.2 663.92 671.94 675.84 680.54

### total.beta.carotenes – Exocarpe Frais – 24-25






[1] "total.carotenes"

Pré : snv\_\_


R2 : 0 0 0.01 0.03 0.05 0.07 0.08 0.11 0.09 0.09 0.06 0.03 0.02 0.01 0

SEP : 651.15 662.34 660.43 655 666.26 663.87 660.9 653.05 678.35 700.09 756.69 826.32 889.65 943.02  
986.12

### total.carotenes – Exocarpe Frais – 24–25



## tlip.MS




[1] "tlip.MS"

Pré : snv\_

R2 : 0.04 0.11 0.15 0.15 0.11 0.07 0.08 0.1 0.09 0.07 0.07 0.08 0.05 0.06 0.05


SEP : 4.78 4.63 4.5 4.59 4.83 5.21 5.16 5.14 5.22 5.51 5.68 5.62 5.87 5.95 6.25


### tlip.MS – Exocarpe Frais – 24-25



# Mesocarpe Silicagel - 24-25

## Mesocarpe Silicagel – 24-25 spectres bruts





[1] "eau"


Pré : snv\_sder\_c(1, 3, 9)\_red\_c(10, 10, 1)

R2 : 0.22 0.36 0.47 0.53 0.56 0.6 0.66 0.69 0.71 0.73 0.75 0.75 0.76 0.76 0.76


SEP : 8.54 7.74 7.06 6.66 6.39 6.1 5.64 5.44 5.24 5.03 4.87 4.9 4.77 4.76 4.75



### eau – Mesocarpe Silicagel – 24–25



## C14.0




[1] "C14.0"

Pré : snv\_\_


R2 : 0.04 0.05 0.08 0.12 0.15 0.16 0.14 0.17 0.23 0.34 0.44 0.49 0.47 0.44 0.47

SEP : 0.36 0.36 0.36 0.36 0.35 0.36 0.36 0.36 0.34 0.31 0.28 0.27 0.27 0.29 0.28

### C14.0 – Mesocarpe Silicagel – 24–25



## C16.0




[1] "C16.0"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.17 0.34 0.47 0.51 0.65 0.69 0.74 0.81 0.83 0.83 0.85 0.84 0.84 0.84 0.83

SEP : 5.14 4.59 4.11 3.97 3.34 3.13 2.88 2.45 2.34 2.3 2.18 2.25 2.27 2.24 2.31

### C16.0 – Mesocarpe Silicagel – 24–25



## C18.0




[1] "C18.0"

Pré : snv\_\_


R2 : 0.02 0.07 0.15 0.2 0.28 0.26 0.29 0.28 0.3 0.36 0.42 0.41 0.43 0.4 0.4

SEP : 1.67 1.64 1.56 1.51 1.44 1.46 1.45 1.48 1.46 1.38 1.3 1.33 1.3 1.35 1.36

### C18.0 – Mesocarpe Silicagel – 24–25



## C18.1n9



[1] "C18.1n9"


Pré : snv\_\_sder\_c(1, 3, 15)

R2 : 0.2 0.37 0.47 0.56 0.62 0.66 0.71 0.75 0.77 0.78 0.77 0.75 0.75 0.75 0.75


SEP : 5.38 4.75 4.39 3.98 3.73 3.49 3.26 2.99 2.88 2.82 2.9 3.03 3.06 3.03 3.05



### C18.1n9 – Mesocarpe Silicagel – 24-25



## C18.1n7




[1] "C18.1n7"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.11 0.23 0.27 0.31 0.34 0.35 0.38 0.38 0.35 0.32 0.3 0.26 0.25 0.23 0.2

SEP : 0.58 0.54 0.53 0.52 0.51 0.51 0.5 0.5 0.52 0.55 0.56 0.61 0.63 0.65 0.69

### C18.1n7 – Mesocarpe Silicagel – 24-25



## C18.2




[1] "C18.2"

Pré : snv\_sder\_c(1, 3, 15)


R2 : 0.14 0.13 0.12 0.09 0.11 0.09 0.1 0.14 0.2 0.29 0.3 0.31 0.33 0.38 0.4

SEP : 1.6 1.62 1.64 1.69 1.69 1.77 1.8 1.75 1.65 1.53 1.55 1.55 1.51 1.43 1.4

## C18.2 – Mesocarpe Silicagel – 24–25



### C18.3




[1] "C18.3"

Pré : snv\_sder\_c(1, 3, 15)


R2 : 0.23 0.28 0.29 0.28 0.19 0.17 0.17 0.12 0.07 0.05 0.04 0.05 0.05 0.05 0.04

SEP : 0.11 0.11 0.11 0.11 0.12 0.12 0.12 0.13 0.14 0.15 0.15 0.15 0.15 0.16 0.16

### C18.3 – Mesocarpe Silicagel – 24–25



## C20.0



[1] "C20.0"


Pré : snv\_sder\_c(2, 3, 15)


R2 : 0.02 0.04 0.06 0.07 0.09 0.09 0.11 0.11 0.12 0.16 0.16 0.17 0.2 0.2 0.19

SEP : 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.12 0.13



## C20.0 – Mesocarpe Silicagel – 24–25






[1] "trans.alpha.carotne"


Pré : snv\_

R2 : 0.24 0.37 0.41 0.42 0.47 0.46 0.42 0.4 0.35 0.33 0.36 0.4 0.43 0.37 0.4

SEP : 323.26 293.31 284.73 283.39 271.56 276.71 288.58 297.48 314.58 321.42 309.53 296.64 287.48  
307.58 299.51

### trans.alpha.carotne – Mesocarpe Silicagel – 24-25






[1] "trans.beta.carotene"  
 Pré : snv\_\_sder\_c(2, 3, 15)


R2 : 0.46 0.51 0.51 0.47 0.5 0.52 0.52 0.57 0.55 0.52 0.5 0.48 0.48 0.47 0.46

SEP : 258.87 248.7 249.32 260.63 254.25 249.67 250.26 239.86 246.07 259.37 267.42 276.93 277.67 282.61  
 291.28

### trans.beta.carotene – Mesocarpe Silicagel – 24-25



### X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"


Pré : snv\_\_sder\_c(1, 3, 15)

R2 : 0.62 0.63 0.62 0.62 0.6 0.61 0.58 0.54 0.46 0.43 0.43 0.43 0.43 0.43 0.43

SEP : 22.35 22.25 22.44 22.73 23.41 23.27 24.08 25.77 29.42 30.12 30.3 29.95 30.15 30.41 30.72

### X13.cis.beta.carotene – Mesocarpe Silicagel – 24–25





[1] "X9.cis.beta.carotene"


Pré : snv\_


R2 : 0.37 0.48 0.52 0.6 0.64 0.66 0.66 0.68 0.68 0.65 0.65 0.66 0.63 0.58 0.52

SEP : 57.2 51.97 50.19 45.69 43.46 42.27 41.87 40.58 40.72 42.93 43.03 42.55 44.43 47.75 52.18



### X9.cis.beta.carotene – Mesocarpe Silicagel – 24–25






[1] "total.beta.carotenes"


Pré : snv\_

R2 : 0.39 0.53 0.57 0.58 0.61 0.65 0.65 0.66 0.68 0.67 0.65 0.64 0.6 0.62 0.59

SEP : 346.55 304.24 292.08 288.94 279.55 264.02 266.1 261.31 253.3 255.81 267.46 269.76 285.65 280.32 293.43

### total.beta.carotenes – Mesocarpe Silicagel – 24–25






[1] "total.carotenes"


Pré : snv\_\_

R2 : 0.37 0.53 0.59 0.59 0.63 0.62 0.61 0.6 0.58 0.57 0.53 0.52 0.48 0.43 0.42

SEP : 601.23 516.28 486.18 483.94 461.51 471.09 477.49 483.43 494.53 504.54 528.85 536.32 571.94  
614.22 617.73

### total.carotenes – Mesocarpe Silicagel – 24–25






[1] "tlip.MS"

Pré : snv\_

R2 : 0.26 0.39 0.58 0.69 0.71 0.7 0.71 0.71 0.7 0.68 0.66 0.66 0.65 0.68 0.68


SEP : 4.11 3.73 3.08 2.65 2.57 2.59 2.55 2.56 2.59 2.68 2.76 2.77 2.8 2.72 2.7

### tlip.MS – Mesocarpe Silicagel – 24–25




# Mesocarpe Lyoph - 24-25

## Mesocarpe Lyoph – 24–25 spectres bruts








[1] "eau"

Pré : snv\_sder\_c(1, 3, 15)


R2 : 0.16 0.23 0.24 0.26 0.29 0.37 0.39 0.47 0.5 0.55 0.59 0.63 0.66 0.69 0.69

SEP : 8.88 8.51 8.45 8.36 8.22 7.74 7.59 7.04 6.87 6.51 6.23 5.91 5.62 5.43 5.46

### eau – Mesocarpe Lyoph – 24–25



## C14.0




[1] "C14.0"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.05 0.15 0.28 0.29 0.35 0.37 0.39 0.41 0.42 0.43 0.4 0.36 0.32 0.31 0.32

SEP : 0.36 0.34 0.32 0.32 0.3 0.3 0.3 0.3 0.29 0.29 0.29 0.3 0.32 0.34 0.35 0.35

### C14.0 – Mesocarpe Lyoph – 24–25



## C16.0




[1] "C16.0"

Pré : snv\_\_sder\_c(1, 3, 15)


R2 : 0.15 0.3 0.39 0.49 0.55 0.64 0.68 0.73 0.75 0.77 0.79 0.78 0.76 0.75 0.74

SEP : 5.2 4.76 4.52 4.06 3.82 3.43 3.21 2.91 2.81 2.72 2.6 2.7 2.79 2.88 2.95

### C16.0 – Mesocarpe Lyoph – 24–25



## C18.0




[1] "C18.0"

Pré : snv\_\_

R2 : 0.01 0.02 0.05 0.12 0.17 0.21 0.22 0.24 0.22 0.23 0.23 0.24 0.29 0.28 0.26


SEP : 1.68 1.67 1.65 1.58 1.55 1.51 1.5 1.48 1.55 1.55 1.57 1.56 1.5 1.5 1.56

### C18.0 – Mesocarpe Lyoph – 24–25





## C18.1n9




[1] "C18.1n9"


Pré : snv\_\_

R2 : 0.22 0.22 0.34 0.38 0.46 0.53 0.56 0.58 0.64 0.67 0.74 0.77 0.78 0.79 0.78

SEP : 5.27 5.3 4.84 4.76 4.46 4.13 3.99 3.91 3.66 3.49 3.13 2.88 2.84 2.81 2.85

### C18.1n9 – Mesocarpe Lyoph – 24–25






[1] "C18.1n7"

Pré : snv\_\_sder\_c(2, 3, 7)


R2 : 0.01 0.15 0.23 0.27 0.31 0.33 0.31 0.3 0.27 0.26 0.25 0.26 0.24 0.23 0.23

SEP : 0.62 0.57 0.55 0.53 0.52 0.52 0.53 0.57 0.59 0.62 0.64 0.64 0.66 0.67 0.66

### C18.1n7 – Mesocarpe Lyoph – 24–25



## C18.2




[1] "C18.2"

Pré : snv\_\_


R2 : 0.17 0.17 0.18 0.21 0.21 0.23 0.23 0.27 0.29 0.27 0.32 0.33 0.35 0.36 0.35

SEP : 1.57 1.58 1.56 1.53 1.56 1.55 1.56 1.51 1.53 1.6 1.53 1.56 1.54 1.55 1.57

### C18.2 – Mesocarpe Lyoph – 24–25



### C18.3




[1] "C18.3"

Pré : snv\_\_sder\_c(2, 3, 15)

R2 : 0.21 0.27 0.23 0.14 0.14 0.1 0.08 0.09 0.11 0.13 0.13 0.13 0.12 0.12 0.11


SEP : 0.11 0.11 0.11 0.13 0.13 0.13 0.14 0.14 0.14 0.14 0.14 0.14 0.15 0.15 0.16

### C18.3 – Mesocarpe Lyoph – 24–25





## C20.0




[1] "C20.0"

Pré : snv\_\_sder\_c(1, 3, 9)\_red\_c(10, 10, 1)


R2 : 0.02 0.04 0.06 0.08 0.08 0.12 0.1 0.1 0.07 0.07 0.05 0.05 0.05 0.04 0.04

SEP : 0.12 0.12 0.12 0.12 0.12 0.12 0.13 0.13 0.14 0.14 0.15 0.15 0.15 0.16 0.16

# C20.0 – Mesocarpe Lyoph – 24–25



## trans.alpha.carotne




[1] "trans.alpha.carotne"


Pré : snv\_sder\_c(1, 3, 15)

R2 : 0.4 0.37 0.36 0.39 0.45 0.46 0.52 0.52 0.53 0.57 0.59 0.62 0.62 0.63 0.63

SEP : 287.34 296.97 302.41 294.98 278.71 275.44 260.47 265.29 263.55 249.83 241.69 233.75 234.26  
230.95 234.7

### trans.alpha.carotne – Mesocarpe Lyoph – 24–25






[1] "trans.beta.carotene"

Pré : snv\_\_sder\_c(1, 3, 9)\_red\_c(10, 10, 1)


R2 : 0.56 0.53 0.57 0.55 0.59 0.6 0.6 0.58 0.58 0.53 0.54 0.54 0.54 0.54 0.52

SEP : 234.32 245.54 233.83 241.93 229.11 228.06 226.43 234.1 234.59 251.81 249.21 252.64 256.61 256.76  
264.42

### trans.beta.carotene – Mesocarpe Lyoph – 24–25



### X13.cis.beta.carotene




[1] "X13.cis.beta.carotene"

Pré : snv\_\_sder\_c(2, 3, 15)

R2 : 0.59 0.62 0.6 0.56 0.54 0.54 0.54 0.53 0.51 0.5 0.49 0.46 0.48 0.48 0.49


SEP : 23.19 22.33 23.18 24.52 25.1 25.25 25.3 25.88 26.65 27.23 27.59 28.8 28.18 28.27 28.11

### X13.cis.beta.carotene – Mesocarpe Lyoph – 24–25





## X9.cis.beta.carotene




[1] "X9.cis.beta.carotene"


Pré : snv\_

R2 : 0.43 0.51 0.52 0.54 0.61 0.57 0.52 0.53 0.56 0.56 0.53 0.5 0.43 0.39

SEP : 54.28 50.38 50.11 49.1 45.38 47.79 51.2 50.93 49.17 49.35 51.11 54.18 59.62 62.32 63.54

### X9.cis.beta.carotene – Mesocarpe Lyoph – 24–25







[1] "total.beta.carotenes"  
 Pré : snv\_sder\_c(1, 3, 15)

R2 : 0.6 0.54 0.54 0.53 0.58 0.65 0.63 0.64 0.64 0.68 0.66 0.64 0.63 0.61 0.62

SEP : 279.75 304.4 305.22 313.73 294.59 268.04 275.47 270.65 273.98 257.51 273.14 280.19 286.28 298.04  
 296.42

### total.beta.carotenes – Mesocarpe Lyoph – 24–25






[1] "total.carotenes"


Pré : snv\_\_

R2 : 0.39 0.55 0.57 0.62 0.61 0.61 0.61 0.61 0.64 0.66 0.64 0.62 0.6 0.58 0.61

SEP : 591.73 506.79 495.26 468.08 474.82 475.11 483.11 485.36 458.73 446.49 461.99 474.95 492.86 514.5  
485.56

### total.carotenes – Mesocarpe Lyoph – 24–25






[1] "tlip.MS"

Pré : snv\_

R2 : 0.28 0.36 0.5 0.58 0.51 0.48 0.46 0.5 0.52 0.5 0.46 0.45 0.43 0.43 0.38


SEP : 4.04 3.79 3.35 3.08 3.37 3.56 3.69 3.59 3.57 3.62 3.82 3.92 3.98 3.94 4.28

### tlip.MS – Mesocarpe Lyoph – 24-25





## Comparaison des spectres selon conditions



Cal 2024, applied on 2025

Calibration with dried mesocarp - Compare AGAP and DIADE spectrometer

Explore 2 years on fresh fruits

