


Vitaspec_fruits

04 septembre 2025

Load & Save data

Cross-Val

Mesocarpe Frais - 24-25




Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.07 0.17 0.59 0.85 0.89 0.91 0.92 0.92 0.92 0.92 0.92 0.91 0.9 0.92 0.92

SEP : 9.33 8.82 6.2 3.76 3.14 2.96 2.8 2.77 2.75 2.79 2.81 2.96 3.08 2.74 2.81

eau – Mesocarpe Frais – 24–25



C14.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.08 0.31 0.44 0.52 0.51 0.49 0.47 0.4 0.34 0.26 0.2 0.18 0.18 0.14 0.13

SEP : 0.45 0.39 0.35 0.32 0.33 0.34 0.35 0.38 0.42 0.48 0.51 0.54 0.55 0.59 0.62

C14.0 – Mesocarpe Frais – 24–25



C16.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.09 0.52 0.64 0.79 0.79 0.77 0.69 0.61 0.57 0.5 0.44 0.4 0.4 0.38 0.38

SEP : 6.53 4.71 4.09 3.11 3.13 3.3 3.83 4.41 4.73 5.29 5.69 6.04 6.15 6.28 6.31

C16.0 – Mesocarpe Frais – 24-25



C18.0




Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0 0.01 0 0.01 0.07 0.15 0.24 0.27 0.34 0.35 0.36 0.32 0.31 0.28 0.31

SEP : 2.16 2.11 2.33 2.37 2.16 2.02 1.88 1.83 1.76 1.77 1.79 1.9 1.95 2.08 2.04

C18.0 – Mesocarpe Frais – 24-25



C18.1n9




Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.01 0.28 0.54 0.68 0.8 0.79 0.81 0.82 0.83 0.85 0.86 0.86 0.86 0.85 0.84

SEP : 6.71 5.74 4.58 3.8 3.03 3.06 2.92 2.85 2.74 2.57 2.48 2.55 2.53 2.64 2.71

C18.1n9 – Mesocarpe Frais – 24-25



C18.1n7




Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0 0.02 0.03 0.04 0.07 0.08 0.07 0.09 0.09 0.11 0.1 0.08 0.12 0.1 0.1

SEP : 0.46 0.46 0.47 0.48 0.48 0.48 0.5 0.49 0.5 0.5 0.52 0.54 0.52 0.55 0.56

C18.1n7 – Mesocarpe Frais – 24-25



C18.2




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0 0.08 0.14 0.36 0.49 0.59 0.56 0.59 0.58 0.61 0.59 0.58 0.56 0.54 0.53

SEP : 1.8 1.66 1.62 1.37 1.22 1.11 1.17 1.15 1.18 1.16 1.22 1.27 1.32 1.38 1.41

C18.2 – Mesocarpe Frais – 24-25



C18.3




Pré : snv_sder_c(1, 3, 9)_red_c(10, 10, 1)


R2 : 0.31 0.38 0.31 0.25 0.22 0.23 0.16 0.12 0.06 0.04 0.03 0.02 0.02 0.02 0.02

SEP : 0.11 0.11 0.12 0.12 0.13 0.13 0.14 0.15 0.18 0.19 0.2 0.21 0.22 0.22 0.22

C18.3 – Mesocarpe Frais – 24-25



C20.0




Pré : snv_sder_c(1, 3, 9)_red_c(10, 10, 1)


R2 : 0 0.15 0 0.02 0 0.01 0.01 0.01 0.01 0.01 0 0 0 0

SEP : 0.1 0.12 0.11 0.12 0.11 0.11 0.11 0.11 0.12 0.13 0.14 0.15 0.16 0.16 0.16 0.16

C20.0 – Mesocarpe Frais – 24-25



Exocarpe Frais - 24-25




Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.01 0.18 0.57 0.52 0.56 0.56 0.53 0.53 0.54 0.6 0.57 0.55 0.52 0.52 0.51

SEP : 9.6 8.75 6.34 6.65 6.39 6.37 6.63 6.71 6.58 6.16 6.43 6.62 6.85 6.83 7

eau – Exocarpe Frais – 24–25



C14.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.09 0.02 0.31 0.42 0.47 0.48 0.51 0.52 0.56 0.58 0.58 0.58 0.57 0.56

SEP : 0.4 0.47 0.35 0.32 0.31 0.31 0.31 0.31 0.3 0.3 0.31 0.31 0.32 0.33 0.33

C14.0 – Exocarpe Frais – 24-25



C16.0




Pré : adj__red_c(950, 750, 1)_snv__sder_c(1, 3, 15)


R2 : 0 0.03 0.29 0.47 0.49 0.5 0.54 0.58 0.57 0.57 0.58 0.6 0.62 0.63 0.64

SEP : 6.95 6.97 5.95 4.98 4.93 4.91 4.68 4.49 4.63 4.7 4.71 4.63 4.61 4.56 4.51

C16.0 – Exocarpe Frais – 24–25



C18.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.05 0.02 0.12 0.23 0.29 0.29 0.26 0.28 0.25 0.26 0.28 0.29 0.31 0.33 0.33

SEP : 1.74 1.99 1.71 1.58 1.51 1.51 1.58 1.58 1.64 1.62 1.58 1.56 1.53 1.52 1.53

C18.0 – Exocarpe Frais – 24–25



C18.1n9




Pré : adj__red_c(950, 750, 1)_snv__sder_c(1, 3, 15)


R2 : 0.01 0.08 0.28 0.44 0.48 0.5 0.55 0.59 0.62 0.63 0.63 0.65 0.66 0.66 0.67

SEP : 6.91 6.67 5.86 5.18 5 4.89 4.58 4.41 4.25 4.2 4.24 4.15 4.1 4.11 4.06

C18.1n9 – Exocarpe Frais – 24–25



C18.1n7




Pré : adj__red_c(950, 750, 1)_snv__sder_c(1, 3, 15)


R2 : 0.01 0 0 0 0 0.01 0.05 0.07 0.1 0.13 0.15 0.16 0.16 0.15 0.15

SEP : 0.41 0.43 0.47 0.47 0.45 0.45 0.43 0.43 0.42 0.4 0.39 0.39 0.39 0.39 0.39

C18.1n7 – Exocarpe Frais – 24–25



C18.2




Pré : adj__snv__sder_c(2, 3, 15)


R2 : 0 0.02 0.07 0.06 0.05 0.06 0.06 0.07 0.08 0.1 0.13 0.14 0.13 0.13 0.13

SEP : 1.82 1.78 1.73 1.85 1.97 1.98 2.03 2.02 2.03 2.01 2.06 2.1 2.18 2.27 2.33

C18.2 – Exocarpe Frais – 24–25



C18.3




Pré : adj__snv__sder_c(2, 3, 15)


R2 : 0 0.1 0.08 0.11 0.11 0.08 0.03 0 0 0 0.01 0.01 0.01 0.01 0.01

SEP : 0.14 0.13 0.14 0.13 0.14 0.15 0.17 0.22 0.23 0.26 0.28 0.29 0.29 0.28 0.29

C18.3 – Exocarpe Frais – 24–25



C20.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0 0.02 0.06 0.12 0.18 0.1 0.18 0.16 0.18 0.25 0.28 0.3 0.32 0.33 0.34

SEP : 0.08 0.08 0.08 0.08 0.07 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08

C20.0 – Exocarpe Frais – 24-25



Mesocarpe Silicagel - 24-25




Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.24 0.34 0.41 0.46 0.6 0.66 0.72 0.74 0.8 0.81 0.83 0.84 0.84 0.84 0.84

SEP : 8.45 7.84 7.42 7.13 6.16 5.68 5.13 4.97 4.35 4.2 3.96 3.89 3.86 3.9 3.95

eau - Mesocarpe Silicagel - 24-25



C14.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.26 0.59 0.6 0.58 0.59 0.63 0.62 0.64 0.63 0.61 0.57 0.54 0.53 0.52

SEP : 0.4 0.3 0.3 0.31 0.31 0.29 0.29 0.29 0.29 0.3 0.32 0.33 0.35 0.35 0.36

C14.0 – Mesocarpe Silicagel – 24–25



C16.0




Pré : adj__red_c(950, 750, 1)_snv__sder_c(2, 3, 15)


R2 : 0.38 0.86 0.88 0.89 0.89 0.89 0.89 0.9 0.91 0.92 0.92 0.91 0.9 0.9 0.9

SEP : 5.37 2.53 2.36 2.27 2.32 2.26 2.23 2.15 2.09 1.99 1.97 2.07 2.17 2.14 2.17

C16.0 – Mesocarpe Silicagel – 24-25



C18.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.1 0.28 0.35 0.36 0.36 0.39 0.41 0.41 0.4 0.39 0.37 0.34 0.27 0.28 0.29

SEP : 1.98 1.76 1.68 1.68 1.71 1.67 1.65 1.65 1.68 1.71 1.76 1.86 2.04 2.03 2.01

C18.0 – Mesocarpe Silicagel – 24–25



C18.1n9




Pré : adj__red_c(950, 750, 1)_snv__sder_c(1, 3, 15)


R2 : 0.3 0.85 0.85 0.85 0.84 0.86 0.86 0.87 0.88 0.91 0.91 0.92 0.92 0.92

SEP : 5.61 2.64 2.58 2.65 2.68 2.52 2.55 2.43 2.3 2.01 2 1.88 1.94 1.94 1.86

C18.1n9 – Mesocarpe Silicagel – 24–25



C18.1n7




Pré : adj__red_c(1, 1300, 1)snv


R2 : 0.05 0.01 0 0 0 0.02 0.03 0.03 0.02 0.05 0.06 0.12 0.1 0.09

SEP : 0.47 0.47 0.47 0.48 0.48 0.5 0.48 0.49 0.5 0.53 0.51 0.52 0.5 0.53 0.56

C18.1n7 – Mesocarpe Silicagel – 24-25



C18.2




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.09 0.13 0.24 0.37 0.48 0.55 0.63 0.68 0.72 0.7 0.68 0.68 0.68 0.68 0.66

SEP : 1.65 1.61 1.53 1.37 1.27 1.16 1.05 0.98 0.93 0.95 0.99 1 0.98 1 1.04

C18.2 – Mesocarpe Silicagel – 24–25



C18.3




Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0.33 0.32 0.25 0.39 0.33 0.33 0.26 0.26 0.27 0.31 0.3 0.29 0.28 0.25 0.24

SEP : 0.11 0.11 0.12 0.11 0.12 0.12 0.13 0.13 0.13 0.12 0.12 0.13 0.13 0.13 0.14

C18.3 – Mesocarpe Silicagel – 24–25



C20.0




Pré : adj__red_c(950, 750, 1)_snv__sder_c(1, 3, 15)


R2 : 0.01 0.07 0.09 0.14 0.19 0.19 0.17 0.13 0.08 0.06 0.06 0.05 0.06 0.08 0.1

SEP : 0.1 0.1 0.1 0.09 0.09 0.09 0.1 0.1 0.11 0.11 0.12 0.12 0.12 0.12 0.12

C20.0 – Mesocarpe Silicagel – 24-25



Mesocarpe Lyoph - 24-25




Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.11 0.18 0.24 0.36 0.59 0.64 0.71 0.73 0.76 0.78 0.8 0.81 0.82 0.83 0.83

SEP : 9.12 8.78 8.43 7.78 6.22 5.81 5.19 5.07 4.79 4.52 4.31 4.18 4.05 4.03 4.05

eau – Mesocarpe Lyoph – 24–25



C14.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.35 0.58 0.52 0.51 0.53 0.53 0.6 0.6 0.6 0.6 0.6 0.58 0.56 0.54 0.52

SEP : 0.38 0.3 0.33 0.33 0.34 0.34 0.31 0.31 0.31 0.31 0.31 0.32 0.34 0.35 0.36

C14.0 – Mesocarpe Lyoph – 24–25



C16.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.43 0.83 0.83 0.86 0.88 0.88 0.9 0.91 0.91 0.92 0.92 0.93 0.92 0.92

SEP : 5.15 2.8 2.79 2.55 2.37 2.36 2.16 2.1 2.05 1.96 1.9 1.85 1.87 1.9 1.88

C16.0 – Mesocarpe Lyoph – 24–25



C18.0




Pré : adj_red_c(950, 750, 1)_snv_sder_c(1, 3, 15)


R2 : 0.04 0.16 0.16 0.17 0.19 0.24 0.24 0.23 0.3 0.32 0.32 0.37 0.36 0.38 0.35

SEP : 2.05 1.92 1.94 1.92 1.95 1.88 1.91 1.95 1.84 1.83 1.9 1.84 1.82 1.81 1.87

C18.0 – Mesocarpe Lyoph – 24–25



C18.1n9




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.43 0.86 0.85 0.85 0.88 0.88 0.9 0.9 0.91 0.91 0.91 0.91 0.91 0.91

SEP : 5.07 2.54 2.57 2.65 2.37 2.37 2.1 2.09 2 1.98 1.97 1.99 1.98 2.02 2.05

C18.1n9 – Mesocarpe Lyoph – 24-25



C18.1n7




Pré : adj_red_c(1, 1300, 1)snv


R2 : 0.02 0 0.02 0.01 0.03 0.04 0.08 0.13 0.16 0.24 0.27 0.32 0.28 0.31 0.28

SEP : 0.46 0.47 0.46 0.47 0.47 0.47 0.45 0.45 0.44 0.42 0.42 0.42 0.43 0.43 0.45

C18.1n7 – Mesocarpe Lyoph – 24-25



C18.2




Pré : adj_red_c(950, 750, 1)_snv_sder_c(2, 3, 15)


R2 : 0.08 0.12 0.23 0.36 0.45 0.55 0.6 0.68 0.71 0.74 0.78 0.78 0.79 0.79 0.79

SEP : 1.66 1.62 1.54 1.4 1.3 1.17 1.09 0.98 0.92 0.87 0.81 0.81 0.78 0.79 0.79

C18.2 – Mesocarpe Lyoph – 24–25



C18.3




Pré : adj_red_c(40, 1300, 1)_snv_sder_c(2, 3, 15)


R2 : 0.29 0.29 0.18 0.27 0.25 0.27 0.3 0.27 0.24 0.24 0.25 0.28 0.33 0.36 0.37

SEP : 0.12 0.12 0.13 0.12 0.12 0.12 0.12 0.13 0.13 0.13 0.13 0.13 0.12 0.12 0.12

C18.3 – Mesocarpe Lyoph – 24–25



C20.0




Pré : adj_red_c(1, 1300, 1)snv

R2 : 0.22 0.2 0.06 0.02 0.01 0.01 0.01 0.05 0.08 0.11 0.09 0.12 0.1 0.09 0.06

SEP : 0.1 0.11 0.11 0.11 0.11 0.11 0.11 0.1 0.11 0.11 0.11 0.11 0.12 0.13

C20.0 – Mesocarpe Lyoph – 24–25



Calibration with dried mesocarp - Compare AGAP and DIADE spectrometer

Explore 2 years on fresh fruits