

Copilot Control Center

5 essential best practices to secure & govern your Microsoft 365 Copilot / AI deployment



Martina Grom

Microsoft MVP M365 & Foundry, Microsoft RD, CEO, www.atwork.at
@magrom · @magrom.bsky.social · martina.grom@atwork.at



Toni Pohl

Microsoft MVP M365 Development & Foundry, CTO, www.atwork.at
@atwork · @atwork.bsky.social · toni.pohl@atwork.at

AI is here to stay

Agenda

From “Copilot can see everything” to a governed deployment

1

Know before you grow

Assess data exposure & oversharing

2

Close the doors

Prevent oversharing, enforce least privilege

3

Label & protect

Sensitivity labels + DLP for Copilot

4

Govern the agents

Agent lifecycle + Foundry guardrails

5

Watch & measure

Audit, monitor & prove value

WHY THIS MATTERS

Copilot inherits your data — and your oversharing



The “performance review” moment

An employee asks Copilot:

“Help me prepare for my performance review.”

Copilot returns salary spreadsheets, HR notes and manager feedback - because an old SharePoint site was shared with “Everyone except external users.”

Where the exposure comes from

- “Everyone except external users” (EEEU) on sites & files
- Broken permission inheritance in document libraries
- Nested & forgotten security groups
- Ownerless, inactive and duplicated sites

Copilot honors Microsoft Graph permissions exactly — it surfaces everything a user is allowed to open. Governance is not optional.

Two surfaces, one governance mindset

Microsoft 365 Copilot

Governed by the Copilot Control System (CCS)

Word, Excel, Outlook, Teams, Copilot Chat & prebuilt + Copilot Studio agents

- SharePoint Advanced Management — find & fix oversharing
- Microsoft Purview — labels, DLP, DSPM, Audit
- M365 admin center — access, lifecycle, analytics

Microsoft Foundry

Govern the models & agents you build

Custom AI apps & autonomous agents

- Guardrails & controls — content safety, Prompt Shields
- Agent identity in Entra ID + least-privilege RBAC
- Defender for AI & Purview for end-to-end visibility

Enterprise Data Protection: your prompts & responses stay in your tenant, are not used to train foundation models, and honor the EU Data Boundary – and if not, there is a subprocessor agreement.

The Copilot Control System — three pillars



Security & governance

Data security, AI security, compliance & privacy. Purview + SharePoint Advanced Management.



Management controls

Licensing & metering, agent lifecycle, customization. M365 admin center & Copilot Studio.



Measurement & reporting

Readiness & adoption, productivity impact, business value & ROI via Copilot Analytics.

THE FRAMEWORK

Microsoft Foundry — guardrails & controls

A guardrail is a named collection of controls. Each control = a risk + where to scan + what action to take.

FOUR INTERVENTION POINTS



RISKS DETECTED


- Hate · Sexual · Self-harm · Violence
- Prompt injection — jailbreak & indirect attacks
- Protected material (code & text), PII
- Groundedness & Task Adherence

POWERED BY

- Azure AI Content Safety classification models
- Prompt Shields — block adversarial input
- Severity thresholds: Off / Low / Medium / High
- Agent identity in Entra ID + least-privilege RBAC

THE STORYLINE

5 essential best practices



1

BEST PRACTICE 1

Know before you grow

You cannot govern what you cannot see. Measure exposure before you broaden Copilot access.

Run Data Access Governance reports. SharePoint Advanced Management surfaces sites shared org-wide, with EEEU, or with broken inheritance.

Configure DSPM in Purview. See which sensitive files and unprotected items are referenced in Copilot & agent interactions.

Map the full data surface. Copilot/Graph connectors and web grounding widen Copilot's reach — inventory them, not just SharePoint.

Find the 'crown jewels' first. HR, Finance, Legal, M&A. Prioritize by sensitivity × reach, not alphabetically.

Demo



Home

Sites ^

Active sites

Deleted sites

SharePoint Embedded v

Backup

Policies v

Settings

Content services v

Migration

Reports v

Advanced v

More features

Advanced management PRO

Customize navigation

Show all

Home > Advanced management

Dark mode Subscription status: Active

Advanced management

Easily manage your content with policies, reports, and settings that simplify your workflow, strengthen security, and help your organization work better together.

[Learn more about SharePoint Advanced Management](#)

Overview All features

Prepare for Copilot with SharePoint Advanced Management

Advanced management tools help reduce oversharing and content sprawl, enhance response quality, and control Copilot content access.

[Restart assessment](#)

Improve Copilot results across your Microsoft 365 apps

SharePoint
Microsoft TeamsOneDrive
Power BI

Viva Engage


Content management assessment

✓ Your results are ready. Explore the findings and take action today.

Site lifecycle

34 sites require attention

Last updated on April 20, 2026



Issue type	Number of issues	Recommendations
Site inactivity	34	View recommendations
Missing site ownership	1	View recommendations



Home

Sites ^

Active sites

Deleted sites

SharePoint Embedded v

Backup

Policies v

Settings

Content services v

Migration

Reports ^

Agent insights

App insights

Catalog management

Change history

Content services

Data access governance

OneDrive accounts

Site policy comparison

Advanced v

More features

Advanced management PRO

Customize navigation

Show all

Data access governance PRO

Reports All review requests

This page provides reports to help you maintain the security and compliance of your data in SharePoint.

[Learn more about data access governance](#)

Get started

We recommend starting with a snapshot report to get a quick overview of permissions for all sites in your organization.

Snapshot reports ⓘ

Site permissions across your organization RECOMMENDED

Check for broad permissions such as Everyone except external users, guest access, sharing links, and unique permissions across all sites in your organization, as of the report generation date.

[View reports](#)**Site permissions for users** NEW

Identify all sites a user can access and determine whether they can access the entire site or specific sections, granted directly to the user or indirectly through groups as of the report date.

[View reports](#)

Sensitivity labels applied to files

Monitor sensitive content by reviewing the sites where sensitive files are stored and the policies applied to these sites, as of the report generation date.

[View reports](#)

Activity reports ⓘ

Sharing links

Identify potential oversharing by monitoring sites where users created new sharing links in SharePoint sites in the last 28 days.

Shared with 'Everyone except external users'

Make sure files, folders, and lists aren't being overshared by reviewing sites that have the most items shared with "Everyone except external users" in the



Home

Sites

Active sites

Deleted sites

SharePoint Embedded

Backup

Policies

Settings

Content services

Migration

Reports

Agent insights

App insights

Catalog management

Change history

Content services

Data access governance

OneDrive accounts

Site policy comparison

Advanced

More features

Advanced management PRO

Customize navigation

Show all

Data access governance > Site permissions across your organization > Report created by Content Management Assessment

As of April 20, 2026

Report created by Content Management Assessment

This page lists the top 100 sites with the highest number of unique users who have access to the sites and their content. You can download a .csv report for up to 1 million sites.

[Download detailed report](#)[+ Initiate site access review](#) [View all reviews](#) [Restrict site access](#)

Showing top 100 of 130

Filters: **Site sensitivity: All** **External sharing: All** **Privacy: All**

☐	Name	URL	Site access review status	Files	Items with unique p...	Total permissione... ↓	Guest user permisso...	External participants
☐	Governance	.../sites/Governance	-	79	2	54	0	0
☐	Root	https://tpe5.sharepointc...	-	23	1	54	0	0
☐	Viva	.../sites/Viva	-	42	0	39	0	0
☐	Project Vienna-Shar...	.../sites/ProjectVienna-S...	-	0	0	18	0	0
☐	Project Vienna	.../sites/projectvienna	-	53	6	18	0	0
☐	DemoAI	.../sites/DemoAI	-	342	8	13	0	0
☐	Team Las Vegas-Sha...	.../sites/TeamLasVegas-S...	-	0	0	10	0	0
☐	Group for Answers i...	.../sites/groupforanswers...	-	0	0	10	0	0
☐	Team Las Vegas	.../sites/TeamLasVegas	-	7	0	8	0	0
☐	Agents Demo	.../sites/AgentsDemo	-	25	5	7	0	0
☐	Ignite-Shared1	.../sites/Ignite-Shared1	-	2	0	6	0	0
☐	GT365	.../sites/GT365	-	122	6	6	0	0
☐	Project Portugal	.../sites/ProjectPortugal	-	5	0	6	0	0
☐	Trey Research legal ...	.../sites/TreyResearchleg...	-	9	2	5	0	0



Home

Sites ^

Active sites

Deleted sites

SharePoint Embedded v

Backup

Policies v

Settings

Content services v

Migration

Reports ^

Agent insights

App insights

Catalog management

Change history

Content services

Data access governance

OneDrive accounts

Site policy comparison

Advanced v

More features

Advanced management PRO

Customize navigation

Show all

Oversharing

26 sites require attention

Last updated on April 20, 2026



Issue type	Number of issues
Broken permission inheritance	16
Org-wide site permissions	13
Organization and anyone sharing links	1

Resources

Get ready for Microsoft 365 Copilot

Explore the six recommended steps your organization can take to prepare for Copilot adoption.

Learn about SharePoint Advanced Management

Discover how to reduce oversharing, control content, and manage content lifecycle with SharePoint Advanced Management.

Take control of oversharing

Get a step-by-step guide on how to identify and address oversharing in Microsoft 365 Copilot using advanced management.

Automatically detect inactive sites

Learn how to identify inactive sites and inactive site policy.

Keep sites secure with ownership policies

Learn how to track site ownership and identify noncompliant sites.

Manage data access governance reports

Learn how to create and track data access governance reports.

Org-wide site permissions

Site permissions across your tenant

This sharing links report identifies potential sources of oversharing by showing the sites that are shared with the 'Everyone except external users' (EEEEU) group.

[Learn more about data access governance reports](#)

Issues found

13

Recommendations

- [Download a report](#) containing a list of sites that have items with unique permissions, are shared org-wide, or have *people in your organization or anyone* sharing links.
- Go to the [Site permissions across your tenant](#) page to take action:
 - Initiate site access reviews.
 - Restrict site access to specific groups or users.
- Learn about [restricting content from being found by search and Copilot](#).

Why do these sites require attention?

These sites contain content that was shared with everyone in the organization and is potentially overshared.

How we got this number

Sites where 'Everyone except external users' was added as a site member.

Site permissions across your tenant report features

- Lists sites shared with everyone in the organization.



Home



Solutions



Agents



Learn



Usage center



Settings



DSPM



Information Protection



Data Loss Prevention



Insider Risk Management...



DSPM for AI (classic)



DSPM

Posture

Objectives

AI observability

Discover

Tasks and actions

Reports

Data Security Posture Management



Data Security Posture Management (classic) and Data Security Posture Management for AI (classic) will be retired on September 30, 2026. All features from the classic solutions and your data are available now in the new DSPM.

Use Data Security Posture Management (DSPM) to discover and secure all your sensitive data in Microsoft 365 and non-Microsoft 365 data sources, including connected partner solutions and sensitive data accessed in AI apps and agents. [Learn more about DSPM](#)



Which devices were involved in exfiltration activities?

Which sensitive files were shared outside the org from SharePoint in the last 7 days?

2 more

[View more prompts](#)

Key posture metrics

Review key data security posture metrics for your organization's data sources from the last 30 days. This includes data in Microsoft 365 and non-Microsoft 365 sources.



Data discovery

Classified and labeled assets**0.046%**[↗ 0.0017% in 28 days](#)

Data protection

Activities covered by Data Loss Prevention**0%**[→ 0% in 30 days](#)

Data investigation

Data protection alerts triaged**0%**[→ 0% in 30 days](#)

Featured insights

New tools to help you secure your data, improve your posture, and identify new risks.

**Secure AI data for apps and agents built in Microsoft Foundry**

New

Your AI apps and agents in Microsoft Foundry may be accessing sensitive data outside your current security policies. Enable the Microsoft Purview integration to extend data discovery, monitoring, and protection to all Foundry-based agents in your organization. Get started in Microsoft Foundry.

Note: Enablement requires the [Azure AI Account Owner](#) role.

[Go to Microsoft Foundry](#)[Learn more](#)

See how AI apps and agents improve your security posture.

Top objectives to protect sensitive data

Focusing on these objectives helps you monitor key areas of your data security posture to prevent risks to sensitive data. Review and complete remediation plans for each objective to improve your posture and protect sensitive data. [Learn more](#)

[View all objectives](#)

Data protection

Prevent data exposure in Microsoft 365 Copilot

Data protection

Prevent oversharing of sensitive data



Home



Solutions



Agents



Learn



Usage center



Settings



DSPM



Information Protection



Data Loss Prevention



Insider Risk Management



DSPM for AI (classic)



DSPM

Posture

Objectives

AI observability

Discover

Tasks and actions

Reports

Data security objectives > Prevent oversharing of sensitive data

Data Security Posture Management (classic) and Data Security Posture Management for AI (classic) will be retired on September 30, 2026. All features from the classic solutions and your data are available now in the new DSPM.


Objective: Prevent oversharing of sensitive data

[View prompts](#)

Prevent users in your organization from sharing access to items that are unlabeled and contain sensitive information, beyond what is necessary or appropriate.

Data oversharing trends

Analyze the volume of sensitive data overshared in your organization.

**Remediation plan to prevent oversharing (5 actions)**

Reduce oversharing of sensitive data within your organization.

[View remediation plan](#)

Key oversharing metrics

Overshared items
728
+1% in last 30 days

Total unscanned items
0
+0%

Total unlabeled items
906
+1%

Total items
910
+1%

Oversharing risk patterns

Review oversharing risk pattern activity in the last 30 days.

[View oversharing reports](#)

Microsoft Purview

Home

Solutions

Agents

Learn

Usage center (preview)

Settings

DSPM (preview)

DSPM for AI (classic)

DSPM (preview)

Posture

Objectives

AI observability

Discover

Apps and agents

Activity explorer

Asset explorer

Data risk assessments

Tasks and actions

Reports

Search

Copilot

Jan Hlatshwayo

Data risk assessments

Microsoft 365

Fabric

Assess and prevent oversharing

1 Identify

2 Protect

3 Monitor

Item-level scanning setup complete

Edit connection

Default assessment

Assess oversharing of sensitive data for the top 100 SharePoint sites based on how many times the sites are accessed. Results are derived from data collected over the last 30 days.

Results

Total items

11.4K

Sensitive data detected

9.9K

Sharing links accessed by Anonymous/External

0

Last updated

Mar 11, 2026

Next update

Mar 18, 2026

Frequency

Weekly

View details

Custom assessment status

4

Completed

Expired

Custom assessments (preview)

Custom assessments review specific data sources and users to identify potential oversharing of sensitive data. If the results are expired, you can duplicate the assessment to refresh the results.

Create custom assessment

4 items

Custom assessment name	Status	Started on	Completed on	Results expire in	Overshared items
Sharing links in SharePoint	Completed	Mar 5, 2026	Mar 7, 2026	30 days	110

1 Identify

Review assessment results for users accessing sensitive items. You can review the weekly results from the default assessment or create custom assessments to review specific data sources and users.

2 Protect

Limit Microsoft Copilot and agents access to sensitive data and apply label and retention policies to SharePoint sites and data.

3 Monitor

Conduct SharePoint site and access reviews to evaluate permissions and user access.

Item-level scanning setup complete

Edit connection

Default assessment

Assess oversharing of sensitive data for the top 100 SharePoint sites based on how many times the sites are accessed. Results are derived from data collected over the last 30 days.

Results

Total items

11.4K

Last updated

Mar 11, 2026

View details

Sensitive data detected

9.9K

Next update


Mar 18, 2026

Sharing links accessed by Anonymous/External

0

Frequency

Weekly



Custom assessments (preview)

Custom assessments review specific data sources and users to identify potential oversharing of sensitive data. If the results are expired, you can duplicate the assessment to refresh the results.

+ Create custom assessment

Custom assessment name	Status	Started on	Completed on	Results expire in	Overshared items	
Sharing links in SharePoint	Completed	Mar 5, 2026	Mar 7, 2026	20 days	149	
March assessment	Completed	Mar 2, 2026	Mar 4, 2026	16 days	0	
Zava assessment Feb	Completed	Feb 24, 2026	Feb 26, 2026	10 days	4	
Zava Feb Report	Expired	Feb 3, 2026	Feb 5, 2026	Expired	0	

Sharing links in SharePoint

Overview



Potentially overshared items New

Potentially overshared items

149 items are potentially overshared in your scoped sources. An item is at risk of oversharing if it's shared with external or anonymous users and contains sensitive information or a sensitivity label. View detected items and remediate as needed.

View items

Assessment details			
Sources included	Potentially overshared items	Status	Completed on
10	149	Completed	Mar 7, 2026



2

BEST PRACTICE 2

Close the doors

Shrink Copilot's reach to least privilege — without waiting for a full permissions cleanup.

Restricted Content Discovery (RCD). Stop Copilot indexing a site's content while you remediate — users keep direct access.

Restricted Access Control (RAC). Limit a site to a specific security group; everyone else (and Copilot) is blocked.

Fix the source. Remove EEEU, repair inheritance, retire ownerless sites. Use simulation mode before enforcing.

Quick win: RCD is the fastest lever — instant Copilot scoping with zero impact on legitimate users.

Demo



Home

Sites ^

Active sites

Deleted sites

SharePoint Embedded v

Backup

Policies v

Settings

Content services v

Migration

Reports ^

Agent insights

App insights

Catalog management

Change history

Content services

Data access governance

OneDrive accounts

Site policy comparison

Advanced v

More features

Advanced management PRO

Customize navigation

Show all

+ Create Edit Membership Hub v

Site name ↑ v	URL v
Brand Guide	.../sites/BrandGu
CollabTestKK	.../sites/CollabTe
CommSite1	.../sites/CommS
CommSite2	.../sites/CommS
CompareDocuments	.../sites/Compar
Contoso Team	.../sites/wcontos
Contracts	.../sites/Contrac
delete: another-test	.../sites/deletear
delete: test	.../sites/deletete
delete: test	.../sites/deletete
deleteme	.../sites/deletem
deleteMe	.../sites/deleteM
Demo SharePoint	.../sites/DemoSh
Demo_Migration_Scheduler	.../sites/Demo_M
demo202604	.../sites/demo20
 DemoAI	.../sites/DemoAI
Deutschland	.../sites/de
Employees	.../sites/Employe
Finance 10	.../sites/finance1
GlobalSharingDemo_PK	.../sites/GlobalS
Governance	.../sites/Governa
Group for Answers in Viva Eng...	.../sites/groupfo



DemoAI

Private team

[Email](#) [Open in Teams](#) [View site](#) [Delete](#)

DemoAI

[General](#) [Activity](#) [Membership](#) [Settings](#)

Email

- ☐ Let people outside the organization email this team
- ☐ Send copies of team emails and events to team members' inboxes
- ☒ Don't show team email address in Outlook

External file sharing ⓘ

New and existing guests v

[More sharing settings](#)

Restrict content discovery ⓘ PRO

- ☐ On
- ☒ Off

Custom scripts ⓘ

Blocked

[Edit](#)

Teams conversations

- ☒ Allow members to edit their sent messages
- ☒ Allow members to delete their sent messages

[Save](#)

Privacy

- ☒ Private
- ☐ Public

Sensitivity label ⓘ

None v

Restricted site access ⓘ PRO

Not set

[Edit](#)

Version history limit ⓘ

Same as organization-level (Manual)

3

BEST PRACTICE 3

Label & protect

Classification travels with the data. Sensitivity labels and DLP keep protection on, even inside Copilot.

Apply sensitivity labels. Confidential / Highly Confidential with encryption. Honored by Copilot, persist on copies & downloads.


DLP for Microsoft 365 Copilot. Block Copilot from processing or summarising content carrying specific labels.


Automate at scale. Auto-labeling & default labels classify far faster than manual review ever can.

Protect at the file level. Encryption means the label's usage rights — not just the site ACL — gate access.

Note: Copilot respects existing labels automatically — a DLP policy scoped to Copilot is what enforces the hard block.

Demo





Home

Solutions

Agents

Learn

Usage center

Settings

DSPM

Information Protection

Data Loss Prevention

Insider Risk Management...

DSPM for AI (classic)

Data Loss Prevention

Overview

Policies

Recommendations

Alerts

Classifiers

Explorers

Diagnostics

Pay-as-you-go usage report

Posture reports

Security Store

Related solutions

Data Security Investigations

Information Protection

Insider Risk Management

Policies

Use data loss prevention (DLP) policies to help identify and protect your organization's sensitive info. For e shared with the wrong people. [Learn more about DLP](#)

⚠ Set up pay-as-you-go billing. To use some data loss prevention policy features, you must first link a charged based on usage. [Learn more about pay-as-you-go billing](#)

Policy not yet created

Safeguard sensitive data in Microsoft 365 Copilot interactions

Purview now offers granular Copilot controls, allowing admins to block all processing or all access while blocking web searches when sensitive data is detected. The default DLP policy mode and can be turned on to restrict Copilot from processing sensitive prompts or perform

Get started

+ Create policy ↓ Export policies ↻ Refresh Copilot

☐	Name	Priority	Mode
☐	Copilot for CW	0	In simulation with notification
☐	DSPM for AI: Detect sensitive info adde...	1	On

Data security

Close

Safeguard sensitive data in Microsoft 365 Copilot interactions

Customize the policy by choosing from the sections below. For advanced configuration, [edit the policy](#) in DLP solution.

Users and groups

Scope

All users and groups

Sensitive Information Types

Select the sensitive information type you want to protect with your DLP policy.

Content contains

Any of these

Sensitive info types

0 selected (view)

+ Add

Actions

Use actions to protect content when the conditions are met

Restrict Copilot from processing content

Choose how content that matches your conditions should be restricted during the following Copilot activities. [Learn more about these actions](#)

☐ Restrict user prompts from being processed

☐ Restrict web searches

Create policy Cancel

4

BEST PRACTICE 4

Govern the agents

Agents act autonomously and call tools. Treat them as first-class identities and guard every turn.

Manage the agent lifecycle. Inventory M365 / Copilot Studio agents in the admin center; approve, monitor and retire them.

Give each agent its own identity. Entra ID agent identity + least-privilege RBAC — no secrets in prompts, fully auditable.

Govern who builds. Power Platform environments + DLP decide who can create agents and which connectors they may use.

Apply Foundry guardrails. Risk + intervention point + action. Prompt Shields block jailbreak & indirect injection on tool calls. The agentic guardrail fully overrides the model's guardrail.

Demo

Agents

Deployments

Fine-tune

Tools

Knowledge

Memory

Data

Evaluations

Guardrails

← OrdersAgent

PlaygroundTracesMonitorEvaluation

Model: gpt-5.4-mini-1Global Standard deployment

Voice mode
Switch the agent to a voice-first experience.

Instructions
Find information about product orders from the knowledge base. Deliver the full available information, such as name, email address, address, product, and payment data. Each record starts with the name in bold. Put all order details below, one line per detail.

Tools
Connect tools to your agent for faster access to key information and improved efficiency. Learn more about best practices.
File search
index_bright_kitten_ndyr465nsd • 28.83 KB
vs_h2mc8XTCl8rfjqf3U5bvBpa

Add

Knowledge

MemoryPreview

Version: 31 (Today 10:17 PM) Save Preview Publish

ChatYAMLCall agent

14156t Metrics Configure

Show the top 3 orders from customers in Vienna.

Assuming “top 3” means the highest-priced orders among customers in Vienna, here they are:

1. Anna Gruber 1
Display Name: Anna Gruber
Order Number: PO005
Category: Clothing
Item: Polo Shirt
Price (USD): \$177
Status: paid for and delivered
Purchase Date: 2026-01-11
Delivery Date: 2026-01-14
Customer Number: BC419
Email: Anna.Gruher@live.com
Credit Card Number: 5102 6932 3470 8835
CC Valid To: 12/31
Address: Mariahilfer Straße 45a, 1060 Wien, Austria

2. Markus Berger 2
Display Name: Markus Berger
Order Number: PO004
Category: Sports
Item: Football
Price (USD): \$173
Status: ordered
Purchase Date: 2025-12-23

Message the agent...

AI-generated content may be incorrect

- Agents
- Deployments
- Fine-tune
- Tools
- Knowledge
- Memory
- Data
- Evaluations
- Guardrails**

← Create guardrail controls

☒ Hate Medium blocking

☒ Sexual * Medium blocking

☒ Self-harm * Medium blocking

☒ Violence * Medium blocking

☐ Blocklists

Protected materials (2) ⓘ

- ☒ Risk type
- ☒ Protected material for code
- ☒ Protected material for text

Sensitive data leakage (1) ⓘ

- ☒ Risk type
- ☒ PII (Preview)

Task drift (0) ⓘ

- ☐ Risk type
- ☐ Task adherence (Preview)

☐ Select All

User information

- ☐ Name protection
- ☐ Phone number protection
- ☐ Address protection
- ☒ Email protection
- ☐ IP address protection
- ☐ Age protection

Azure information

- ☐ Azure DocumentDB auth key protection
- ☐ Azure IAAS database connection string and Azure SQL connection string protection
- ☐ Azure IoT connection string protection
- ☐ Azure publish setting password protection
- ☐ Azure redis cache connection string protection
- ☐ Azure SAS protection
- ☐ Azure service bus connection string protection
- ☐ Azure storage account key protection
- ☐ Azure storage account key (generic) protection

Database information

- ☐ SQL server connection string protection

Financial information

- ☐ ABA routing number protection
- ☒ SWIFT code protection
- ☒ Credit card protection
- ☐ International banking account number (IBAN) protection

**1 Add controls**

2 Select agents and models

3 Review

Next

- Agents
- Deployments
- Fine-tune
- Tools
- Knowledge
- Memory
- Data
- Evaluations
- Guardrails**

← Create guardrail controls

A guardrail is a collection of controls assigned to specific agents or models.
Select which agents and models you want this guardrail to be applied to.

Search agents

☐	Name	Version	Created
☒	OrdersAgent	v31	6/8/26, 10:17:56 PM
☐	SalesCologne	v3	5/6/26, 11:45:58 AM
☐	ViennaOrders	v14	5/5/26, 11:06:55 AM
☐	Avatar2	v1	4/26/26, 9:24:00 PM
☐	ZavaProducts	v3	1/28/26, 12:29:11 AM
☐	Delegate365Agent	v2	1/28/26, 12:15:57 AM
☐	avatar	v1	12/2/25, 10:25:08 PM

Search models

☐	Deployment name	Model version	Model	Created
☐	gpt-5-chat	2025-10-03	gpt-5-chat	12/2/25, 10:27:10 PM
☐	gpt-image-1.5	2025-12-16	gpt-image-1.5	1/23/26, 10:29:35 AM
☐	FLUX-1.1-pro	1	FLUX-1.1-pro	1/23/26, 5:42:40 PM



Add controls

2

Select agents and models

3

Review

Back

Next

- Agents
- Deployments
- Fine-tune
- Tools
- Knowledge
- Memory
- Data
- Evaluations
- Guardrails**

← Create guardrail controls

A guardrail is a collection of controls assigned to specific agents or models.
Give it a descriptive name, verify your control and assignment settings, then create your guardrail.

Name and information

Guardrail name *

Guardrails-OrdersAgent

Streaming mode ⓘ

Default

Models

No models selected

Agents

OrdersAgent

Controls

▼ Jailbreak (1) ⓘ

Risk type	Intervention point	Action
Jailbreak	User input	Block

▼ Content harms (4) ⓘ

Risk type	Intervention point	Action	
Hate *	Medium blocking	User input, Output	Block
Sexual *	Medium blocking	User input, Output	Block

1 Add controls

2 Select agents and models

3 Review

4 Create

Agents

Deployments

Fine-tune

Tools

Knowledge

Memory

Data

Evaluations

Guardrails

← OrdersAgent

Playground Traces Monitor Evaluation

Tools

Connect tools to your agent for faster access to key information and improved efficiency. [Learn more](#) about best practices.

File search

index_bright_kitten_ndyr465nsd • 28.83 KB
[vs_h2mc8XTCI8rfjqf3U5bvBpa](#)

Add

Knowledge

Memory PreviewGuardrail Preview

Add safety and security controls to your guardrail to help reduce risks and support deployments. [Learn more](#)

Name: Guardrails-OrdersAgent**Risks with controls:** Jailbreak (1), Sensitive data leakage (2), Content safety (4), Protected materials (2)**Risks without controls:** Indirect prompt injections, Task drift

Guardrail settings at the agent level will replace those set at the model level

Manage guardrail

Version: 32 (Today 10:25 PM)

Save

Preview

Publish

Chat

YAML

Call agent

⋮

Metrics

⚙️ Configure

+

Show the top 3 orders from customers in Vienna.

I'm sorry, but I cannot assist with that request.



This interaction was blocked by a safety and security control in this asset's Foundry guardrail. [Learn more about guardrails](#)

Message the agent...



- Agents
- Deployments
- Fine-tune
- Tools
- Knowledge
- Memory
- Data
- Evaluations
- Guardrails

invoke_agent OrdersAgent:38

ID: 13b8f968ecfa4007b80025690be7b640

Trajectories User view

2 spans 1 tool call 1.6s 1 error

Find in trace

All

Duration

Invoke Agent

invoke_agent OrdersAgent:38

1.55s

Execute Tool

execute_tool file_search.msearch

266ms

invoke_agent OrdersAgent:38

ID: 37d8a5e5acde0eea 1.55s

Input + Output Metadata

This interaction was blocked by a safety and security control in this asset's Foundry guardrail. [Learn more about Foundry guardrails](#)

Input

Instructions


Find information about product orders from the knowledge base. Deliver the full available information, such as name, email address, address, product, and payment data. Each record starts with the name in bold. Put all order details below, one line per detail.

User input

What are the top 3 products ordered?

System message

User has uploaded files. These are available with `msearch` using the tool you have for searching files.



5

BEST PRACTICE 5

Watch & measure

Governance is continuous. Monitor Copilot activity, audit interactions and prove the value you delivered.

Audit every interaction. Purview Audit logs *CopilotInteraction* events — who asked what, and which files were referenced.

Monitor with DSPM. Activity explorer + alerts on sensitive data in prompts and responses; catch drift early.

Prove adoption & ROI. Copilot Analytics shows readiness, usage and productivity impact for leadership.

Home

Solutions

Agents

Learn

Usage center

Settings

eDiscovery

Audit

Information Protection

Data Loss Prevention

Audit

Search

Policies

Pay-as-you-go usage report

Related solutions

eDiscovery

Data Security Investigations

Search

Learn about audit

Searches completed4

Active searches1

Active unfiltered searches0

Date and time range (UTC) Start *

Jun 07 202600:00

Date and time range (UTC) End *

Jun 08 202600:00

Keyword Search

Enter the keyword to search for

Admin Units

Choose which Admin Units to search for

Activities - friendly names

Interacted with Copilot

Activities - operation names ⓘ

Enter operation values, separated by commas

Record Types

Select the record types to search for

Search name

Give the search a name

Users

Add the users whose audit logs you want to search

ObjectId (File, folder, or site) ⓘ

Enter all or a part of the name of a file, website, or fold...

Workloads

Enter the workloads to search for

Search

Clear all

Copy this search

Delete

Refresh

15 items

Search name	Job status	Prog...	Sear...	Total results	Creation ti...	Search performed by
☐ May 1 - Jun 8 botnameupdate,botpublish,botshare,botreassign,copilotinteraction	Queued		13s	0	Jun 8, 2026 9:30 P...	toni@atwork.fun
☐ May 1 - May 13 permissionleveladded,permissionlevelsinheritancebroken	Completed	100%	1h, 30m	3	May 13, 2026 3:1...	toni@atwork.fun
☐ May 10 - May 11 copilotinteraction	Completed	100%	2m, 31s	0	May 11, 2026 10:...	toni@atwork.fun

5

DEMO · BEST PRACTICE 5

Prove it: audit, monitor, measure

RUNSHEET

1. In Purview Audit, search activity "*CopilotInteraction*" and open one event — show referenced files.
2. Open DSPM activity explorer; filter to sensitive interactions.
3. Show the Copilot Analytics adoption dashboard.
4. Re-run demo 1's oversharing report — fewer sites than at the start.

WHAT THE AUDIENCE SEES

A complete audit trail, live monitoring, and a before/after that proves risk went down.

TOOLS

Purview Audit · DSPM · Copilot Analytics

Demo

 Data protection

Prevent data exposure in Microsoft 365 Copilot and Microsoft Copilot interactions

Copilot interactions with sensitive data

 **3** → +0% in last 29 days

3 Microsoft 365 Copilot and Microsoft Copilot interactions with sensitive data were detected from your organization in the last 30 days, a decrease of 0%. This could indicate emerging patterns of data exposure.

[View remediation plan](#)

[View objective](#)

 Data protection

Prevent exfiltration to risky destinations


Files with sensitive data exfiltrated

 **36** ↗ +620% in last 29 days

36 files from Microsoft 365 were moved outside your organization in the last 29 days, an increase of 620%. This could indicate emerging data exfiltration patterns.

[View remediation plan](#)

[View objective](#)

	AI app	Protection sta...	User trend	Prompts trend	Response trend	Data protection	Data compliance	Agents
	Microsoft Copilot Studio (1)							
☐	Microsoft Copilot Stu...	Monitored				5 Policies	3 Policies	5
	Copilot experiences & agents (9)							
☐	Microsoft 365 Copilot	Monitored				5 Policies	3 Policies	1
☐	Copilot in Fabric	Monitored	No data available	No data available	No data available	0 Policies	0 Policies	0
☐	M365Copilot - Apps	Monitored				5 Policies	3 Policies	1
☐	M365Copilot - Bizchat	Monitored				5 Policies	3 Policies	1
☐	M365Copilot - WebC...	Monitored				5 Policies	3 Policies	1
☐	Security Copilot	Monitored	No data available	No data available	No data available	0 Policies	0 Policies	0
☐	Microsoft Teams (AI n...	Monitored				5 Policies	3 Policies	2
☐	M365.Planner.Project...	Monitored		No data available	No data available	5 Policies	3 Policies	1



Overview

Assets

Compliance

Quota

Admin

Compliance

[Policies](#)[Guardrails](#)[Security posture](#)[Data security and governance](#)

MG-MSDN-02

[Go to Microsoft Purview](#) 

Powered by Microsoft Purview



Your AI data estate is not protected



Enable Microsoft Purview to support data security and compliance based governance across AI apps and agents in the subscription

Once setup, interactions data from Foundry models will be sent to your tenant's Purview account, and data security policies created by the tenant's security admins in Purview will be enforced in Foundry. Enabling this toggle in Foundry requires the [Azure AI Account Owner](#) role.

- ✓ Monitor sensitive data flowing through AI agents
- ✓ Detect risky user interactions and insider threats
- ✓ Enforce Data Loss Prevention policies and compliance standards

Note: The toggle is effective only if Microsoft Purview is present in the tenant. Billing happens in Purview and is based on pay-as-you-go meters and policies created in Purview. If PayG billing isn't set up in Purview, only Purview Audit integration will be supported.

[About Microsoft Purview](#)

Data Security Posture Management

Use Data Security Posture Management (DSPM) to discover and secure all your sensitive data in Microsoft 365 and non-Microsoft 365 data sources, including connected partner solutions and sensitive data accessed in AI apps and agents. [Learn more about DSPM](#) 

 Copilot Which devices were involved in exfiltration activities? Which sensitive files were shared outside the org from SharePoint in the last 7 days? 2 more  View more prompts

Key posture metrics

Review key data security posture metrics for your organization's data sources from the last 30 days. This includes data in Microsoft 365 and non-Microsoft 365 sources.

Category	Current Status	Target / Trend
Data discovery	Classified and labeled assets: 0.034%	0.0011% in 28 days
Data protection	Activities covered by Data Loss Prevention: 53%	41% in 30 days
Data investigation	Data protection alerts triaged: 100%	0% in 30 days

Featured insights

New tools to help you secure your data, improve your posture, and identify new risks.

 **Secure AI data for apps and agents built in Microsoft Foundry** New

Your AI apps and agents in Microsoft Foundry may be accessing sensitive data outside your current security policies. Enable the Microsoft Purview integration to extend data discovery, monitoring, and protection to all Foundry-based agents in your organization. [Get started in Microsoft Foundry.](#)

Note: Enablement requires the [Azure AI Account Owner](#) role.

[Go to Microsoft Foundry](#)  [Learn more](#)

RECAP

The 5 essential best practices

1

Know before you grow Assess exposure with DAG reports & DSPM for AI

2

Close the doors Scope Copilot with RCD / RAC / RSS; fix EEEU & inheritance

3

Label & protect Sensitivity labels + DLP enforce protection in Copilot

4

Govern the agents Agent identity, RBAC, maker governance & Foundry guardrails

5

Watch & measure Audit, DSPM monitoring & Copilot Analytics ROI

TAKE IT HOME

Plan ahead

Step 1**Assess**

Run DAG reports + DSPM for AI. Capture the baseline.

Step 2**Restrict**

Enable RCD on the top overshared sites; pilot RAC / RSS.

Step 3**Protect**

Roll out sensitivity labels; scope a Copilot DLP policy.

Step 4**Govern & measure**

Inventory agents, add guardrails, turn on audit & analytics.

Start small, measure, expand. Governance is a habit — not a one-time project.

One more thing



One more thing

Microsoft Execution Containers


Process isolation to constrain what dynamically generated and executed code can do

Process Isolation. running model-generated code within a dedicated process boundary that restricts access to files and network domains outside defined policy

Session Isolation. separate the agent's execution from the human user's environment

Micro-VM. hardware-backed isolation via the hypervisor with lightweight images


Agent Execution Models: From Open Access to Full Isolation



No sandbox

YESTERDAY


The agent runs directly on the user's machine with full access to the file system, network, and installed tools.



Sandboxed Tools

TODAY

The main agent loop runs on the host with low permissions, but delegates tool execution to isolated containers.



Fully isolated

TOMORROW

Agents executing within the sandbox have minimal to no knowledge of the resources and identities being used.

Resources

learn.microsoft.com → [Microsoft 365 Copilot](#)

Copilot Control System — overview, security & governance, management controls

learn.microsoft.com → [SharePoint](#)

SharePoint Advanced Management — DAG reports, RCD, RAC, Restricted SharePoint Search

learn.microsoft.com → [Purview](#)

Microsoft Purview DSPM for AI — posture management for AI, labels & DLP

learn.microsoft.com → [Azure / Foundry](#)

Microsoft Foundry guardrails — controls, intervention points, Prompt Shields

Compliance angle: Map your Copilot governance to the EU AI Act — risk classification, transparency & human-oversight obligations for an EU audience.

github.com/microsoft/mxc → [Microsoft eXecution Container \(MXC\)](#)

MXC is a sandboxed code execution system for running untrusted code (model output, plugins, tools) on Windows, Linux, and macOS.

atwork

We get you to the cloud!

Thank you!

Govern first. Adopt with confidence.

Martina Grom · martina.grom@atwork.at

Toni Pohl · toni.pohl@atwork.at

Contact us!

www.atwork.at

office@atwork.at

