# **DOKUMENTACIJA**

Web programiranje 1

Martina Kračunović 21/21

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 1

# Sadrzaj

Uvod	3
Koriscene tehnologije	3
Opis funkcionalnosti	3
Template	3
Organizacija	4
	4
Mapa sajta	4
Opis funkcionalnosti na stranici	4
Index.html	4
Menu.html	10
Author.html	12
Reservation.html	13
Kod	16
Index.html	16
Menu.html	19
Author.html	22
Reservation.html	25
Main.js	29
Style.css	38

### Uvod

### Koriscene tehnologije

- HTML
- CSS
- JS
- jQuery
- Bootstrap

Rađeno u Visual studio code. Sajt hostovan na GitHub.


### Opis funkcionalnosti

- Dinamičko ispisivanje navigacionog menija u header I footeru kao I bitnih linkova
- Otvaranje eskpandirajućeg menija na manjim rezolucijama klikom na 'hamburger' ikonicu
- Dinamičko ispisivanje i menjanje slika u slider-u sa 'fade' efektom
- Dinamičko ispisivanje obroka
- Prikazivanje i sakrivanje dodatog sadržaja klikom na dugme odabrane vrste obroka
- Responsive sajt uz pomoć media query-ja
- Pritiskom na link 'Contact us' u navigacionom meniju otvara se modal sa formom
- Pritiskom na dugme submit, u slučaju da su sva polja ispravno popunjena ispisuje se poruka ukoliko nisu focus se stavlja na polje koje prvo I unizu nije ispravno popunjeni kao I poruka sa tipm greske

### **Template**

Za izradu nije korišćen gotov template, sajt je ručno pisan uz pomoć Bootstrap framework-a. Kod koji realizuje sajt je priložen u nastavku dokumenta.

## Organizacija



### Mapa sajta


Todo

## Opis funkcionalnosti na stranici Index.html


Prilikom ucitavanja sajta dinamicki se ispisuju linkovi u ffooteru kao I stavke navigacioniog menija u header I footeru.

Dinamicki je realizovan I slajder koji je rucno pravljen I slike se rotiraju na 4 sekunde.

U navigaciji imamo meni koji prilikom prelaska na manje rezolucije postaje nevidljiv. U tom renutku se pojavljuje hamburger ikonica koja prilikom klika na nju prikazuje stavke menija u ekspandirajucem meniju.



Na manjim rezolucijama:




Klikom na dugme Contact Us prikazuje se forma koja prilikom neispravnog unosa ima animaciju "negodovanja" kao I ispis poruke greske, prvenstveno se ispituje da li je polje uopste popunjeno a nakon toga se proverava njegova vrednost regularnim izrazim.


Modal je rucno radjen.


Polja se proveravaju jedno po jedno I focus se vraca na polje koje nije dobro popunjeno.


Nakon uspesnog popunjavanja korisniku se izbacuje poruka.

Postoje 3 razlicita elementa forme.









### Menu.html

Prilikom ucitavanja stranice dinamicki se ispisuju kategorije obroka kao I sami obroci

Na vrhu stranice postoje dugmici koji prilikom klika prikazuju samo odredjenu kategoriju obroka.



Home

Menu

Author

Reservation

Contact Us

# Menu



Breakfast

Lunch

Diner

## **Breakfast**



Smokey Sun Smoked prosciutto, chives, three eggs

5,99 \$



### Italian space

Omelet with green pesto, sundried tomatoes and Parmesan, served in a tortilla

3,75 \$



#### Continental

Bacon, Emmental cheese, three eggs, beans, grilled tomato, bun, drink

7,21 \$

# Lunch



Home

Menu

Author

Reservation

Contact Us

# Menu



Breakfast

Lunch

Diner

# Breakfast



**Smokey Sun** 

Smoked prosciutto, chives, three eggs

5,99 \$



Italian space

Omelet with green pesto, sundried tomatoes and Parmesan, served in a tortilla

3,75 \$



#### Continental


Bacon, Emmental cheese, three eggs, beans, grilled tomato, bun, drink

7,21 \$

WENII

Author.html

Stranica o autoru ima jednostavan zadatak prikaza kratke biografije, slike kao I github I portfolio linka.



#### Reservation.html


Cilj stranice prikaz osnovnih informacija rada restorana o kome je rec kao I rezervacija mesta u istom.

Forma ima 4 elementa I zadatak validacije pri kliku dugmeta submit. Obrada gresaka kao I poruke je uradjena na isti nacin kao I na kontakt modalu.

Datum I vreme su dinamicki regulisani kroz js kod tako da je nemoguce upisati datum I vreme u proslosti. Broj osoba je ogranicen minimumom I maksimumom.

Svi elementi forme se dinamicki proveravaju

Regexi su rucno pisani.





Home

Menu

Author

Reservation

Contact Us

## **RESERVATION FORM**


### Visit us

Working days

Weekends

10:00 - 22:00

11:00 - 24:00




Name

Nams

Phone number

0696924304

Date & time



### Menu

Home

Res

Menu Author

Martina Kračunović 21/21

Reservation

Docs

Js

Sitemap

#### Kod

#### Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Restro Restaurant</title>
  <link rel="shortcut icon" href="img/ico.ico" type="image/ico">
  <meta name="keywords" content="home, restro, restourant"/>
  <meta name="description" content="Restro restaurant is the best restaurant in</pre>
town. we offer breakfast, lunch and dinner. Everything is organic, full of
protein and without additives. Enjoy!">
  <meta charset="utf-8"/>
  <meta name="viewport" content="width=device-width, initial-scale=1"/>
  <link rel="stylesheet"</pre>
href="https://use.fontawesome.com/releases/v5.12.1/css/all.css"/>
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js
"></script>
  <link rel="stylesheet" href="css/style.css"/>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
</head>
<body>
<!-- NAVIGACIJA -->
<nav class="navbar navbar-expand-sm bg-light navbar-light">
  <div class="container-fluid col-10 mx-auto d-flex">
    <div class="topnav navbar-nav bg-light " id="myTopnav">
      <!-- menuHeader() -->
    </div>
    <a class="icon text-dark">
      <i class="fa fa-bars"></i></i>
    </a>
    <a id="contactUs" class="btn btn-danger">Contact Us</a>
  </div>
</nav>
<div class="dropdown-menu col-12 bg-light d-none text-dark">
  <div class="dropdown-item">
   <a href="#">Home</a>
```

```
</div>
  <div class="dropdown-item">
   <a href="menu.html">Menu</a>
  </div>
  <div class="dropdown-item">
   <a href="reservation.html">Reservation</a>
  </div>
  <div class="dropdown-item">
   <a href="author.html">Author</a>
  </div>
</div>
<div id="contactUsModal" class="modal">
  <!-- MODAL CONTENT -->
  <div class="modal-content">
   <div class="d-flex justify-content-between">
     <span>Hi &#128075; How can we help?</span>
     <span class="close">&times;</span>
   </div>
   <form id="contactUsForm">
     <div class="mb-3">
       <label class="form-label">Full Name:</label>
       <input type="text" class="form-control" id="inputName">
       <span class="text-danger" id="errName"></label>
     </div>
     <div class="mb-3">
       <label for="exampleInputEmail1" class="form-label">Email address</label>
       <input type="email" class="form-control" id="inputEmail" aria-</pre>
describedby="emailHelp">
       <span class="text-danger" id="errEmail"></label>
     </div>
     <div class="mb-3">
       <label class="form-label">Your Message</label>
       <textarea class="form-control" id="inputMessage" rows="3"></textarea>
       <span class="text-danger" id="errMessage"></label>
     </div>
     <button type="submit" class="btn btn-primary">Submit
     </form>
  </div>
</div>
<!-- SLIDER -->
<div class="slideshow-container">
   <div class="mySlides fade col-10">
```

```
<img src="img/slider1.jpg" style="width:100%"/>
    </div>
    <div class="mySlides fade col-10">
        <img src="img/slider2.jpg" style="width:100%"/>
    </div>
    <div class="mySlides fade col-10">
        <img src="img/slider3.jpg" style="width:100%"/>
    </div>
</div>
       Putting in the click dots -->
<div style="text-align:center">
    <span class="dot dot1" data-id="1"></span>
    <span class="dot dot2" data-id="2"></span>
    <span class="dot dot3" data-id="3"></span>
</div>
<div class="col-12 col-sm-10 mx-auto d-flex justify-content-around flex-wrap mt-5</pre>
bg-light py-5">
  <h2 class="col-12 text-center text-danger">Should to try</h2>
  <div class="col-xl-5 col-sm-9 col-11 px-3">
    <img src="img/chefRec.jpg" class="img-fluid" alt="Resto Restaurant Logo">
  </div>
  <div class="col-xl-6 col-sm-9 col-11 d-flex flex-column justify-content-around">
col-xl-6 col-sm-9 col-11 d-flex flex-column justify-content-around
px-3">
    <h3>Chef Recommend</h3>
    You will taste an exquisite menu
    <br>
      You will be overwhelmed with fantastic smells
      Everything you touch will be enchanting
      <br>
      Everything you hear will be fascinating
      You will see glorious people, delightful presentations
      and incredible shows
      <br>
      Be entertained, amused, and pampered
      <br>
      <br>
      Experience luxury dining like never before
      <br>
      Guaranteed...
      <br>
      <br>
      All your senses will be fully satisfied
```

```
<div class="col-3">
       <a href="menu.html" class="ml-0 btn btn-danger">View Menu</a>
     </div>
 </div>
</div>
<footer class="footer col-12 d-flex justify-content-around bg-white">
   <div class="col-9 d-flex flex-wrap justify-content-around">
       <div class="col-sm-3 pt-5 text-center">
           <h3 class="text-dark">Menu</h3>
           <ul id="footer-meni-ul" class="navbarMenu-ul navbar-nav container d-
inline">
          </div>
       <div class="col-sm-3 col-10 pt-5 text-center">
           <a href="index.html"><img class="img-fluid pt-4 pb-4"</pre>
src="img/restologo.png" alt="Booka logo"></a>
           Martina Kračunović 21/21
       </div>
       <div class="col-sm-3 pt-5 text-center">
          <h3 class="text-dark">LINKS</h3>
           </div>
   </div>
</footer>
</body>
<script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
<script src="js/main.js"></script>
</html>
```

#### Menu.html

```
experience. Everything is organic, full of protein and without additives.
Enjoy!"/>
  <meta charset="utf-8"/>
  <meta name="viewport" content="width=device-width, initial-scale=1"/>
  <link rel="stylesheet"</pre>
href="https://use.fontawesome.com/releases/v5.12.1/css/all.css"/>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js
"></script>
  <link rel="stylesheet" href="css/style.css"/>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
</head>
<body>
<!-- NAVIGACIJA -->
<nav class="navbar navbar-expand-sm bg-light navbar-light">
  <div class="container-fluid col-10 mx-auto d-flex">
    <div class="topnav navbar-nav bg-light " id="myTopnav">
      <!-- menuHeader() -->
    </div>
    <a class="icon text-dark">
      <i class="fa fa-bars"></i></i>
    </a>
    <a id="contactUs" class="btn btn-danger">Contact Us</a>
  </div>
</nav>
<div class="dropdown-menu col-12 bg-light d-none text-dark">
  <div class="dropdown-item">
    <a href="#">Home</a>
  </div>
  <div class="dropdown-item">
    <a href="menu.html">Menu</a>
  </div>
  <div class="dropdown-item">
    <a href="reservation.html">Reservation</a>
  </div>
  <div class="dropdown-item">
    <a href="author.html">Author</a>
  </div>
</div>
```

```
<div id="contactUsModal" class="modal">
  <!-- MODAL CONTENT -->
  <div class="modal-content">
   <div class="d-flex justify-content-between">
     <span>Hi &#128075; How can we help?
     <span class="close">&times;</span>
   </div>
   <form id="contactUsForm">
     <div class="mb-3">
       <label class="form-label">Full Name:</label>
       <input type="text" class="form-control" id="inputName">
       <span class="text-danger" id="errName"></label>
     </div>
     <div class="mb-3">
       <label for="exampleInputEmail1" class="form-label">Email address</label>
       <input type="email" class="form-control" id="inputEmail" aria-</pre>
describedby="emailHelp">
       <span class="text-danger" id="errEmail"></label>
     </div>
     <div class="mb-3">
       <label class="form-label">Your Message</label>
       <textarea class="form-control" id="inputMessage" rows="3"></textarea>
       <span class="text-danger" id="errMessage"></label>
     </div>
     <button type="submit" class="btn btn-primary">Submit
     </form>
  </div>
</div>
<!-- OBROCI -->
<h1 class="text-center col-12 text-secondary mt-5">Menu</h1>
<div id="mealsFilterList" class="col-5 d-flex justify-content-around mx-auto mt-</pre>
4">
  <a href="#" data-id="0" class="mealfilter btn btn-danger">All</a>
 <a href="#" data-id="1" class="mealfilter btn btn-outline-danger">Breakfast</a>
  <a href="#" data-id="2" class="mealfilter btn btn-outline-damsm</pre>
onger">Lunch</a>
  <a href="#" data-id="3" class="mealfilter btn btn-outline-danger">Diner</a>
</div>
<div id="meals" class="meals container">
</div>
<footer class="footer col-12 d-flex justify-content-around bg-white">
```

```
<div class="col-9 d-flex flex-wrap justify-content-around">
      <div class="col-sm-3 pt-5 text-center">
         <h3 class="text-dark">MENU</h3>
         inline">
         </div>
      <div class="col-sm-3 col-10 pt-5 text-center">
         <a href="index.html"><img class="img-fluid pt-4 pb-4"</pre>
src="img/restologo.png" alt="Booka logo"></a>
         Martina Kračunović 21/21
      </div>
      <div class="col-sm-3 pt-5 text-center">
         <h3 class="text-dark">LINKS</h3>
         </div>
   </div>
</footer>
</body>
<script src="js/main.js"></script>
</html>
```

### Author.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>About Author</title>
    link rel="shortcut icon" href="img/ico.ico" type="image/ico"/>
    <meta name="keywords" content="restro, author, restourant"/>
    <meta name="description" content="Author biography"/>
    <meta charset="utf-8"/>
    <meta name="viewport" content="width=device-width, initial-scale=1"/>
    link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.12.1/css/all.css"/>
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js
"></script>
  <link rel="stylesheet" href="css/style.css"/>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
</head>
<body>
<!-- NAVIGACIJA -->
<nav class="navbar navbar-expand-sm bg-light navbar-light">
  <div class="container-fluid col-10 mx-auto d-flex">
    <div class="topnav navbar-nav bg-light " id="myTopnav">
      <!-- menuHeader() -->
    </div>
    <a class="icon text-dark">
      <i class="fa fa-bars"></i></i>
    </a>
    <a id="contactUs" class="btn btn-danger">Contact Us</a>
</nav>
<div class="dropdown-menu col-12 bg-light d-none text-dark">
  <div class="dropdown-item">
    <a href="#">Home</a>
  </div>
  <div class="dropdown-item">
    <a href="menu.html">Menu</a>
  </div>
  <div class="dropdown-item">
    <a href="reservation.html">Reservation</a>
  </div>
  <div class="dropdown-item">
    <a href="author.html">Author</a>
  </div>
</div>
<div id="contactUsModal" class="modal">
  <!-- MODAL CONTENT -->
  <div class="modal-content">
    <div class="d-flex justify-content-between">
      <span>Hi &#128075; How can we help?</span>
      <span class="close">&times;</span>
    </div>
    <form id="contactUsForm">
      <div class="mb-3">
```

```
<label class="form-label">Full Name:</label>
        <input type="text" class="form-control" id="inputName">
        <span class="text-danger" id="errName"></label>
     </div>
     <div class="mb-3">
       <label for="exampleInputEmail1" class="form-label">Email address</label>
        <input type="email" class="form-control" id="inputEmail" aria-</pre>
describedby="emailHelp">
        <span class="text-danger" id="errEmail"></label>
     </div>
     <div class="mb-3">
       <label class="form-label">Your Message</label>
       <textarea class="form-control" id="inputMessage" rows="3"></textarea>
       <span class="text-danger" id="errMessage"></label>
     </div>
     <button type="submit" class="btn btn-primary">Submit</button>
     </form>
  </div>
</div>
<div class="container col-12 d-flex justify-content-around flex-wrap py-5">
 <div class="col-7 col-md-5 py-5 d-flex flex-column justify-content-around">
   <h2>Martina Kračunović</h2>
    Moje ime je Martina Kračunović.
     Rodjena sam u Boru i trenutno živim u Beogradu.
     Zavrsila sam Ekonomsku-trgovinsku školu i zatim upisala Visoku ICT školu,
smer Internet-tehnologije.
     Osim škole bavim se plesom već 9 godina, a moj cilj jeste da jednog dana
budem uspešna u svetu Internet Tehnologija.
    <div class="col-12 d-flex justify-content-start">
     <div class="m-2">
          <a href="https://github.com/martinakracunovic" target=" blanc"</pre>
class="btn btn-outline-danger"><i class="fab fa-github"></i> GitHub</a>
     </div>
     <div class="m-2">
          <a href="https://martinakracunovic.github.io/portfolio/"</pre>
target="_blanc" class="btn btn-outline-danger">Portfolio</a>
     </div>
   </div>
  </div>
  <div class="col-6 col-lg-4 py-5">
      <img src="img/author.png" alt="Author" class="img-fluid">
  </div>
</div>
```

```
<footer class="footer col-12 d-flex justify-content-around bg-white">
   <div class="col-9 d-flex flex-wrap justify-content-around">
       <div class="col-sm-3 pt-5 text-center">
          <h3 class="text-dark">MENU</h3>
          <ul id="footer-meni-ul" class="navbarMenu-ul navbar-nav container d-
inline">
              <!-- ispis -->
          </div>
       <div class="col-sm-3 col-10 pt-5 text-center">
          <a href="index.html"><img class="img-fluid pt-4 pb-4"</pre>
src="img/restologo.png" alt="Booka logo"></a>
          Martina Kračunović 21/21
       </div>
       <div class="col-sm-3 pt-5 text-center">
          <h3 class="text-dark">LINKS</h3>
          </div>
   </div>
</footer>
</body>
<script src="js/main.js"></script>
</html>
```

#### Reservation.html

```
klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js
"></script>
  <link rel="stylesheet" href="css/style.css"/>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
<body>
<!-- NAVIGACIJA -->
<nav class="navbar navbar-expand-sm bg-light navbar-light">
  <div class="container-fluid col-10 mx-auto d-flex">
    <div class="topnav navbar-nav bg-light " id="myTopnav">
      <!-- menuHeader() -->
    </div>
    <a class="icon text-dark">
      <i class="fa fa-bars"></i></i>
    <a id="contactUs" class="btn btn-danger">Contact Us</a>
  </div>
</nav>
<div class="dropdown-menu col-12 bg-light d-none text-dark">
  <div class="dropdown-item">
    <a href="#">Home</a>
  </div>
  <div class="dropdown-item">
    <a href="menu.html">Menu</a>
  </div>
  <div class="dropdown-item">
    <a href="reservation.html">Reservation</a>
  </div>
  <div class="dropdown-item">
    <a href="author.html">Author</a>
  </div>
</div>
<div id="contactUsModal" class="modal">
  <!-- MODAL CONTENT -->
  <div class="modal-content">
    <div class="d-flex justify-content-between">
```

```
<span>Hi &#128075; How can we help?</span>
     <span class="close">&times;</span>
    </div>
   <form id="contactUsForm">
     <div class="mb-3">
       <label class="form-label">Full Name:</label>
       <input type="text" class="form-control" id="inputName">
       <span class="text-danger" id="errName"></span>
     </div>
     <div class="mb-3">
       <label for="exampleInputEmail1" class="form-label">Email address</label>
       <input type="email" class="form-control" id="inputEmail" aria-</pre>
describedby="emailHelp">
       <span class="text-danger" id="errEmail"></span>
     </div>
     <div class="mb-3">
       <label class="form-label">Your Message</label>
       <textarea class="form-control" id="inputMessage" rows="3"></textarea>
       <span class="text-danger" id="errMessage"></span>
     <button type="submit" class="btn btn-primary">Submit</button>
     </form>
 </div>
</div>
<!-- FORMA -->
<div class="col-10 mx-auto bg-sedondary d-flex justify-content-center flex-wrap">
   <h1 class="text-center col-12 text-secondary mt-5">RESERVATION FORM</h1>
   <div class="text-danger col-sm-6 col-10 d-flex flex-column justify-content-</pre>
between">
     <div class="col-12 text-center mt-2 d-flex flex-wrap pt-4">
       <h3 class="text-dark col-12">Visit us</h3>
       <div class="col-6">
         <h5>Working days</h5>
         10:00 - 22:00
       </div>
       <div class="col-6">
         <h5>Weekends</h5>
         11:00 - 24:00
       </div>
     </div>
     <div class="col-9 text-center d-flex align-items-end mx-auto">
```

```
<iframe class="col-12"</pre>
src="https://www.google.com/maps/embed?pb=!1m14!1m8!1m3!1d11321.43542984703!2d20.
4844148!3d44.8142534!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x0%3A0xc17ed71f59ac4725!2
sICT%20College!5e0!3m2!1sen!2srs!4v1671039594901!5m2!1sen!2srs"
allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-
downgrade"></iframe>
                        </div>
    </div>
    <div class="col-sm-5 col-10 mx-auto d-flex flex-wrap justify-content-end">
        <form class="col-12" action="#" method="POST" id="reservation">
            <div class="form-row col-12">
              <div class="form-group my-3 col-md-8 mx-auto">
                <label for="inputNameResrvation">Name</label>
                <input type="text" class="form-control" id="inputNameResrvation"</pre>
placeholder="Name">
                <span class="text-danger" id="errNameReservation"></span>
              </div>
              <div class="form-group my-3 col-md-8 mx-auto">
                <label for="inputPhone">Phone number</label>
                <input type="text" class="form-control" id="inputPhone"</pre>
name="phone" placeholder="069 420 1312">
                <span class="text-danger" id="errPhone"></span>
              </div>
            </div>
            <div class="form-row col-12">
              <div class="form-group my-3 col-md-8 mx-auto">
                <label for="inputDateTime">Date & time</label>
                <input type="datetime-local" class="form-control"</pre>
id="inputDateTime" name="dateTime" min="2022-12-14T00:00"
               max="2031-02-20T20:20">
                <span class="text-danger" id="errDateTime"></span>
              </div>
              <div class="form-group my-3 col-md-8 mx-auto">
                <label for="inputPersons">Number of persons</label>
               <input type="number" class="form-control" id="inputPersons"</pre>
name="persons" min="1" max="10">
                <span class="text-danger" id="errPersons"></span>
              </div>
            </div>
            <div class="form-row d-flex">
              <button type="submit" class="btn btn-danger mx-</pre>
auto">Confirm</button>
            </div>
            </form>
    </div>
```

```
</div>
<footer class="footer col-12 d-flex justify-content-around bg-white">
   <div class="col-9 d-flex flex-wrap justify-content-around">
      <div class="col-sm-3 pt-5 text-center">
         <h3 class="text-dark">Menu</h3>
         inline">
         </div>
      <div class="col-sm-3 col-10 pt-5 text-center">
         <a href="index.html"><img class="img-fluid pt-4 pb-4"</pre>
src="img/restologo.png" alt="Booka logo"></a>
          Martina Kračunović 21/21
      </div>
      <div class="col-sm-3 pt-5 text-center">
         <h3 class="text-dark">LINKS</h3>
         </div>
   </div>
</footer>
</body>
<script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
<script src="js/main.js"></script>
</html>
```

#### Main.js

```
window.onload = function() {

    // --- MENU/LINKS FOR FOOTER/HEADER

    const menuArr = [
        ["index.html", "Home"],
        ["menu.html", "Menu"],
        ["author.html", "Author"],
        ["reservation.html", "Reservation"]
]
    const linksArr = [
        ["docs.pdf", "Docs"],
```

```
["js/main.js", "Js"],
        ["sitemap.xml", "Sitemap"]
   // ---- MEAL [name, description, img, price]
    const Breakfast = [
        ["Smokey Sun", "Smoked prosciutto, chives, three eggs",
 smokeySun.png","5,99"],
        ["Italian space", "Omelet with green pesto, sun-dried tomatoes and
Parmesan, served in a tortilla", "italianSpace.png", "3,75"],
        ["Continental", "Bacon, Emmental cheese, three eggs, beans, grilled
tomato, bun, drink", "continental.png", "7,21"],
    const Lunch = [
        ["Philadelphia", "Grilled steak strips, cheddar, cheese, tomato, grilled
red onion and pepper, iceberg", "philadelphia.png", "14,54"],
        ["Trappist", "Grilled beef, Trappist cheese, meat from the ribs, mixed
green salads, sweet and spicy chili sauce", "trapist.png", "10,03"],
        ["Silver Surfer", "Surf and turf, beef, gambori, mixed green salad,
roasted peppers with garlic, thousand island dressing", "surfer.png", "31,53"],
       ["Spore Drive", "Beef burger with white grilled cheese and mixed
mushrooms in oil, sour cream, arugula salad", "spore.png", "9,23"]
    ];
    const Dinner = [
        ["Esa Tuna", "Grilled tuna fillet with black and white sesame on grilled
vegetables", "tuna.png", "14,54"],
        ["Rocket smash", "Grilled sausage stuffed with cheese, mashed potatoes,
maple syrup and mustard sauce, grilled onions", "rocket.png", "10,03"],
        ["Steak", "Grilled steak, tagliat with Cafe de Pris butter medallions,
vegetables, thick fries", "steak.png", "10,53"],
        ["Attack", "Nudle sa pečenim grskavim batacima iz rerne, tikvicama,
šargarepom, crvenom paprikom, indijskim oraščićima", "attack.png", "16,23"]
    const mealsArr = [Breakfast, Lunch, Dinner];
    const mealsArrString = ["Breakfast", "Lunch", "Dinner"];
    // ----- ALL PAGES INITIAL FUNCTION
   menuHeader(menuArr);
   menuFooter(menuArr);
    linksFooter(linksArr);
```

```
// ----- SPECIFIC PAGE ( INDEX )
   let page = window.location.pathname;
   if(page == '/' || page.indexOf('index') != -1) {
       mainPageSlider();
   if(page.indexOf('reservation') != -1) {
       var now = new Date();
       now.setMinutes(now.getMinutes() - now.getTimezoneOffset());
       document.getElementById('inputDateTime').setAttribute("min",
now.toISOString().slice(0,16));
   if(page.indexOf('menu') != -1) {
       insertMeals();
       filterMeals();
      ----- ALL PAGES (MENU - FO0TER/HEADER ; LINKS - FO0TER)
   function linksFooter(linksArr){
       let html = '';
       for (let i = 0; i < linksArr.length; i++) {</pre>
           html += ` <a href="${linksArr[i][0]}"</pre>
target="_blanc"class="nav-link text-secondary">${linksArr[i][1]}</a>`;
       $('#links').html(html);
   function menuFooter(menuArr) {
       let page = window.location.pathname;
       let menuFooter = document.querySelector("#footer-meni-ul");
       let html = '';
       for (let i = 0; i < menuArr.length; i++) {</pre>
           if ((page == '/' || page.indexOf('index') != -1) && i == 0){
               html+= ` <a href="${menuArr[i][0]}"</pre>
class="nav-link text-dark">${menuArr[i][1]}</a>`;
           } else if ((page.indexOf('menu') != -1) && i == 1){
               html+= ` <a href="${menuArr[i][0]}"</pre>
class="nav-link text-dark">${menuArr[i][1]}</a>`;
          } else if ((page.indexOf('author') != -1) && i == 2){
```

```
html+= ` <a href="${menuArr[i][0]}"</pre>
class="nav-link text-dark">${menuArr[i][1]}</a>`;
           } else if ((page.indexOf('reservation') != -1) && i == 3){
               html+= ` <a href="${menuArr[i][0]}"</pre>
class="nav-link text-dark">${menuArr[i][1]}</a>`;
           } else {
               html+= ` <a href="${menuArr[i][0]}"</pre>
class="nav-link text-secondary">${menuArr[i][1]}</a>`;
       menuFooter.innerHTML = html;
    }
   function menuHeader(menuArr) {
       let menuHeader = document.querySelector("#myTopnav");
       let page = window.location.pathname;
       let html = `<a class="navbar-brand" href="index.html">
       <img src="img/restologo.png" alt="Restaurant and Cafe"/>
       </a>`;
       for (let i = 0; i < menuArr.length; i++) {</pre>
           if ((page == '/' || page.indexOf('index') != -1) && i == 0){
               html+= `<a href=${menuArr[i][0]} class="text-</pre>
dark">${menuArr[i][1]}</a>`;
           } else if ((page.indexOf('menu') != -1) && i == 1){
               html+= `<a href=${menuArr[i][0]} class="text-</pre>
dark">${menuArr[i][1]}</a>`;
           | } else if ((page.indexOf('author') != -1) && i == 2){
               html+= `<a href=${menuArr[i][0]} class="text-</pre>
dark">${menuArr[i][1]}</a>`;
           } else if ((page.indexOf('reservation') != -1) && i == 3){
               html+= `<a href=${menuArr[i][0]} class="text-</pre>
dark">${menuArr[i][1]}</a>`;
           } else {
               html+= `<a href=${menuArr[i][0]} class="text-</pre>
secondary">${menuArr[i][1]}</a>`;
       }
       menuHeader.innerHTML = html;
    }
       ----- MODAL
```

```
var modal = document.getElementById("contactUsModal");
   var btn = document.getElementById("contactUs");
   var span = document.getElementsByClassName("close")[0];
   btn.onclick = function() {
       modal.style.display = "block";
    }
   span.onclick = function() {
       modal.style.display = "none";
   window.onclick = function(event) {
       if (event.target == modal) {
           modal.style.display = "none";
   //-----VALIDATION
   //---- RESERVATION -----
   $("#reservation").submit(function(event) {
       event.preventDefault();
       //regex
       let regName = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15}){0,4}$/;
       let regPhone = /^06[0-9]{7,8};
       let regMaxPersons = 10;
       var regDateTime = new Date();
       regDateTime.setMinutes(regDateTime.getMinutes() -
regDateTime.getTimezoneOffset());
       regDateTime.toISOString().slice(0,16);
       let spanName = $('#errNameReservation');
       let spanPhone = $('#errPhone');
       let spanDate = $('#errDateTime');
       let spanPersons = $('#errPersons');
       let elName = $('#inputNameResrvation');
       let elPhone = $('#inputPhone');
       let elDate = $('#inputDateTime');
       let elPersons = $('#inputPersons');
```

```
if (checkInput(elName, elName.val(), spanName, regName, 'Name must start
with capital letter')){
           if (checkInput(elPhone, elPhone.val(), spanPhone, regPhone, "Phone
must start with '06' and have 9 or 10 digits without spacing")){
               if (checkInput(elDate, elDate.val(), spanDate, regDateTime,
'Reservation must be in future :)')){
                   if (checkInput(elPersons, parseInt(elPersons.val()),
spanPersons, regMaxPersons, 'Number of persons must be between one and ten')) {
                       $('#reservationSuccess').removeClass('d-
none').html("Successfuly reservation");
                       $('#reservation').trigger("reset");
   })
   //---- CONTACT
   $("#contactUsForm").submit(function(event) {
       event.preventDefault();
       //regex
       let regFullName = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15}){0,4}$/;
       9]+){2,}\.[a-z]{2,6}$/i;
       let regTextarea = /^[A-Za-z0-9 .'?!,@$#- ]{20,300}/;
       //input error spans
       let spanName = $('#errName');
       let spanEmail = $('#errEmail');
       let spanMessage = $('#errMessage');
       //input elements
       let elName = $('#inputName');
       let elEmail = $('#inputEmail');
       let elMessage = $('#inputMessage');
       if (checkInput(elName, elName.val(), spanName, regFullName, 'Full name
must start with capital letter')){
           if (checkInput(elEmail, elEmail.val(), spanEmail, regEmail, "Email
isn't correct")){
               if (checkInput(elMessage, elMessage.val(), spanMessage,
regTextarea, 'Text must contain at least 20 letters and maximum 300')) {
                   $('#contactSuccess').removeClass('d-none').html("Successfuly
send message");
```

```
$('#contactUsForm').trigger("reset");
})
//validation functions
function checkInput(element, value, errorSpan, regex, regexErrorMessage){
   errorSpan.html('');
   if (value === '') {
        showFormErrorMessage(element, errorSpan, 'Field is required')
        return false;
   if (element.attr('type') == 'datetime-local') {
        return true
   if (element.attr('type') == 'number') {
        return value > 0 && value <= regex ? true : false;</pre>
   if (!regex.test(value)) {
        showFormErrorMessage(element, errorSpan, regexErrorMessage)
        return false
   return true;
function showFormErrorMessage(element, errorSpan, message) {
    errorSpan.html(message);
   element.focus();
   element.addClass('shake');
    setTimeout(() => {
        element.removeClass('shake');
   }, 500)
      ----- MENU - RESPONSIVE
document.querySelector(".icon").addEventListener("click", (event) => {
   var x = document.querySelector(".dropdown-menu");
   if (x.classList.contains('d-none')) {
```

```
x.classList.remove("d-none");
            document.querySelector(".icon").classList.add("bg-light");
        } else {
            x.classList.add("d-none");
            document.querySelector(".icon").classList.remove("bg-light");
   })
    // ---- INDEX
   function mainPageSlider(){
       var slideIndex = 0;
       var slides,dots;
        showSlides();
        function showSlides() {
            var i;
            slides = document.getElementsByClassName("mySlides");
            dots = document.getElementsByClassName("dot");
            for (i = 0; i < slides.length; i++) {</pre>
            slides[i].style.display = "none";
            slideIndex++;
            if (slideIndex> slides.length) {slideIndex = 1}
            for (i = 0; i < dots.length; i++) {</pre>
               dots[i].className = dots[i].className.replace(" active", "");
            slides[slideIndex-1].style.display = "block";
            dots[slideIndex-1].className += " active";
            setTimeout(showSlides, 4000); // Change image every 4 seconds
   function insertMeals() {
       $('.mealfilter').removeClass( "btn-danger" ).addClass( "btn-outline-
danger");
       $('.mealfilter').first().removeClass( "btn-outline-danger" ).addClass(
'btn-danger" );
        let meals = document.getElementById("meals");
       meals.innerHTML = ``;
        for (let i = 0; i < mealsArr.length; i++) {</pre>
            meals.innerHTML += `
```

```
<h2 id="${mealsArrString[i]}" class=" text-secondary pl-2 mt-5</pre>
mb-3 pt-2 pb-2 col-12">${mealsArrString[i]}</h2>
               <div class="container d-flex justify-content-start flex-wrap">`
           for (let j = 0; j < mealsArr[i].length; j++) {</pre>
               meals.innerHTML += `
                   <div class="card border border-0 text-center col-sm-6 col-md-</pre>
4 mb-3 px-5">
                       <img class="rounded card-img-top pt-3"</pre>
src="img/${mealsArr[i][j][2]}" alt="${mealsArr[i][j][0]}"/>
                       <div class="card-body">
                           <h5 class="card-title font-weight-
bold">${mealsArr[i][j][0]}</h5>
                           secondary">${mealsArr[i][j][1]}
                           ${mealsArr[i][j][3]} $
                       </div>
                   </div>
           meals.innerHTML += `</div>
   function filterMeals() {
       $(".mealfilter").on('click', function () {
           let id = $(this).data('id');
           $('.mealfilter').removeClass( "btn-danger" ).addClass( "btn-outline-
danger");
           $(this).removeClass( "btn-outline-danger" ).addClass( "btn-danger" );
           if(id === 0){
               insertMeals();
           }
           else{
               showMeals(id-1);
           }
       })
   function showMeals(id){
       let meals = document.getElementById("meals");
       meals.innerHTML = ``;
```

```
mealsToShowArray = mealsArr[id];
       meals.innerHTML += `
           <h2 id="${mealsArrString[id]}" class=" text-secondary pl-2 mt-5 mb-3</pre>
pt-2 pb-2 col-12">${mealsArrString[id]}</h2>
           <div class="container d-flex justify-content-start flex-wrap">`
       for (let j = 0; j < mealsToShowArray.length; j++) {</pre>
           meals.innerHTML += `
               <div class="card border border-0 text-center col-sm-6 col-md-4</pre>
mb-3 px-5">
                   <img class="rounded card-img-top pt-3"</pre>
src="img/${mealsToShowArray[j][2]}" alt="${mealsToShowArray[j][0]}"/>
                   <div class="card-body">
                       <h5 class="card-title font-weight-
bold">${mealsToShowArray[j][0]}</h5>
                       secondary">${mealsToShowArray[j][1]}
                       ${mealsToShowArray[j][3]} $
                   </div>
               </div>
       meals.innerHTML += `</div>
```

### Style.css

```
* {
   box-sizing:border-box
}
a{
   color: #343a40;
}
.topnav .icon:hover{
   color: #343a40;
}
.slideshow-container {
   width: 100%;
   position: relative;
   display: flex;
   justify-content: center;
}
.mySlides {
```

```
display: none;
.prev, .next {
 cursor: pointer;
 position: absolute;
 top: 50%;
 width: auto;
 color: white;
 font-weight: bold;
 font-size: 18px;
 transition: 0.6s ease;
 border-radius: 0 3px 3px 0;
 user-select: none;
.text {
 color: #f2f2f2;
 font-size: 15px;
 padding: 8px 12px;
 position: absolute;
 bottom: 8px;
 width: 100%;
 text-align: center;
.numbertext {
 color: #f2f2f2;
 font-size: 12px;
 padding: 8px 12px;
 position: absolute;
 top: 0;
.dot {
 cursor: pointer;
 height: 15px;
 width: 15px;
 margin: 0 2px;
 background-color: #bbb;
 border-radius: 50%;
 display: inline-block;
 transition: background-color 0.6s ease;
.active {
```

```
background-color: #585858;
.dot:hover {
 background-color: #717171;
.fade {
 animation-name: fade;
  animation-duration: 1.5s;
@keyframes fade {
 from {opacity: .4}
 to {opacity: 1}
.fade:not(.show){
   opacity: 1;
.meals {
   display: -webkit-box;
   display: -ms-flexbox;
   display: flex;
   -ms-flex-wrap: wrap;
   flex-wrap: wrap;
#meals .card-body{
 padding-left: 0px;
  padding-right: 0px;
.modal {
   display: none;
   position: fixed;
   z-index: 1;
   left: 0;
   top: 0;
   width: 100%;
   height: 100%;
    overflow: auto;
    background-color: rgb(0,0,0);
    background-color: rgba(0,0,0,0.4);
```

```
.modal-content {
   background-color: #fefefe;
   margin: 15% auto;
   padding: 20px;
   border: 1px solid #888;
   width: 60%;
 .close {
   color: #aaa;
   float: right;
   font-size: 28px;
   font-weight: bold;
 .close:hover,
 .close:focus {
   color: black;
   text-decoration: none;
   cursor: pointer;
 .shake {
   animation: shake 0.5s;
 @keyframes shake {
   0% { transform: translate(2px)}
   10% { transform: translate(-2px)}
   100% { transform: translate(2px)}
   30% { transform: translate(-2px)}
   40% { transform: translate(2px)}
   50% { transform: translate(-2px)}
   60% { transform: translate(2px)}
   70% { transform: translate(-2px)}
   80% { transform: translate(2px)}
   90% { transform: translate(-2px)}
   100% { transform: translate(2px)}
.topnav {
   overflow: hidden;
   display: flex;
```

```
align-items: center;
.topnav a:not(:first-child) {
    float: left;
   display: block;
   text-align: center;
   padding: 14px 16px;
   text-decoration: none;
    font-size: 17px;
.icon {
   display: none;
    font-size: 30px;
    cursor: pointer;
.dropdown-menu {
   display: block;
    border: none;
.dropdown-item{
 display: flex;
 justify-content: center;
.dropdown-item:hover{
 background-color: #D0D0D0;
.dropdown-item a{
 color: black;
 text-decoration: none;
@media screen and (max-width: 800px) {
    .topnav a:not(:first-child) {display: none;}
    a.icon {
      display: block;
```

```
@media screen and (min-width: 800px) {
    .dropdown-menu {
        display: none;
    }
}
.footer {
    border-top: 1px solid #c2c2c2;
    width: 80%;
    margin: 0 auto;
    margin-top: 50px;
}
```