


Tugas 3 Lab. Pemrograman Web

Martin Caesar Partogi

TI 24 PA2

1.



nomor1

File C:/Tugas%20Semester%204/lab.%20pw/tu

NIM
242310034

Nama :
Martin Caesar Partogi

Jenis Kelamin :
☒ Laki-laki
☐ Perempuan

Agama : Kristen

Status :
☒ Belum Menikah
☐ Menikah

Jurusan : Teknologi Informasi

Komentar
cihuy

kirim

Output Data :

NIM : 242310034

Nama : Martin Caesar Partogi

Jenis Kelamin : Laki-laki

Agama : Kristen

Jurusan : Teknologi Informasi

Komentar : cihuy

Status : Belum Menikah

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>nomor1</title>
</head>
```

```

<body>
  <form onsubmit="tampilkanData(event)">
    <label for="nim">NIM</label><br>
    <input type="text" id="nim" name="nim" required><br><br>
    <label for="nama">Nama :</label><br>
    <input type="text" id="nama" name="nama" required><br><br>

    <label for="jenis_kelamin">Jenis Kelamin :</label><br>
    <input type="radio" id="laki-laki" name="jenis_kelamin" value="Laki-laki"
required>
    <label for="laki-laki">Laki-laki</label><br>
    <input type="radio" id="perempuan" name="jenis_kelamin" value="Perempuan"
required>
    <label for="perempuan">Perempuan</label><br><br>

    <label for="agama">Agama :</label>
    <select id="agama" name="agama" required>
      <option value="">---Pilih Agama---</option>
      <option value="Islam">Islam</option>
      <option value="Kristen">Kristen</option>
      <option value="Katolik">Katolik</option>
      <option value="Hindu">Hindu</option>
      <option value="Budha">Budha</option>
      <option value="Konghucu">Konghucu</option>
    </select><br><br>

    <label for="status">Status : </label> <br>
    <input type="radio" name="status" value="Belum Menikah" required>Belum
Menikah <br>
    <input type="radio" name="status" value="Menikah">Menikah <br><br>

    <label for="jurusan">Jurusan :</label>
    <select id="jurusan" name="jurusan" required>
      <option value="">--Pilih Jurusan--</option>
      <option value="Teknologi Informasi">Teknologi Informasi</option>
      <option value="Sistem Informasi">Sistem Informasi</option>
      <option value="Pariwisata">Pariwisata</option>
    </select><br><br>
    <label for="komentar">Komentar</label><br>
    <textarea id="komentar" name="komentar" rows="4"
cols="50"></textarea><br><br>

    <button type="submit"> kirim</button>
  </form>

```

```

<h1>Output Data :</h1>
<p><b>NIM :</b> <span id="output_nim"></span></p>
<p><b>Nama :</b> <span id="output_nama"></span></p>
<p><b>Jenis Kelamin :</b> <span id="output_jenis_kelamin"></span></p>
<p><b>Agama :</b> <span id="output_agama"></span></p>
<p><b>Jurusan :</b> <span id="output_jurusan"></span></p>
<p><b>Komentar :</b> <span id="output_komentar"></span></p>
<p><b>Status :</b> <span id="output_status"></span></p>

<script>
function tampilkanData(event) {
    event.preventDefault();

    document.getElementById("output_nim").innerText =
        document.getElementById("nim").value;

    document.getElementById("output_nama").innerText =
        document.getElementById("nama").value;

    document.getElementById("output_agama").innerText =
        document.getElementById("agama").value;

    document.getElementById("output_jurusan").innerText =
        document.getElementById("jurusan").value;

    document.getElementById("output_komentar").innerText =
        document.getElementById("komentar").value;

    var jk = document.querySelector('input[name="jenis_kelamin"]:checked');
    document.getElementById("output_jenis_kelamin").innerText =
        jk ? jk.value : "-";

    var status = document.querySelector('input[name="status"]:checked');
    document.getElementById("output_status").innerText =
        status ? status.value : "-";
}
</script>
</body>
</html>

```

2.

nomor1

Travel IBIK Abadi

File C:/Tugas%20Semester%204/lab.%20pw/tugas%203/nomor2.html

Form Pemesanan Tiket Travel IBIK Abadi

Nama Pemesan	martin
Tujuan	Jakarta
Kelas	Eksekutif
Banyak Tiket	1
Status	☐ Member ☒ Non Member
Hitung Reset	

Hasil:

Harga Tiket: Rp 70000

Subtotal: Rp 70000

Diskon: Rp 0

Total Bayar: Rp 70000

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Travel IBIK Abadi</title>
  <style>
    body {
      font-family: Arial;
    }
    table {
      border-collapse: collapse;
      margin-top: 20px;
    }
  </style>
</head>
<body>
  <div>
    <div>
      <div>nomor1</div>
      <div>Travel IBIK Abadi</div>
    </div>
    <div>File C:/Tugas%20Semester%204/lab.%20pw/tugas%203/nomor2.html</div>
  </div>
  <h2>Form Pemesanan Tiket Travel IBIK Abadi</h2>
  <table>
    <tr>
      <td>Nama Pemesan</td>
      <td><input type="text" value="martin"></td>
    </tr>
    <tr>
      <td>Tujuan</td>
      <td><input type="text" value="Jakarta"></td>
    </tr>
    <tr>
      <td>Kelas</td>
      <td><input type="text" value="Eksekutif"></td>
    </tr>
    <tr>
      <td>Banyak Tiket</td>
      <td><input type="text" value="1"></td>
    </tr>
    <tr>
      <td>Status</td>
      <td><input type="radio"/> Member <input checked="" type="radio"/> Non Member</td>
    </tr>
    <tr>
      <td colspan="2"><input type="button" value="Hitung"/> <input type="button" value="Reset"></td>
    </tr>
  </table>
  <p><b>Hasil:</b></p>
  <p>Harga Tiket: Rp 70000</p>
  <p>Subtotal: Rp 70000</p>
  <p>Diskon: Rp 0</p>
  <p>Total Bayar: Rp 70000</p>
</body>
</html>
```

```

        td {
            padding: 8px;
        }
    </style>
</head>
<body>

<h2>Form Pemesanan Tiket Travel IBIK Abadi</h2>

<form onsubmit="hitung(event)">
<table border="1">
    <tr>
        <td>Nama Pemesan</td>
        <td><input type="text" id="nama" required></td>
    </tr>
    <tr>
        <td>Tujuan</td>
        <td>
            <select id="tujuan">
                <option value="jakarta">Jakarta</option>
                <option value="solo">Solo</option>
                <option value="surabaya">Surabaya</option>
            </select>
        </td>
    </tr>
    <tr>
        <td>Kelas</td>
        <td>
            <select id="kelas">
                <option value="eksekutif">Eksekutif</option>
                <option value="bisnis">Bisnis</option>
                <option value="ekonomi">Ekonomi</option>
            </select>
        </td>
    </tr>
    <tr>
        <td>Banyak Tiket</td>
        <td><input type="number" id="jumlah" required></td>
    </tr>
    <tr>
        <td>Status</td>
        <td>
            <input type="radio" name="member" value="member"> Member
            <input type="radio" name="member" value="non"> Non Member
        </td>
    </tr>

```

```

</tr>
<tr>
  <td colspan="2" align="center">
    <button type="submit">Hitung</button>
    <button type="reset">Reset</button>
  </td>
</tr>
</table>
</form>

<h3>Hasil:</h3>
<p>Harga Tiket: <span id="harga"></span></p>
<p>Subtotal: <span id="subtotal"></span></p>
<p>Diskon: <span id="diskon"></span></p>
<p>Total Bayar: <span id="total"></span></p>

<script>
function hitung(event) {
  event.preventDefault();

  let tujuan = document.getElementById("tujuan").value;
  let kelas = document.getElementById("kelas").value;
  let jumlah = parseInt(document.getElementById("jumlah").value);
  let member = document.querySelector('input[name="member"]:checked');

  let harga = 0;

  // Harga berdasarkan tujuan & kelas
  if (tujuan === "jakarta") {
    if (kelas === "eksekutif") harga = 70000;
    else if (kelas === "bisnis") harga = 40000;
    else harga = 10000;
  } else if (tujuan === "solo") {
    if (kelas === "eksekutif") harga = 80000;
    else if (kelas === "bisnis") harga = 50000;
    else harga = 20000;
  } else if (tujuan === "surabaya") {
    if (kelas === "eksekutif") harga = 90000;
    else if (kelas === "bisnis") harga = 60000;
    else harga = 30000;
  }

  let subtotal = harga * jumlah;
  let diskon = 0;

```

```

    if (member && member.value === "member") {
        diskon = subtotal * 0.1;
    }

    let total = subtotal - diskon;

    // Output
    document.getElementById("harga").innerText = "Rp " + harga;
    document.getElementById("subtotal").innerText = "Rp " + subtotal;
    document.getElementById("diskon").innerText = "Rp " + diskon;
    document.getElementById("total").innerText = "Rp " + total;
}
</script>

</body>
</html>

```

3.

PERHITUNGAN FAKTORIAL DAN DERET		
N		Masukkan nilai yang akan dihitung
hasil		Hasil Muncul Disini
Faktorial		Hasil Faktorial Muncul Disini
Deret		Hasil Deret muncul Disini
		Hitung Reset

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Soal 3</title>
    <style>

    </style>
</head>
<body>
    <form onsubmit="hitung(event)" onreset="resetForm()">
        <table border="1">
            <tr>
                <th colspan="3">PERHITUNGAN FAKTORIAL DAN DERET</th>

```

```

        </tr>
        <tr>
            <td>N</td>
            <td><input type="number" nama="angka" id="angka"></td>
            <td>Masukkan nilai yang akan dihitung</td>
        </tr>
        <tr>
            <td>hasil</td>
            <td><span id="hasil"></span></td>
            <td>Hasil Muncul Disini</td>
        </tr>
        <tr>
            <td>Faktorial</td>
            <td><span id="Faktorial"></span></td>
            <td>Hasil Faktorial Muncul Disini</td>
        </tr>
        <tr>
            <td>Deret</td>
            <td><span id="deret"></span></td>
            <td>Hasil Deret muncul Disini</td>
        </tr>
        <tr>
            <td colspan="3" align="center">
                <button type="submit">Hitung</button>
                <button type="reset">Reset</button>
            </td>
        </tr>
    </table>
</form>
<script>
function hitung(event) {
    event.preventDefault();

    let angka = parseInt(document.getElementById("angka").value);
    let faktorial = 1;
    let jumlah = 0;

    for (let i = 1; i <= angka; i++) {
        faktorial *= i;
        jumlah += i;
    }

    document.getElementById("hasil").innerText = angka;
    document.getElementById("Faktorial").innerText = faktorial;

```



```

        document.getElementById("deret").innerText = jumlah;
    }

function resetForm() {
    document.getElementById("hasil").innerText = "";
    document.getElementById("Faktorial").innerText = "";
    document.getElementById("deret").innerText = "";
}
</script>
</body>
</html>

```

4.

Perhitungan Saldo Tabungan

Saldo Awal:

Bunga (%):

Waktu (bulan):

Hasil:

Saldo Bulan 1 = Rp. 5100000
 Saldo Bulan 2 = Rp. 5202000
 Saldo Bulan 3 = Rp. 5306040
 Saldo Bulan 4 = Rp. 5412161
 Saldo Bulan 5 = Rp. 5520404
 Saldo Bulan 6 = Rp. 5630812
 Saldo Bulan 7 = Rp. 5743428
 Saldo Bulan 8 = Rp. 5858297
 Saldo Bulan 9 = Rp. 5975463
 Saldo Bulan 10 = Rp. 6094972
 Saldo Bulan 11 = Rp. 6216872
 Saldo Bulan 12 = Rp. 6341209

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Hitung Saldo Tabungan</title>
</head>
<body>

<h2>Perhitungan Saldo Tabungan</h2>

<form onsubmit="hitungSaldo(event)">
    <label>Saldo Awal:</label><br>

```

```
<input type="number" id="saldo" required><br><br>

<label>Bunga (%):</label><br>
<input type="number" id="bunga" required><br><br>

<label>Waktu (bulan):</label><br>
<input type="number" id="waktu" required><br><br>

<button type="submit">Hitung</button>
<button type="reset">Reset</button>
</form>

<h3>Hasil:</h3>
<div id="hasil"></div>

<script>
function hitungSaldo(event) {
    event.preventDefault();

    let saldo = parseFloat(document.getElementById("saldo").value);
    let bunga = parseFloat(document.getElementById("bunga").value) / 100;
    let waktu = parseInt(document.getElementById("waktu").value);

    let hasil = "";

    for (let i = 1; i <= waktu; i++) {
        saldo = saldo + (saldo * bunga);
        hasil += "Saldo Bulan " + i + " = Rp. " + saldo.toFixed(0) + "<br>";
    }

    document.getElementById("hasil").innerHTML = hasil;
}
</script>

</body>
</html>
```