RYANAIR GROUP

LID DIFFERENCES PRESENTATION

Ryanair Vs Lauda

Issue 1 Revision 3

Date: 21/01/2022

RYANAIR
GROUND OPERATIONS TRAINING

LID Differences Presentation

Record of Revisions

Revision number	Slide Number	Date	Date inserted	Inserted by	Description
0	All	07/05/2020	07/05/2020	Miguel P	New Presentation
1	5	28/01/2021	28/01/2021	Miguel P	New slide ref. total cargo weight box completion
2	9	24/03/2021	24/03/2021	Miguel P	Deleted straps removal requirement
3	5,6,8,9,11,12	21/01/2022	22/10/2021	Miguel P	New LIR, New LID, 8200 scheme added and seatmap

Introduction

RYANAIR GROUP

AIRBUS A320

BOEING 737

The following presentation outlines the difference, in detail, between the two types of aircrafts

A quick reference guide is available on slide 9 that shows some of the differences to be aware of

It is recommended that the guide is available for all personnel responsible for the completion of the LID

LID Comparison

RYANAIR GROUP

A320

LOAD INFORMATION DOCUMENT - A320
Rev 2 (01Nov21)

REG 9H-
FLT No.
DEPT IATA DEST IATA
DATE DD / MM / YYYY

Lauda
AIRBUS - A320

ADULT CHILD *INFANT SNY
*Infants NOT counted in zones below
OA MAX 60
OB MAX 60
OC MAX 60

TOB + CREW +
(INCL: COMFORT, ITEM, LEG, INF SEAT)
THOB
(INCL: CREW, SNY, PAX, INF)

OC OB OA
CP5 CP4 CP3 CP1

Checked Bags FGBs
SI e.g. EXCESS BAGGAGE / AOG / COMAIL / EMAs / PRMs / SNYs (J/SEAT)

BAGS INCL: FGB>15 | BAG WEIGHT (KG) | OTHER WEIGHT (KG) | TOTAL WEIGHT (KG)
CP1
CP3
CP4
CP5
(INCL: CO-MAIL, AOG, BMA)
TOTAL CARGO WEIGHT (KG) = TOTAL

EXAMPLE

Required if unable to sign/send FlySmart
TOW CG

Security CHECK / SEARCH
complete following flight from
IATA @ TIME(Z)

Aircraft Loaded iaw LDA instructions
HANDLING AGENT SIGN
HANDLING AGENT NAME (BLOCK CAPITALS)

Air-Ops & Reg (EC) 300/2008 compliant
OFP #
CAPTAIN SIGN
CREWCODE (BLOCK CAPITALS)

B737

LOAD INFORMATION DOCUMENT - B737
Rev 2 (25Mar19)

RYANAIR

REG
FLT No.
DEPT DEST
DATE / /

CALLSIGN

ADULT CHILD *INFANT SNY
*Infants NOT counted in zones below
FWD
MID
AFT

TOB + CREW +
(INCL: COMFORT, ITEM, LEG, INF SEAT)
THOB
(INCL: CREW, SNY, PAX, INF)

AFT MID FWD
H4 H3 H2 H1

Checked Bags FGBs
SI e.g. EXCESS BAGGAGE / AOG / COMAIL / EMAs / PRMs / SNYs (J/SEAT)

BAGS INCL: FGB>15 | BAG WEIGHT (KG) | OTHER WEIGHT (KG) | TOTAL WEIGHT (KG)
H1
H2
H3
H4
(INCL: CO-MAIL, AOG, BMA)

EXAMPLE

Required if unable to sign/send OPT
TOW CG

Security CHECK / SEARCH
complete following flight from
OFP #
IATA @ TIME(Z)

Aircraft Loaded iaw RYR instructions
HANDLING AGENT SIGN
HANDLING AGENT NAME (BLOCK CAPITALS)

Air-Ops & Reg (EC) 300/2008 compliant
CAPTAIN SIGN
CREWCODE (BLOCK CAPITALS)

With the exception of passenger zone and cargo compartment breakdown, both LID's follow the same completion process as outlined in the LID completion training

LID Comparison - Differences

RYANAIR GROUP

A320


LOAD INFORMATION DOCUMENT - A320
Rev 2 (01Nov21)

REG 9H- LOQ
FLT No. 1234
DEPT DUB DEST VIE
DATE 10 / 10 / 2021

Lauda
AIRBUS - A320

ADULT	CHILD	*INFANT	SNY
180	0	2	0

*Infants NOT counted in zones below

OA 60
OB 60
OC 60

TOB 180 + 2 (INCL: COMFORT, ITEM, LEG, INF SEAT) CREW 2 + 4
TMOB 188 (INCL: CREW, SNY, PAX, INF)

Checked Bags 43
FOBs 0
SI e.g. EXCESS BAGGAGE / AOG / COMAIL / EMAs / PRMs / SNYs (J/SEAT)
1 x EMA CP3

# BAGS INCL: FGB >15		BAG WEIGHT (KG)		OTHER WEIGHT (KG)		TOTAL WEIGHT (KG)
42	CP1	546	+	0	=	546
1	CP3	0	+	160	=	160
0	CP4	0	+	0	=	0
0	CP5	0	+	0	=	0

(INCL: CO-MAIL, AOG, EMA)

TOTAL CARGO WEIGHT (KG) = 706

EXAMPLE

Required if unable to sign/send FlySmart
TOW CG

Security CHECK / SEARCH
complete following flight from
IATA TIME(Z)

Aircraft Loaded iaw LDA instructions
HANDLING AGENT SIGN
Greg Handler
GREG HANDLER

Air-Ops & Reg (EC) 300/2008 compliant
OFP #
CAPTAIN SIGN
CREWCODE (BLOCK CAPITALS)

- On LAUDA LID the “Total Cargo Weight” box must be populated by the agent completing the LID
- This box should contain the figure of the total weight loaded on the aircraft
- This includes baggage weight, cargo weight, company mail weight and any other weight loaded on the compartments
- In order to populate the box, the agent must sum the values entered in each boxes of the total weight

LIR Comparison

RYANAIR GROUP

A320

Version 3 Jan 22

Lauda A320 LOADING INSTRUCTION REPORT

AIRBUS A320 Loading Standard

CP5	CP4	CP3	CP1
Not Planned	Overflow of Bags, Freight, Spares	Overflow of Bags, Freight, Spares	MAX 160 Bags

Flight Number:	Registration:	Date:	From:	To:

AFT ← → FWD

Compartment 5	Compartment 4		Compartment 3		Compartment 1	
NOT PLANNED	PLANNED	ACTUAL	PLANNED	ACTUAL	PLANNED	ACTUAL
Compartment 5	Compartment 4		Compartment 3		Compartment 1	
NOT PLANNED	FREIGHT / SPARES / OTHER ITEMS		FREIGHT / SPARES / OTHER ITEMS		OTHER ITEMS	
	DOOR				DOOR	

SPECIAL INSTRUCTIONS / DEVIATIONS

THIS AIRCRAFT WILL BE LOADED IN ACCORDANCE WITH THE ABOVE INFORMATION RECORDED AND THE LOAD SHALL BE SECURED, COMPLYING WITH RYANAIR GROUP PROCEDURES.
ALL HOLDS WERE SEARCHED AND CONFIRMED CLEAR / EMPTY PRIOR TO LOADING, ALL FOD HAS BEEN REMOVED. IF THERE IS ANY DEVIATION FROM THE ABOVE LOADING DISTRIBUTION, THE LIR MUST BE AMENDED TO REFLECT THE NEW DISTRIBUTION AND THE DISPATCHER MUST BE INFORMED AS SOON AS THE LOADING HAS FINISHED.

DO NOT PRE-SIGN THE LIR

I, THE LOADER RESPONSIBLE FOR LOADING, CERTIFY THAT:
- THIS AIRCRAFT HAS BEEN LOADED IN ACCORDANCE WITH THE ABOVE LOADING INSTRUCTIONS, AND ANY DEVIATIONS HAVE BEEN REPORTED TO DISPATCHER.
- A MINIMUM CLEARANCE OF 2IN/5CM BETWEEN ANY LOAD AND THE HOLD CEILING HAS BEEN KEPT, AND ALL NETS HAVE BEEN SECURELY CLOSED.
- WHERE LOADING IS PRESENT ALL NETS ARE SECURED, ALL CLIPS ARE FASTENED, AND ANY DEFECTS ARE REPORTED.

*The second name/signature is optional. Ryanair Group only require one signature, that of the person responsible for loading or who was in attendance during loading.

PRINT NAME 1: _____ SIGNED: _____

PRINT NAME 2: _____ SIGNED: _____

B737

Always follow the correct standard loading procedure for the aircraf type

STANDARD LOADING	B737-700	B737-800	B737-8200
H1	24 Bags	30 Bags	5 Bags
H2	86 Bags	160 Bags	100 Bags
H3	Remainder Bags / AOG	Remainder Bags / AOG	Remainder Bags / AOG
H4	Overspill	Overspill	Overspill

LOADING INSTRUCTION REPORT

Issue 7.2 2021

RYANAIR



Date	/ /
A/C Reg.	—
Flt. No.	
Dest.	

This aircraft will be loaded in accordance with the above information recorded and the load shall be secured, complying with Ryanair Group procedures. All holds were searched and confirmed clear / empty prior to loading, all FOD has been removed. If there is any deviation from the above loading distribution, the LIR must be amended to reflect the new distribution and the dispatcher must be informed as soon as the loading has finished.

AFT HOLD 4	AFT HOLD 3 ←		→ FWD HOLD 2		FWD HOLD 1		SI / DEVIATIONS
OVERSPILL	PLANNED	ACTUAL	PLANNED	ACTUAL	PLANNED	ACTUAL	Standard loading rules apply, unless otherwise notated in the SI / Deviations box
AFT HOLD 4	AFT HOLD 3		FWD HOLD 2		FWD HOLD 1		
OVERSPILL	FGB / AOG / OTHER ITEMS		FGB / AOG / OTHER ITEMS		EMA / OTHER ITEMS		

I, the loader responsible for loading confirm, that this aircart has been loaded in accordance with the above loading instructions, and confirm that I have:

- Checked Hold
- Removed FOD
- Checked Baggage
- Closed Nets
- Secured All Clips
- Reported Defects

* *The second name/signature is optional. Ryanair Group only require one signature, that of the person responsible for loading or who was in attendance during loading.
* The completion of the "PLANNED" section is optional. (The planned figure shall be taken as the actual figure, unless the "ACTUAL" box is populated)

Do not pre-sign the LIR

Name 1: _____ Name 2: _____

Signature 1: _____ Signature 2: _____

Both LIR are slightly different but follow the same principles:

- Flight information needs to be included at the top of the document
- Bags loaded must be included in their respective hold/compartment
- This document must be signed by a loading agent

Loading Policy Comparison

RYANAIR GROUP

A320 Standard Loading Scheme

Load compartments in the following order:

1 – 3 – 4 – 5

(Unloading is the reverse of this process)

NB: Always securely close nets where items are loaded!

B737 **Standard Loading Scheme**

Load compartments in the following order:

2 – 1 – 3 – 4

(Unloading is the reverse of this process)

NB: Always securely close nets where items are loaded!

Aircraft Tipping Precautions

- When offloading, the aft holds are offloaded first
- When offloading, the fwd holds are offloaded last
- When loading, the aft holds are loaded last
- When loading, the fwd holds are loaded first

Loading Comparison

RYANAIR GROUP

A320 Loading Procedure



Compartment 1	160 bags
Compartment 3	Remaining Bags / AOG
Compartment 4	Rest
Compartment 5	No planned use

"Max 160 bags up front, remainder down the back"
Do not exceed maximum compartment height

B737 Loading Procedure



	737-800	737-8200	737-700
Hold 2	160 Bags	100 Bags	86 Bags
Hold 1	30 Bags	5 Bags	24 Bags
Hold 3	Remainder / AOG	Remainder / AOG	Remainder / AOG
Hold 4	Overspill H3	Overspill H3	Overspill H3

Loading Comparison

RYANAIR GROUP

A320



B737





- Be vigilant when completing the LID
- CP3 and H2 are located at the same section of the LID but they <u>are not</u> the same section of the aircraft
- On A320, CP3 refers to the AFT Hold
- On B737, H2 refers to the FWD Hold



EMA-AOG Loading Comparison

RYANAIR GROUP

A320

- The EMA/ AOG should be loaded into **compartment 3 or 4 if baggage loaded in 3, after consulting with PIC.** The EMA/AOG must be securely strapped into the hold and the battery of the EMA isolated or removed and stowed in accordance with the Airlines procedures.
- Baggage must not be loaded in same compartment as EMA/AOG to protect against inadvertent activation.
- Use the tie down clips on the floor and straps provided to secure the EMA/AOG during transit.

Note: straps are part of the aircraft equipment and must remain in the aircraft hold **DO NOT REMOVE.**

Standard weight EMA 160kg

B737

- The EMA should be loaded into **hold 1.** AOG should be loaded in **hold 3.** The EMA/AOG must be securely strapped into the hold and the battery of the EMA isolated or removed and stowed in accordance with the Airlines procedures.
- Baggage must not be loaded in same hold as EMA/AOG to protect against inadvertent activation.
- Use the tie down clips on the floor and straps provided to secure the EMA/AOG during transit.

Note: straps are part of the aircraft equipment and must remain in the aircraft hold **DO NOT REMOVE.**

Standard weight EMA 160kg

Passenger Cabin Comparison

RYANAIR GROUP

A320

180 Passengers

ZONE A 1-10
MAX 60
Passengers

ZONE B 11-20
MAX 60
Passengers

ZONE C 21-30
MAX 60
Passengers



B737

737-800
189 Passengers



737-8200
197 Passengers



737-700
148 Passengers



Differences Document

RYANAIR GROUP

	A320	B737-800	B737-8200	B737-700
PASSENGERS – Max per zone	• ZONE OA - 60 • ZONE OB - 60 • ZONE OC - 60 • TOTAL - 180	• ZONE FWD - 27 • ZONE MID - 132 • ZONE AFT - 30 • TOTAL - 189	• ZONE FWD - 32 • ZONE MID - 129 • ZONE AFT - 36 • TOTAL - 197	• ZONE FWD - 24 • ZONE MID - 100 • ZONE AFT - 24 • TOTAL - 148
BAGGAGE HOLDS – Max allowable	• CP1 - 160 • CP3 - REMAINING • CP4 - REST • CP5 - NO USE	• H1 - 30 • H2 - MAX 160 • H3 - REMAINDER • H4 - OVERSPILL FROM H3	• H1 - 5 • H2 - MAX 100 • H3 - REMAINDER • H4 - OVERSPILL FROM H3	• H1 - 24 • H2 - MAX 86 • H3 - REMAINDER • H4 - OVERSPILL FROM H3
Compartments/Holds	• Load Compartments in the following order: **1-3-4-5**	• Load Holds in the following order: **2-1-3-4**	• Load Holds in the following order: **2-1-3-4**	• Load Holds in the following order: **2-1-3-4**
EMA	• Compartment 3 – with Cpt approval • Standard weight 160kg	• Hold 1 • Standard weight 160kg	• Hold 1 • Standard weight 160kg	• Hold 1 • Standard weight 160kg
Paperwork	• LAUDA LIR • LAUDA LID	• RYANAIR LIR • RYANAIR LID	• RYANAIR LIR • RYANAIR LID	• RYANAIR LIR • RYANAIR LID

RYANAIR GROUP

Thank you!