

```
In [1]: import pandas as pd  
from pandas import Series, DataFrame
```

```
In [2]: titanic_df = pd.read_csv('train.csv')
```

```
In [3]: titanic_df.head()
```

Out[3]:

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|--|--------|------|-------|-------|---------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |

```
In [4]: titanic_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
#   Column          Non-Null Count  Dtype
---  -
0   PassengerId     891 non-null    int64
1   Survived        891 non-null    int64
2   Pclass          891 non-null    int64
3   Name            891 non-null    object
4   Sex             891 non-null    object
5   Age             714 non-null    float64
6   SibSp           891 non-null    int64
7   Parch           891 non-null    int64
8   Ticket          891 non-null    object
9   Fare            891 non-null    float64
10  Cabin           204 non-null    object
11  Embarked        889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

First some basic questions:

- 1.) Who were the passengers on the Titanic? (Ages, Gender, Class, ..etc)
- 2.) What deck were the passengers on and how does that relate to their class?
- 3.) Where did the passengers come from?
- 4.) Who was alone and who was with family?
- 5.) What factors helped someone survive the sinking?


Extra Credit

- 6.) Did the deck have an affect on passenger survival rate?
- 7.) Did having a family member increase the odds of survival?

```
In [5]: import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
%matplotlib inline
```


```
In [6]: #1) who were the passengers on the titanic  
  
#Spilt of male, female passengers on titanic across all classes  
  
sns.catplot('Sex',data=titanic_df, kind='count')
```

Out[6]: <seaborn.axisgrid.FacetGrid at 0x1a20c71e90>




```
In [7]: #Spilt of male, female (inc. children) in each class  
sns.catplot('Sex', data= titanic_df, hue= 'Pclass', kind= 'count')
```

Out[7]: <seaborn.axisgrid.FacetGrid at 0x1a21555990>



```
In [8]: #Spilt of male, female (inc. children) in each class  
sns.catplot('Pclass', data= titanic_df, hue= 'Sex', kind= 'count')
```

Out[8]: <seaborn.axisgrid.FacetGrid at 0x1a20c7ff50>



```
In [9]: #Function to determine if each passenger is a male, female of child  
  
def male_female_child(passenger):  
    age,sex = passenger  
  
    if age < 16:  
        return 'child'  
    else:  
        return sex
```

```
In [10]: #adding a person column to data set using function male_female_chil  
d  
  
titanic_df['Person'] = titanic_df[['Age', 'Sex']].apply(male_female_  
_child, axis=1)
```


```
In [11]: titanic_df.head(10)
```

```
Out[11]:
```

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|--|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th...) | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |
| 5 | 6 | 0 | 3 | Moran, Mr. James | male | NaN | 0 | 0 | 330877 | 8.458 |
| 6 | 7 | 0 | 1 | McCarthy, Mr. Timothy J | male | 54.0 | 0 | 0 | 17463 | 51.862 |
| 7 | 8 | 0 | 3 | Palsson, Master. Gosta Leonard | male | 2.0 | 3 | 1 | 349909 | 21.075 |
| 8 | 9 | 1 | 3 | Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg) | female | 27.0 | 0 | 2 | 347742 | 11.133 |
| 9 | 10 | 1 | 2 | Nasser, Mrs. Nicholas (Adele Achem) | female | 14.0 | 1 | 0 | 237736 | 30.070 |


```
In [12]: #Spilt of male, female and children in each class on the titanic  
  
sns.catplot('Pclass', data= titanic_df, hue= 'Person', kind = 'count')
```

Out[12]: <seaborn.axisgrid.FacetGrid at 0x1a21555210>



```
In [13]: #Histogram showing spread of ages on the titanic  
  
titanic_df['Age'].hist(bins = 70)
```

Out[13]: <matplotlib.axes._subplots.AxesSubplot at 0x1a21ae0fd0>



```
In [15]: #Average age of all passengers on the titanic  
  
round(titanic_df['Age'].mean(),0)
```


Out[15]: 30.0

```
In [16]: #Passengers split between male, female and children  
  
titanic_df['Person'].value_counts()
```

Out[16]: male 537
female 271
child 83
Name: Person, dtype: int64

```
In [17]: #kde plot showing the ages of male, female (inc. children) passengers on the titanic.  
  
fig = sns.FacetGrid(titanic_df, hue = 'Sex', aspect = 4)  
fig.map(sns.kdeplot, 'Age', shade = True)  
  
oldest = titanic_df['Age'].max()  
  
fig.set(xlim = (0, oldest))  
  
fig.add_legend()
```

Out[17]: <seaborn.axisgrid.FacetGrid at 0x1a21c1bfd0>




```
In [30]: #kde plot showing the ages of male, female and children passengers
         on the titanic.


fig = sns.FacetGrid(titanic_df, hue = 'Person', aspect = 4)
fig.map(sns.kdeplot, 'Age', shade = True)

oldest = titanic_df['Age'].max()

fig.set(xlim = (0, oldest))

fig.add_legend()
```

Out[30]: <seaborn.axisgrid.FacetGrid at 0x1a206ebd90>



```
In [31]: #kde plot showing the ages of male, female by class on the titanic.


fig = sns.FacetGrid(titanic_df, hue = 'Pclass', aspect = 4)
fig.map(sns.kdeplot, 'Age', shade = True)

oldest = titanic_df['Age'].max()

fig.set(xlim = (0, oldest))

fig.add_legend()
```

Out[31]: <seaborn.axisgrid.FacetGrid at 0x1a2081ef10>



In [34]: *#2 What deck were the passengers on and how does that relate to the ir class?*

```
titanic_df.head()
```

Out[34]:

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|---|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |

In [35]: `deck = titanic_df['Cabin'].dropna()`

In [36]: `deck.head()`

Out[36]:


```
1      C85
3     C123
6     E46
10    G6
11   C103
Name: Cabin, dtype: object
```

```
In [66]: levels = []

for level in deck:
    levels.append(level[0])


cabin_df = DataFrame(levels)
cabin_df.columns = ['Cabin']
sns.catplot('Cabin', data = cabin_df, palette = 'winter_d', kind='count')
```

Out[66]: <seaborn.axisgrid.FacetGrid at 0x1a21886a10>



```
In [65]: cabin_df = cabin_df[cabin_df.Cabin != 'T']  
sns.catplot('Cabin', data = cabin_df, palette = 'summer', kind= 'count')
```

Out[65]: <seaborn.axisgrid.FacetGrid at 0x1a216d6250>



```
In [48]: #3) Where did the passengers come from?
```


```
In [52]: titanic_df.head()
```

```
Out[52]:
```

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|---|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |

```
In [64]: sns.catplot(x='Embarked', hue='Pclass', data = titanic_df, kind='count')
```

```
Out[64]: <seaborn.axisgrid.FacetGrid at 0x1a216d62d0>
```



In [67]: `#4.) Who was alone and who was with family?`

In [69]: `titanic_df.head()`

Out[69]:

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|---|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |

In [70]: `titanic_df['Alone'] = titanic_df.SibSp + titanic_df.Parch`

In [71]: `titanic_df['Alone']`

Out[71]:

```

0      1
1      1
2      0
3      1
4      0
..
886    0
887    0
888    3
889    0
890    0
Name: Alone, Length: 891, dtype: int64

```

```
In [72]: titanic_df['Alone'].loc[titanic_df['Alone'] > 0] = 'With Family'
titanic_df['Alone'].loc[titanic_df['Alone'] == 0] = 'Alone'
```

/Users/Martin_Hopkins/opt/anaconda3/lib/python3.7/site-packages/pandas/core/indexing.py:670: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
self._setitem_with_indexer(indexer, value)


```
In [74]: titanic_df.head()
```

Out[74]:

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|---|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |

```
In [76]: sns.catplot('Alone', data = titanic_df, palette = 'Blues', kind = 'count')
```

```
Out[76]: <seaborn.axisgrid.FacetGrid at 0x1a21d08250>
```



```
In [77]: #5) What factors helped someone survive the sinking?
```

```
In [78]: titanic_df['Survivor'] = titanic_df.Survived.map({0: 'no', 1: 'yes'})
```




```
In [79]: titanic_df.head()
```

```
Out[79]:
```

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|---|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |


```
In [81]: sns.catplot('Survivor', data = titanic_df, palette = 'Set2', kind = 'count')
```

```
Out[81]: <seaborn.axisgrid.FacetGrid at 0x1a21f8bc10>
```




```
In [85]: sns.catplot('Pclass', 'Survived', hue= 'Person', data= titanic_df,  
kind= 'point')
```

```
Out[85]: <seaborn.axisgrid.FacetGrid at 0x1a224c27d0>
```




```
In [86]: sns.lmplot('Age', 'Survived', data = titanic_df)
```

```
Out[86]: <seaborn.axisgrid.FacetGrid at 0x1a225d5450>
```



```
In [88]: sns.lmplot('Age', 'Survived', hue= 'Pclass', data = titanic_df, palette = 'winter')
```


```
Out[88]: <seaborn.axisgrid.FacetGrid at 0x1a22438c90>
```



```
In [90]: generations = [10, 20, 30, 40, 60, 80]

sns.lmplot("Age", 'Survived', hue='Pclass', data= titanic_df, palette = 'winter', x_bins = generations)
```


Out[90]: <seaborn.axisgrid.FacetGrid at 0x1a22a0b4d0>



```
In [91]: sns.lmplot("Age", 'Survived', hue='Sex', data = titanic_df, palette  
          = 'winter', x_bins=generations)
```

#6) Did the deck have an affect on passenger survival rate?

Out[91]: <seaborn.axisgrid.FacetGrid at 0x1a2291ac10>



```
In [93]: titanic_df.head()
```

```
Out[93]:
```

| | PassengerId | Survived | Pclass | Name | Sex | Age | SibSp | Parch | Ticket | Fare |
|---|-------------|----------|--------|--|--------|------|-------|-------|------------------|--------|
| 0 | 1 | 0 | 3 | Braund, Mr. Owen Harris | male | 22.0 | 1 | 0 | A/5 21171 | 7.250 |
| 1 | 2 | 1 | 1 | Cumings, Mrs. John Bradley (Florence Briggs Th...) | female | 38.0 | 1 | 0 | PC 17599 | 71.283 |
| 2 | 3 | 1 | 3 | Heikkinen, Miss. Laina | female | 26.0 | 0 | 0 | STON/O2. 3101282 | 7.925 |
| 3 | 4 | 1 | 1 | Futrelle, Mrs. Jacques Heath (Lily May Peel) | female | 35.0 | 1 | 0 | 113803 | 53.100 |
| 4 | 5 | 0 | 3 | Allen, Mr. William Henry | male | 35.0 | 0 | 0 | 373450 | 8.050 |

```
In [ ]:
```

```
In [ ]:
```