# **Audi VIN Breakdown**

**U.S. Passenger Cars Models** 

#### 2014 Model Year

		WM				,	<b>VDS</b>	;						VIS					
Position	1	2	3	_	4	5	6	7	8	 9	10	11	12	13	14	15	16	17	
	1	2	3		1	2	3	4	5		1	2	3	4	5	6	7	8	İ

Positions No.: 1-3 Manufacturer / Make Characters Description

TRU	Audi – Hungary	Pass. Car					
WAU	Audi – Germany	Pass. Car					
WA1	Audi – Europe	Multi-Purpose Vehicle					
		(M.P.V.)					
WUA	quattro GmbH – G	quattro GmbH – Germany - Pass. Car					

Position No.: 4 Series

		Chara	acters Description	
Series	sed.	wgn	4-dr. models #	trans.
A4 / S4	Α	-	A4 Premium	Α
	Е	-	A4 Premium Plus	Α
	J	-	A4 Prestige	Α
	В	-	A4 Premium quattro S4 Premium Plus quattro	Α
	D	-	A4 Premium quattro S4 Premium Plus	М
	F	-	A4 Premium Plus quattro	Α
	Н	-	A4 Premium Plus quattro	М
	K	-	A4 Prestige quattro S4 Prestige quattro	Α
	М	-	A4 Prestige quattro S4 Prestige quattro	М
		-	A 4 Dan and and a 44 and	
allroad	-	Т	A4 Premium quattro	Α
	-	U	A4 Premium Plus quattro	Α
	-	V	A4 Prestige quattro	Α
A6 / S6	С	-	A6 2.0T Premium	Α
D -		-	A6 2.0T Premium Plus	Α
			A6 2.0T Premium quattro	

	F		A6 Premium Plus quattro S6	Α
	G	-	A6 2.0T Premium Plus quattro	Α
	Н	-	A6 Prestige quattro	Α
4= 10= 1		1	1	
A7 / S7 / RS7	W	-	A7 Premium Plus quattro S7	Α

			RS7 **	
	2	-	A7 Prestige quattro	Α
A8 / S8	Α	-	A8	Α
	D	-	S8	Α
	R	-	A8 L	A

Position No.: 4 Series – (continued)
Characters Description

Series		2-dr. models #		
TT / TTS	В	Coupé quattro	Α	
	S	Roadster quattro	Α	

# trans. = Transmission Type: 'A' = Automatic 'M' = Manual

- \* A4 allroad models are identified by WMI code of 'WA1'. All other A4 models are identified by WMI code of 'WAU
- \*\* RS5 Cabriolet, RS5 Coupé, RS7 and R8 models are identified by WMI code of 'WUA'.

Position No.: 4 Series – (continued)
Characters Description

Series		2-dr. models #	trans.
A5 / S5 /	Α	A5 Premium	Α
RS5 Cabriolet	J	A5 Premium Plus	Α
	J	A5 Prestige	Α
С		A5 Premium quattro S5 Premium Plus quattro RS5 **	А
	L	A5 Premium Plus quattro	Α
	<b>V</b>	S5 Prestige quattro	Α
	W	A5 Prestige quattro	Α

A5 / S5 / RS5 Coupé	С	A5 Premium quattro S5 Premium Plus quattro RS5 **	Α
	G	A5 Premium quattro S5 Premium Plus quattro	М
	L	A5 Premium Plus quattro	Α
	R	A5 Premium Plus quattro	M
	М	A5 Premium Plus quattro w / S line	Α
	S	A5 Premium Plus quattro w / S line	M
	V	S5 Prestige Quattro	Α
	3	S5 Prestige Quattro	M
	W	A5 Prestige Quattro	Α
	4	A5 Prestige quattro	M

R8 **	A/F	V8 Coupé ***	Α
	D	V8 Coupé	M
	A/E	V10 Coupé ***	Α
	G	V10 Coupé	M
	K	V10 plus Coupé	Α
	L	V10 plus Coupé	M
	S/W	V8 Spyder ***	Α
	U	V8 Spyder	M
	S/V	V10 Spyder ***	Α
	T	V10 Spyder	M

Position No.: 5 Engine Type
Engine Type See Chart on page 2

Position No.: 6 Restraint Systems

See Chart on page 2

Positions No.: 7-8 Model \*

8	Characte	ers Description
I	FL (8K)	A4 / S4
I	FH (8F)	A5 / S5 / RS5 Cabriolet
I	FR (8T)	A5 / S5 / RS5
I	FC (4G)	A6 / S6 / A7 / S7 / RS7
I	FD (4H)	A8 / S8
I	FG (42)	R8
I	FK (8J)	TT / TTS

- \* 7th VIN character is alphabetic for CDN, Mex. and US 2010 and later vehicles. ROW model characters are listed in parenthesis, (), for reference only.
- \*\*\* R8 Coupe 4.2 and 5.2 models and R8 Spyder 4.2 and 5.2 models may use either indicated character.

#### 2014 Model Year

## Audi VIN Breakdown

**U.S. Models Passenger Cars** 

Position No.: 5 Engine Type									
Code	Attributes	A4 / allroad / A5 / S4 / S5 / RS5	A6 / A6 / S6 / S7 / RS7	A8 / S8					
F <b>♦</b> ♦	Fuel Cyl. / Std. Disp. HP MFG. T.G.	GAS (50-St) 4 - BIN 5 / ULEV II 1984 cc / 121 cid 220 Audi EADXV02.03UB EADXJ02.0FUB E85	GAS (50-St) 4 - BIN 5 / ULEV II 1984 cc / 121 cid 220 Audi EADXV02.03UB						
G	Fuel Cyl. / Std. Disp. HP MFG. T.G.	GAS (50-St) 6 - BIN 5 / ULEV II 2995 cc / 183 cid 333 Audi EADXJ03.03UF	GAS (50-St) 6 - BIN 5 / ULEV II 2995 cc / 183 cid 310 Audi EADXJ03.03UF	GAS (50-St) 6 - BIN 5 / ULEV II 2995 cc / 183 cid 333 Audi EADXJ03.03UF					
M	Fuel Cyl. / Std. Disp. HP MFG. T.G.		Diesel (50-St) 6 - BIN 5 / ULEV II 2967 cc / 181 cid 240 Audi EADXJ03.04UG	Diesel (50-St) 6 - BIN 5 / ULEV II 2967 cc / 181 cid 240 Audi EADXJ03.04UG					
2	Fuel Cyl. / Std. Disp. HP MFG. T.G.		GAS 8 - BIN 5 3993 cc / 244 cid 420 Audi EADXV04.03UJ	GAS 8 - BIN 5 3993 cc / 244 cid 420 / 520 Audi EADXV04.03UJ					
4	Fuel Cyl. / Std. Disp. HP MFG. T.G.			GAS (50-St) 12 - BIN 5 / LEV II 6299 cc / 384 cid 500 Audi EVWXV06.3UA8					
6	Fuel Cyl. / Std. Disp. HP MFG. T.G.	GAS (50-St) 8 - BIN 5 / LEV II 4163 cc / 254 cid 450 Audi EADXV04.23UL							

Code	Attributes	TT	TTS	R8
F	Fuel Cyl. / Std. Disp. HP MFG. T.G.	GAS (50-St) 4 - BIN 5 / ULEV II 1984 cc / 121 cid 211 Audi EADXV02.03UA		
1	Fuel Cyl. / Std. Disp. HP MFG. T.G.		GAS (50-St) 4 - BIN 5 / ULEV II 1984 cc / 121 cid 265 Audi EADXV02.03UA	
N **	Fuel Cyl. / Std. Disp. HP MFG. T.G.			GAS (50-St) 10 - BIN 5 / LEV II 5204 cc / 318 cid 525 Audi EADXV05.2LR8
U	Fuel Cyl. / Std. Disp. HP MFG. T.G.			GAS (50-St) 8 - BIN 5 / LEV II 4163 cc / 254 cid 430 Audi EADXV04.2375

<sup>\*\*</sup> Some early production R8 V10 Coupes with manual transmission vehicles used a 4<sup>th</sup> and 5<sup>th</sup> character combination of 'GU' instead of 'GN':

A4 2.0T quattro automatic allroad 2.0T quattro A5 2.0T Cabriolet quattro A5 2.0T Coupé quattro automatic

Position No.: 6 Restraint Systems					
Model:	Char.	Description			
All	All	Active - Dr/Pass			
		AirBag - Dr/Pass			
		Advanced Front AirBag,			
A5 / S5 / RS5 Cabriolet	Α	Side AirBags Front			
TT / TTS, R8		Knee Airbags Front			
A5 / S5 / RS5 Coupé	Α	Side AirBags Front			
		Side Guard Air Curtain			
		Knee Airbags Front			
A4 / S4,	Α	Side AirBags Front			
allroad		Side Guard Air Curtain			
	В	Side AirBags Frt. & Rear			
		Side Guard Air Curtain			
A6 / S6	Α	Side AirBags Front			
A7 / S7 / RS7		Side Guard Air Curtain			
	_	Knee AirBag			
	В	Side AirBags Frt. & Rear			
		Side Guard Air Curtain			
		Knee AirBag			
A8 / S8	Α	Side AirBags Frt. & Rear			
		Side Guard Air Curtain			
		Knee AirBag			

Position No.: 9	Characters	Description
Check Digit	*	*Calculate per
		NHTSA Code

Position No.: 10	Characters	Description
Model Year	D	2013
	Е	2014
	F	2015

Position No.: 11 Plant of Manufacturer Characters Description

Plant of Mfg.

A Ingolstadt, Gerr
N Neckarsulm Ge

Α	Ingolstadt, Germany	
N	Neckarsulm, Germany	
1	Gyor, Hungary	

Positions No.: 12-17

**Sequential Production No.** 

<sup>♦♦</sup> The following 2.0T models are E85 Flex-Fuel capable:

## **Audi VIN Breakdown**

U.S. M.P.V. Models

### 2014 Model Year

	1	WM	I		1	VDS								VIS					
Position	1	2	3	4	5	6	7	8	(	9	10	11	12	13	14	15	16	17	
	1	2	3	1	2	3	4	5			1	2	3	4	5	6	7	8	

Positions No.: 1-3	Manufacturer / Make
Characters	Description

WA1	Audi – Europe	Multi-Purpose Vehicle
	·	(M.P.V.)

Position No.: 4 Series

**Characters** Description

Series 4-dr. models

Audi Q5	С	2.0T Premium
		Hybrid Prestige
		TDI Premium Plus
		SQ5 Premium Plus
	L	2.0T Premium Plus
	D	3.0T Premium Plus S line
		TDI Premium Plus w/ S line Pkg.
	V	TDI Prestige
		SQ5 Prestige
Weight Class:	W	3.0T Prestige S line
D - 5,001-6,000 lbs		TDI Prestige w/ S line Pkg.

Audi Q7	С	3.0T/TDI Premium
Weight Class:	L	3.0T/TDI Premium Plus
Gasoline Models	V	TDI Prestige
E - 6,001-7,000 lbs	W	TDI Prestige w/ S line Pkg.
Diesel Powered Models	D	3.0T S line Prestige
F – 7,001-8,000 lbs		

Position No.: 5 Engine Type

Positio	n No.: 5	Engine Type	
Code	Attributes	Audi Q5	Audi Q7
F <b>♦</b> ♦	Fuel Cyl. / Std. Disp. HP MFG.	GAS (50-St) 4 - BIN 5 / ULEV II 1984 cc / 121 cid 220 Audi	
	T.G.	EADXT02.04UB EADXJ02.0FUB E85	
G	Fuel Cyl. / Std. Disp. HP MFG. T.G.	GAS (50-St) 6 - BIN 5 / ULEV II 2995 cc / 183 cid 272 / 354 Audi EADXJ03.03UF	GAS (50-St) 6 - BIN 5 / ULEV II 2995 cc / 183 cid 280 / 333 Audi EADXT03.0TLF
M	Fuel Cyl. / Std. Disp. HP MFG. T.G.	Diesel (50-St) 6 - BIN 5 / ULEV II 2967 cc / 181 cid 240 Audi EADXJ03.04UG	Diesel (50-St) 6 - BIN 5 / ULEV II 2967 cc / 181 cid 240 Audi EADXT03.03UG
8 or C **	Fuel  Cyl. / Std.  Disp.  HP  MFG.  T.G.	Hybrid (50-St) GAS / Electric 4 - BIN 5 1984 cc / 121 cid 211 + 40 kW Audi EADXT02.0HUB	

<sup>\*\*</sup> Some early production vehicles use the character 'C" instead of '8'

Notes: Cyl. / Std. = Cylinders – Federal/California Emission Standard

Position No.: 6 Restraint Systems

Char.	Description
All	Active - Dr/Pass
	AirBag - Dr/Pass
	Advanced Front AirBag,
Α	Side AirBags Front
	Side Guard Air Curtain
В	Side AirBags Frt. & Rear
	Side Guard Air Curtain

Positions No.: 7-8	Characters	Description
Model *	FP (8R)	Audi Q5
	FE (4L)	Audi Q7

Position No.: 9	Characters	Description
Check Digit	*	*Calculate per NHTSA Code

Position No.: 10	Characters	Description
Model Year	D	2013
	E	2014
	F	2015

Position No.: 11 Plant of Manufacturer Characters Description

	Onaraotoro	Doddiption
Plant of Mfg.	Α	Ingolstadt, Germany
	D	Bratislava, Slovakia

Positions No.: 12-17

**Sequential Production No.** 

T.G. = Emissions Certification Test Group

<sup>♦♦</sup> Q5 2.0T models are E85 Flex-Fuel capable:

<sup>\* 7</sup>th VIN character is alphabetic for CDN, Mex. and US 2010 and later vehicles. ROW model characters are listed in parenthesis, (), for reference only.

# **Audi VIN Breakdown**

2014 Model Year

U.S. M.P.V. Models

#### **Revisions:**

Revisions:	
12 April 2013	First Issue – A8 TDI & R8 models
23 April 2013	Correct R8 Test Group names, Add note describing early R8 V10 vehicles
14 June 2013	Addition of Complete Audi product line
15 July 2013	Correct 4 <sup>th</sup> (Series) character for allroad Premium quattro Correct 4 <sup>th</sup> (Series) character for R8 V10 plus Coupé and Spyder Add alternative 4 <sup>th</sup> (Series) character for R8 Coupé and Spyder Add SQ5 models
-	

File name: 14-audi-us-vin.docx