

May 23, 2015

K15-03SH

Administrator NHTSA Headquarters 400 Seventh St., SW Washington, DC 20590

Attention:

VIN Coordinator

Subject:

2015 Model Year Motorcycle VIN Information

Dear Sir / Madam:

In accordance with the requirements of 49 CFR 565.16 (b), Kawasaki Motors Corp., herein submits the following information applicable to our 2015 model year motor vehicle.

 VIN information and vehicle horsepower figures for the following model within the 2015 model year:

Model	VN1700BF VN1700KF		
Model Year	2015	2015	
VIN	JKBVNRB1()FA	JKBVNRK1()FA	
Number of Cylinders	4 4		
Description	Street Street		
Max. Power (kW)	61	61	
Production Start	tart September 1, 2014 September 1, 2014		

Kawasaki's VIN coding description.

If you have any questions, please do not hesitate to call me at (949) 770-0400 Ext. 2454 or Spencer. Hosokawa@kmc-usa.com.

Sincerely,

KAWASAKI MOTORS CORP., U.S.A.

Spencer Hosokawa

Senior Government Relations Product Specialist

P.O. Box 25252 Santa Ana, California 92799-5252

9 4 9 / 7 7 0 - 0 4 0 0 Fax 9 4 9 / 4 6 0 - 5 6 0 0 www.kawasaki.com 9950 Jeronimo Road Irvine, California 9 2 6 1 8 - 2 0 8 4

KAWASAKI VIN CODING DESCRIPTION - Pg. 1

Characters (s) Description 1, 2, 3 Manufacturer : Kawasaki Heavy Industries, Ltd. : Kawasaki Motors Manufacturing Corp., U.S.A. : Kawasaki Motors (PHILS.) Corp. : Kawasaki Motors Enterprise (Thailand) Co., Ltd. : P.T. Kawasaki Motor Indonesia JKA, JKB is used for each model in relation to nominal engine displacement code in Character 6 shown below. MH4 is also used for model manufactured by P.T. Kawasaki Motor Indonesia. 4,5 Model Line Identification, Engine Type For On-Road Motorcycle ZX : Super Sports, In-line 4 cylinder, water cooled, 4 stroke cycle. ZR : European Sports, In-line 4 cylinder, 4 stroke cycle. : American Sports, In-line 4 cylinder, water cooled, 4 stroke cycle. ZL ZG : Touring, In-line 4 cylinder, water cooled, 4 stroke cycle. : Easy riding, Vee 2 cylinder, water cooled, 4 stroke cycle. VN EX : Super Sports, In-line 2 cylinder, water cooled, 4 stroke cycle. : European Sports, In-line 2 cylinder, water cooled, 4 stroke cycle. ER : Easy riding, In-line 2 cylinder, water cooled, 4 stroke cycle. EN EJ : Classic sports, In-line 2 cylinder, air cooled, 4 stroke cycle. KZ: Police and Easy riding, In-line 4 cylinder, air cooled, 4 stroke cycle. KL : Dual purpose, Single cylinder, 4 stroke cycle. KH : Utility Sports, Single cylinder, air cooled, 2 stroke cycle. KE : Dual purpose, Single cylinder, air cooled, 2 stroke cycle. LX : Dual purpose, Single cylinder, water cooled, 4 stroke cycle. MX : Dual purpose, Single cylinder, water cooled, 2 stroke cycle. BN : Easy riding, Single cylinder, air cooled, 4 stroke cycle. : Standard Moped, Single cylinder, air cooled, 4 stroke cycle. AN

KAWASAKI VIN CODING DESCRIPTION Continued - Pg. 2

6 Nominal Engine Displacement

Within "JKA "	Within "JKB "	Within " MH4 "		
shown above	shown above	shown above		
(for M/C and ATV)	(for M/C and ATV)	(for M/C manufactured		
		by P. T. Kawasaki		
		Motor Indonesia)		

				IVIOIOI I	ildolicsia)
CODE	NOMINAL DISPLACE- MENT	CODE	NOMINAL DISPLACE- MENT	CODE	NOMINAL DISPLACE- MENT
A	1300 cc	A	1500 сс	A	Reserved
В	1100	В	220	В	//
C	1000	C	800	C	11
D	 750	D	90	D	//
E	650	E	65	E	II
F	550	F	85	F	II
G	450	G	 79	G	II
H	440	H	360	H	//
J	420	J	Reserved	J	//
K	400	K	//	K	//
L	305	L	//	L	<i>II</i>
M	250	M	//	M	//
N	200	N	II	N	<i>II</i>
P	175	P	II	P	//
R	125	R	//	R	II
S	110	S	<i>II</i>	S	110 cc
T	100	\mathbf{T}	11	T	Reserved
V	500	V	II	V	//
W	80	W	11	W	11
X	60	X	 <i>II</i>	X	11
Y	50	Y	//	Y	11
1	560	1	//	1	//
2	900	2	II	2	<i>II</i>
3	150	3	 //	3	//
4	600	4	//	4	!!
5	160	5	//	5	//
6	700	6	<i>II</i>	6	//
7	185	7	//	7	11
8	300	8	//	8	//
9	1200	9	11	9	//

KAWASAKI VIN CODING DESCRIPTION Continued - Pg. 3

Characters (s)	Description
7	Model Variation and Engine Characteristics.
	This code is used to indicate styling or feature differences between models or similar specifications as represented by characters 4,5 and 6 (model line, basic engine type, and nominal engine displacement).
8	Net brake horsepower
	Each model will use the number 1 to indicate the net brake engine horsepower. Any changes in this specification exceeding 10 % without requiring changes to any other character of the VIN, will be coded "2".
9	Check digit
	The check digit will be calculated in accordance with the requirements of 49 CFR Sec. 565.4 (c).
10	Model Year
	The model year will be designated in accordance with 49 CFR Sec. 565.4 (d).
	1980 A 1995 S 1996 T 1997 V 1998 W 2002 2 2003 3
11	Plant of manufacturer
	Kawasaki motorcycles are manufactured in the following locations and are coded accordingly.
	 A: manufactured by Kawasaki Heavy industries, at Akashi, Japan B: manufactured by Kawasaki Motors Manufacturing Corp., U.S.A. C: manufactured by Kawasaki Motors (PHILS.) Corp. D: manufactured by Kawasaki Motors Enterprise (Thailand) Co., Ltd. K: manufactured by P.T. Kawasaki Motor Indonesia (Jakarta)
12-17	Production Sequence
	These numbers will be assigned sequentially within a model as defined by characters 4, 5, 6, 7, 8, 10 and 11. Not all models will begin with 000001.