DocGL API description

General notes:

- Each request (except login) has to have the following header: Authorization: Bearer <token>
- If header is not presented or not valid, endpoints return 401
- If input JSON is not valid, endpoints return 400

POST /api/auth/registration

Registration endpoint

```
Status code:
```

```
200 - OK
Sample request:
  "firstName": "Rasticek",
  "lastName": "Ruscak",
  "email": "rastik@ruscak.sk",
  "userType": "DOCTOR",
  "userName": "docrasto",
  "password": "docrasto",
  "specialization": "DENTIST",
  "phone": "09454546"
Sample response:
 "doctor": {
  "id": 5,
  "firstName": "Rasticek",
  "lastName": "Ruscak",
  "email": "rastik@ruscak.sk",
  "userName": "docrasto",
  "registrationDate": 1493988888893,
  "likes": 0,
  "specialization": "DENTIST",
  "phone": "09454546",
  "blocked": false,
  "approved": false
 "token": ""
```

Notes:

- If doctor is not approved he doesn't receive token

- If username or email is already taken by other user than endpoint response with code 400

POST /api/auth/login

Login endpoint

```
Status code:
```

```
- 401 - unauthorized
- 200 - OK

Sample request:
{"userName": "rastobutton", "password": "rastobutton123", "userType": "ADMIN"}

Sample response:
{
    "admin": {
        "id": 1,
        "firstName": "rasto",
        "lastName": "button",
        "email": "rasto@button.sk",
        "userName": "rastobutton",
        "passwordChanged": false
},
    "token":
```

"eyJhbGciOiJIUzI1NiJ9.eyJzdWliOiJhZG1pbiIsImlkIjoxLCJqdGkiOiJhYkJGaTQxdjBnNWY1OEFENjFpSWVBIiwiZXhwljoxNDkzOTg3NTAwfQ.rFAbAaapbh6yfWQ3ctmHUjeARxCIjuL

POST /api/auth/logout

Logout endpoint

7rQ51k5YQ0RA"

Status code:

- 204 - OK

GET /api/registrations?timePeriod=WEEK/TODAY

Gets all registrations

```
Status code:
```

```
    401 - unauthorized
    200 - OK
    Sample response:
    [
    "date": "2017-05-05",
```

```
"count": 5
]
```

GET /api/admins/{id}/profile

Gets one admin profile

```
Status code:
```

```
- 401 - unauthorized
```

200 - OK

```
Sample response:
```

```
{
 "id": 1,
 "firstName": "rasto",
"lastName": "button",
 "email": "rasto@button.sk",
 "userName": "rastobutton",
 "passwordChanged": false
```

PUT /api/admins/{id}/profile

Updates admin profile

Status code:

```
- 401 - unauthorized
```

- 200 - OK

```
Sample request:
```

```
{
        "firstName" : "rasto",
"lastName" : "button",
        "password": "rastobutton123",
        "email": "rasto@button.sk"
}
Sample response:
{
 "id": 1,
 "firstName": "rasto",
"lastName": "button",
 "email": "admin",
 "userName": "rastobutton",
 "passwordChanged": false
```

Notes:

If any field is empty, the value will not be updated.

PUT /api/admins/{id}/profile/password

Updates admins' password

```
Status code:

- 401 - unauthorized
- 204 - OK

Sample request:

{

"password": "rastobutton123",
}

Sample response:

{

"id": 1,

"firstName": "rasto",

"lastName": "button",

"email": "admin",

"userName": "rastobutton",

"passwordChanged": false
```

GET

/api/doctors?limit=x&start=y&sortBy=columnNa me&way=sortingWay&name=searchedName&spe c=searchedSpecialization

Gets filtered doctors

```
Status code:
```

- 401 unauthorized
- 200 OK

Sample response:

```
{
    "id": 1,
    "firstName": "doctor",
    "lastName": "who",
    "email": "doctor@who.sk",
    "userName": "doctorwho",
    "registrationDate": "2017-05-04",
    "likes": 10,
    "specialization": "DENTIST",
```

```
"phone": "0949473196",
  "blocked": false,
  "approved": false
},
{
  "id": 2,
  "firstName": "Obi-Wan",
  "lastName": "Kenobi",
  "email": "obi.wan@kenobi.sk",
  "userName": "obiwan",
  "registrationDate": "2017-05-04",
  "likes": 5,
  "specialization": "CARDIOLOGIST",
  "phone": "0942223896",
  "blocked": false,
  "approved": false
}
]
```

Notes:

If no query params are presented endpoint returns all doctors

GET /api/doctors/{id}

Gets chosen doctor

Status code:

```
- 401 - unauthorized
```

- 200 - OK

```
Sample response:
 "id": 1,
 "firstName": "doctor",
 "lastName": "who",
 "email": "doctor@who.sk",
 "userName": "doctorwho",
 "likes": 10,
 "specialization": "DENTIST",
 "phone": "0949473196",
 "city": "Kosice",
 "workplace": "Kukucinova 5",
 "appointmentsDuration": 0,
 "blocked": false,
 "approved": false,
 "dateOfValidity": null,
 "workingHoursSet": false
```

PUT /api/doctors/{id}/profile

Updates doctors profile

Status code:

```
- 401 - unauthorized
   - 200 - OK
Sample request:
 "firstName" : "rasto",
"lastName" : "button",
 "password": "rastobutton123",
 "email": "rasto@button.sk",
 "phone": "0944341879"
Sample response:
 "id": 1,
 "firstName": "rasto",
 "lastName": "button",
 "email": "rasto@button.sk",
 "userName": "doctorwho",
 "likes": 10,
 "specialization": "DENTIST",
 "phone": "0944341879",
 "city": "Kosice",
 "workplace": "Kukucinova 5",
 "appointmentsDuration": 0,
 "blocked": false,
 "approved": false,
 "dateOfValidity": null,
 "workingHoursSet": false
}
```

Notes:

- If any input field is empty the property will not be updated

GET /api/doctors/count

Gets number of all doctors

Status code:

```
- 401 - unauthorized
```

- 200 - OK

```
Sample response: {
    "count" : 10
}
```

GET /api/doctors/likes

Gets number of all likes

Status code:

- 401 - unauthorized

```
- 200 - OK
Sample response: {
    "count": 108
}
```

GET /api/doctors/specializations

Gets all specializations

Status code:

```
- 401 - unauthorized
```

- 200 - OK

```
Sample response:
[
   "DENTIST",
   "CARDIOLOGIST",
   "ORTHOPEDIST"
]
```

GET /api/doctors/{id}/appointments

Gets all doctors' appointments

Status code:

```
- 401 - unauthorized
```

- 200 - OK

```
Sample response:
[

    "id": 1,
    "note": "test",
    "patient": {
        "id": 2,
        "firstName": "Anakin",
        "lastName": "Skywalker",
        "email": "anakin@skywalker.com",
        "userName": "anakin",
        "registrationDate": "2017-05-05",
        "blocked": false
    },
    "time": "13:54:59",
    "date": "2017-05-05"
}
```

PUT /api/doctors/{id}/approved

Approves selected doctor

Status code:

```
- 401 - unauthorized
```

- 204 - OK

PUT /api/doctors/{id}/blocked

Blocks/unblocks selected doctor

```
Status code:
```

```
- 401 - unauthorized
- 204 - OK
Sample request:
{
 "blocked" : true
```

GET /api/doctors/{id}/workingHours

Returns working hours of doctor

Status code:

```
- 401 - unauthorized

- 200 - OK

Sample response:

[

"mondayFrom": "10:40:41",

"mondayTo": "10:40:41",

"thursdayFrom": "10:40:41",

"fridayFrom": "10:40:41",

"fridayTo": "10:40:41"
```

Notes:

]

- If response is 2 item array, second item represents second working hours interval for day

POST /api/doctors/{id}/workingHours

Sets doctors working hours

Status code:

```
- 401 - unauthorized
```

- 204 - OK

```
Sample request:
```

GET

/api/patients?limit=x&start=y&sortBy=columnNa me&way=sortingWay&name=searchedName

Gets filtered patients

```
Status code:
```

- 401 unauthorized
- 200 OK

```
Sample response:
```

```
[
  "id": 1,
  "firstName": "patient",
  "lastName": "who",
  "email": "patient@who.cz",
  "userName": "patientwho",
  "registrationDate": "2017-05-05",
  "blocked": false
  "id": 2,
  "firstName": "Anakin",
  "lastName": "Skywalker",
  "email": "anakin@skywalker.com",
  "userName": "anakin",
  "registrationDate": "2017-05-05",
  "blocked": false
 }
]
```

Notes:

- If no query params are presented endpoint returns all patients

GET /api/patients/count

Gets number of all patients

Status code:

```
- 401 - unauthorized
- 200 - OK
Sample response:
{
  "count" : 10
}
```

GET /api/patients/{id}/appointments

Gets all patients' appointments

```
Status code:
```

```
401 - unauthorized
   - 200 - OK
Sample response:
  "id": 1,
  "note": "test",
  "doctor": {
    "id": 1,
    "firstName": "doctor",
    "lastName": "who",
    "email": "doctor@who.sk",
    "userName": "doctorwho",
    "registrationDate": "2017-05-04",
    "likes": 10,
    "specialization": "DENTIST",
    "phone": "0949473196",
    "blocked": true,
    "approved": true
  "time": "13:54:59",
  "date": "2017-05-05"
```

PUT /api/patients/{id}/blocked

Blocks/unblocks selected patient

```
Status code:
```

```
- 401 - unauthorized
- 204 - OK
Sample request:
{
 "blocked" : true
}
```