

OFFICIAL AGROSYNC TECHNICAL SPECIFICATION

Complete System Flowcharts & Process Workflows


AgroSync Farm Management System

Version: 4.0


SDLC Stage: Operational Flowcharts & Workflow Specifications


Status: Approved


1. High-Level System Architecture & Component Interactions



2. Comprehensive Entity–Relationship Model (ERD)









A diagram showing a table with a primary key (PK) and a foreign key (FK) relationship. The table has columns: string, id, PK, string, customer_id, FK, string, sale_id, FK, decimal, amount, date, payment_date, string, payment_mode, string, reference_number, decimal, balance_after, string, notes. The primary key is on the 'id' column and the foreign key is on the 'customer_id' column.

string	id	PK
string	customer_id	FK
string	sale_id	FK
decimal	amount	
date	payment_date	
string	payment_mode	
string	reference_number	
decimal	balance_after	
string	notes	



A diagram showing a table with a primary key (PK) and a foreign key (FK) relationship. The table has columns: bigint, id, PK, string, activity_id, FK, string, employee_id, FK, double, hours_worked, decimal, wage_payable. The primary key is on the 'id' column and the foreign key is on the 'employee_id' column.


ACTIVITY_LABOR		
bigint	id	PK
string	activity_id	FK
string	employee_id	FK
double	hours_worked	
decimal	wage_payable	





A diagram showing a table with a primary key (PK) and a foreign key (FK) relationship. The table has columns: string, id, PK, string, supplier_id, FK, string, purchase_id, FK, decimal, amount, date, payment_date, string, payment_mode, string, reference_number, decimal, balance_after, string, notes. The primary key is on the 'id' column and the foreign key is on the 'supplier_id' column.

string	id	PK
string	supplier_id	FK
string	purchase_id	FK
decimal	amount	
date	payment_date	
string	payment_mode	
string	reference_number	
decimal	balance_after	
string	notes	

3. User Registration, Bootstrap & Approval Lifecycle









Update User: Status=ACTIVE, assign Categories & Cap

Update User: Status=DISABL

4. Password Recovery & Resend Cloud API Flow







5. Streamlined Project Lifecycle & Sector Delegation Flow (2–Status Model)




Syntax error in text
mermaid version 10.9.8

6. Field Activity Scheduling, Agronomic Presets & Labor Allocation Flow







7. Harvest Logging, Warehouse Inventory Usage & Stock-Controlled Selling



Syntax error in text
mermaid version 10.9.8

8. Customer Accounts Receivable, Credit & Installment Audit History Flow



Syntax error in text
mermaid version 10.9.8

9. Supplier Purchase Invoices, Warehouse Auto-Restock & AP Voucher Settlement Flow



Syntax error in text
mermaid version 10.9.8

10. Executive Dashboard Financial KPI Engine & Paginated Transactions Feed Flow

