The Sparse Matrices Package.
Sparse Matrix Calculations and a Linear Algebra Package for Sparse Matrices in REDUCE

Stephen Scowcroft
Konrad-Zuse-Zentrum für Informationstechnik Berlin

June 1995

1 Introduction

A very powerful feature of REDUCE is the ease with which matrix calculations can be performed. This package extends the available matrix feature to enable calculations with sparse matrices. This package also provides a selection of functions that are useful in the world of linear algebra with respect to sparse matrices.

Loading the Package

The package is loaded by: `load_package sparse;`

2 Sparse Matrix Calculations

To extend the the syntax to this class of calculations we need to add an expression type `sparse`.

2.1 Sparse Variables

An identifier may be declared a sparse variable by the declaration `SPARSE`. The size of the sparse matrix must be declared explicitly in the matrix

1

declaration. For example,

```
sparse aa(10,1),bb(200,200);
```

declares `AA` to be a 10 x 1 (column) sparse matrix and `Y` to be a 200 x 200
sparse matrix. The declaration `SPARSE` is similar to the declaration `MATRIX`.
Once a symbol is declared to name a sparse matrix, it can not also be used
to name an array, operator, procedure, or used as an ordinary variable. For
more information see the Matrix Variables section in The REDUCE User's
Manual[2].

2.2   Assigning Sparse Matrix Elements

Once a matix has been declared a sparse matrix all elements of the matrix
are initialized to 0. Thus when a sparse matrix is initially referred to the
message

```
"The matrix is dense, contains only zeros"
```

is returned. When printing out a matrix only the non-zero elements are
printed. This is due to the fact that only the non-zero elements of the
matrix are stored. To assign the elements of the declared matrix we use
the following syntax. Assuming `AA` and `BB` have been declared as spasre
matrices, we simply write,

```
aa(1,1):=10;
bb(100,150):=a;
```

etc. This then sets the element in the first row and first column to 10, or
the element in the 100th row and 150th column to `a`.

2.3   Evaluating Sparse Matrix Elements

Once an element of a sparse matrix has been assingned, it may be referred
to in standard array element notation. Thus `aa(2,1)` refers to the element
in the second row and first column of the sparse matrix `AA`.

3   Sparse Matrix Expressions

These follow the normal rules of matrix algebra. Sums and products must be of compatible size; otherwise an error will result during evaluation. Similarly, only square matrices may be raised to a power. A negative power is computed as the inverse of the matrix raised to the corresponding positive power. For more information and the syntax for matrix algebra see the Matrix Expressions section in The REDUCE User's Manual[2].

4   Operators with Sparse Matrix Arguments

The operators in the Sparse Matix Package are the same as those in the Matrix Packge with the exception that the `NULLSPACE` operator is not defined. See section Operators with Matrix Arguments in The REDUCE User's Manual[2] for more details.

4.1   Examples

In the examples the matrix $\mathcal{AA}$ will be

$$\mathcal{AA} = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 3 & 0 & 0 \\ 0 & 0 & 5 & 0 \\ 0 & 0 & 0 & 9 \end{pmatrix}$$

```
det ppp;
```

135

```
trace ppp;
```

18

```
rank ppp;
```

4

```
spmateigen(ppp,eta);
```

```
{{eta - 1,1,

  spm(1,1) := arbcomplex(4)$
  },

 {eta - 3,1,

  spm(2,1) := arbcomplex(5)$
  },

 {eta - 5,1,

  spm(3,1) := arbcomplex(6)$
  },

 {eta - 9,1,

  spm(4,1) := arbcomplex(7)$
  }}
```

5   The Linear Algebra Package for Sparse Matrices

This package is an extension of the Linear Algebra Package for REDUCE.[1]
These functions are described alphabetically in section 6 of this document
and are labelled 6.1 to 6.47. They can be classified into four sections(n.b:
the numbers after the dots signify the function label in section 6).

5.1   Basic matrix handling

5.2   Constructors

Functions that create sparse matrices.

5.3   High level algorithms

5.4   Predicates

Note on examples:

In the examples the matrix $\mathcal{A}$ will be

$$\mathcal{A} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

Unfortunately, due to restrictions of size, it is not practical to use "large" sparse matrices in the examples. As a result the examples shown may appear trivial, but they give an idea of how the functions work.

Notation

Throughout $\mathcal{I}$ is used to indicate the identity matrix and $\mathcal{A}^T$ to indicate the transpose of the matrix $\mathcal{A}$.

6   Available Functions

6.1   spadd_columns, spadd_rows

```
spadd_columns(A,c1,c2,expr);
```

$\mathcal{A}$:-   a sparse matrix.
c1,c2   :-   positive integers.
expr   :-   a scalar expression.

Synopsis:

spadd_columns replaces column c2 of $\mathcal{A}$ by expr $*$ column($\mathcal{A}$,c1) + column($\mathcal{A}$,c2).

spadd_rows performs the equivalent task on the rows of $\mathcal{A}$.

Examples:

$$\text{spadd\_columns}(\mathcal{A}, 1, 2, x) \;\; = \;\; \begin{pmatrix} 1 & x & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

$$\texttt{spadd\_rows}(\mathcal{A}, 2, 3, 5) \quad = \quad \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 25 & 9 \end{pmatrix}$$

Related functions:

spadd_to_columns, spadd_to_rows, spmult_columns, spmult_rows.

6.2 spadd_rows

see: spadd_columns.

6.3 spadd_to_columns, spadd_to_rows

spadd_to_columns($\mathcal{A}$,column_list,expr);

$\mathcal{A}$	:-	a sparse matrix.
column_list	:-	a positive integer or a list of positive integers.
expr	:-	a scalar expression.

Synopsis:

spadd_to_columns adds expr to each column specified in column_list of $\mathcal{A}$.

spadd_to_rows performs the equivalent task on the rows of $\mathcal{A}$.

Examples:

$$\texttt{spadd\_to\_columns}(\mathcal{A}, \{1, 2\}, 10) \quad = \quad \begin{pmatrix} 11 & 10 & 0 \\ 10 & 15 & 0 \\ 10 & 10 & 9 \end{pmatrix}$$

$$\texttt{spadd\_to\_rows}(\mathcal{A}, 2, -x) \quad = \quad \begin{pmatrix} 1 & 0 & 0 \\ -x & -x+5 & -x \\ 0 & 0 & 9 \end{pmatrix}$$

Related functions:

spadd_columns, spadd_rows, spmult_rows, spmult_columns.

6.4 spadd_to_rows

see: `spadd_to_columns`.

6.5 spaugment_columns, spstack_rows

`spaugment_columns($\mathcal{A}$,column_list);`

$\mathcal{A}$:-   a sparse matrix.

column_list   :-   either a positive integer or a list of positive integers.

Synopsis:

`spaugment_columns` gets hold of the columns of $\mathcal{A}$ specified in column_list and sticks them together.

`spstack_rows` performs the same task on rows of $\mathcal{A}$.

Examples:

$$\texttt{spaugment\_columns}(\mathcal{A}, \{1, 2\}) \quad = \quad \begin{pmatrix} 1 & 0 \\ 0 & 5 \\ 0 & 0 \end{pmatrix}$$

$$\texttt{spstack\_rows}(\mathcal{A}, \{1, 3\}) \quad = \quad \begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

Related functions:

`spget_columns`, `spget_rows`, `spsub_matrix`.

6.6 spband_matrix

`spband_matrix(expr_list,square_size);`

expr_list   :-   either a single scalar expression or a list of an odd number of scalar expressions.

square_size   :-   a positive integer.

Synopsis:

`spband_matrix` creates a sparse square matrix of dimension square_size.

Examples:

$$\texttt{spband\_matrix}(\{x, y, z\}, 6) \quad = \quad \begin{pmatrix} y & z & 0 & 0 & 0 & 0 \\ x & y & z & 0 & 0 & 0 \\ 0 & x & y & z & 0 & 0 \\ 0 & 0 & x & y & z & 0 \\ 0 & 0 & 0 & x & y & z \\ 0 & 0 & 0 & 0 & x & y \end{pmatrix}$$

Related functions:

spdiagonal.

6.7   spblock_matrix

spblock_matrix(r,c,matrix_list);

r,c   :-   positive integers.
matrix_list   :-   a list of matrices of either sparse or matrix type.

Synopsis:

spblock_matrix creates a sparse matrix that consists of r by c matrices filled from the matrix_list row wise.

Examples:

$$\mathcal{B} = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}, \quad \mathcal{C} = \begin{pmatrix} 5 \\ 0 \end{pmatrix}, \quad \mathcal{D} = \begin{pmatrix} 22 & 0 \\ 0 & 0 \end{pmatrix}$$

$$\texttt{spblock\_matrix}(2, 3, \{\mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{D}, \mathcal{C}, \mathcal{B}\}) \quad = \quad \begin{pmatrix} 1 & 0 & 5 & 22 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 22 & 0 & 5 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{pmatrix}$$

6.8   spchar_matrix

spchar_matrix($\mathcal{A}, \lambda$);

$\mathcal{A}$:-   a square sparse matrix.
λ :-   a symbol or algebraic expression.

Synopsis:

spchar_matrix creates the characteristic matrix $\mathcal{C}$ of $\mathcal{A}$.

This is $\mathcal{C} = \lambda * \mathcal{I} - \mathcal{A}$.

Examples:

$$\texttt{spchar\_matrix}(\mathcal{A}, x) \;\; = \;\; \begin{pmatrix} x-1 & 0 & 0 \\ 0 & x-5 & 0 \\ 0 & 0 & x-9 \end{pmatrix}$$

Related functions:

spchar_poly.

6.9   spchar_poly

spchar_poly$(\mathcal{A}, \lambda)$;

$\mathcal{A}$:-   a sparse square matrix.
λ :-   a symbol or algebraic expression.

Synopsis:

spchar_poly finds the characteristic polynomial of $\mathcal{A}$.

This is the determinant of $\lambda * \mathcal{I} - \mathcal{A}$.

Examples:

spchar_poly$(\texttt{A}, x)$ $= x^3 - 15 * x^2 - 59 * x - 45$

Related functions:

spchar_matrix.

6.10   spcholesky

spcholesky$(\mathcal{A})$;

$\mathcal{A}$:-   a positive definite sparse matrix containing numeric entries.

Synopsis:

spcholesky computes the cholesky decomposition of $\mathcal{A}$.

It returns $\{\mathcal{L}, \mathcal{U}\}$ where $\mathcal{L}$ is a lower matrix, $\mathcal{U}$ is an upper matrix, $\mathcal{A} = \mathcal{L}\mathcal{U}$, and $\mathcal{U} = \mathcal{L}^T$.

Examples:

$$\mathcal{F} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

$$\texttt{cholesky}(\mathcal{F}) \;=\; \left\{ \begin{pmatrix} 1 & 0 & 0 \\ 0 & \sqrt{5} & 0 \\ 0 & 0 & 3 \end{pmatrix}, \begin{pmatrix} 1 & 0 & 0 \\ 0 & \sqrt{5} & 0 \\ 0 & 0 & 3 \end{pmatrix} \right\}$$

Related functions:

splu_decom.

6.11   spcoeff_matrix

spcoeff_matrix({lin_eqn$_1$,lin_eqn$_2$, ...,lin_eqn$_n$});

lin_eqn$_1$,lin_eqn$_2$, ...,lin_eqn$_n$:-   linear equations. Can be of the form *equation = number* or just *equation*.

Synopsis:

spcoeff_matrix creates the coefficient matrix $\mathcal{C}$ of the linear equations.

It returns $\{\mathcal{C}, \mathcal{X}, \mathcal{B}\}$ such that $\mathcal{C}\mathcal{X} = \mathcal{B}$.

Examples:

spcoeff_matrix($\{y - 20*w = 10, y - z = 20, y + 4 + 3*z, w + x + 50\}$) =

$$\left\{ \begin{pmatrix} 1 & -20 & 0 & 0 \\ 1 & 0 & -1 & 0 \\ 1 & 0 & 3 & 0 \\ 0 & 1 & 0 & 1 \end{pmatrix}, \begin{pmatrix} y \\ w \\ z \\ x \end{pmatrix}, \begin{pmatrix} 10 \\ 20 \\ -4 \\ 50 \end{pmatrix} \right\}$$

6.12   spcol_dim, sprow_dim

column_dim($\mathcal{A}$);

$\mathcal{A}$:-   a sparse matrix.

Synopsis:

spcol_dim finds the column dimension of $\mathcal{A}$.

sprow_dim finds the row dimension of $\mathcal{A}$.

Examples:

spcol_dim$(\mathcal{A}) = 3$

6.13   spcompanion

spcompanion(poly,x);

poly   :-   a monic univariate polynomial in x.
x   :-   the variable.

Synopsis:

spcompanion creates the companion matrix $\mathcal{C}$ of poly.

This is the square matrix of dimension n, where n is the degree of poly w.r.t. x.

The entries of $\mathcal{C}$ are: $\mathcal{C}(i,n) = $ -coeffn(poly,x,i-1) for i $= 1 \ldots$ n, $\mathcal{C}$(i,i-1) $= 1$ for i $= 2 \ldots$ n and the rest are 0.

Examples:

$$\text{spcompanion}(x^4 + 17 * x^3 - 9 * x^2 + 11, x) \quad = \quad \begin{pmatrix} 0 & 0 & 0 & -11 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 9 \\ 0 & 0 & 1 & -17 \end{pmatrix}$$

Related functions:

spfind_companion.

6.14   spcopy_into

spcopy_into$(\mathcal{A}, \mathcal{B}$,r,c);

$\mathcal{A}, \mathcal{B}$:-   matrices of type sparse or matrix.
r,c   :-   positive integers.

Synopsis:

spcopy_into copies matrix $\mathcal{A}$ into $\mathcal{B}$ with $\mathcal{A}(1,1)$ at $\mathcal{B}$(r,c).

Examples:

$$\mathcal{G} = \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$$

$$\text{spcopy\_into}(\mathcal{A}, \mathcal{G}, 1, 2) \quad = \quad \begin{pmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 5 & 0 \\ 0 & 0 & 0 & 9 \\ 0 & 0 & 0 & 0 \end{pmatrix}$$

Related functions:

spaugment_columns, spextend, spmatrix_augment, spmatrix_stack, spstack_rows, spsub_matrix.

6.15   spdiagonal

spdiagonal({mat$_1$,mat$_2$, ...,mat$_n$});*

mat$_1$,mat$_2$, ...,mat$_n$:-   each can be either a scalar expr or a square matrix of sparse or matrix type.

Synopsis:

spdiagonal creates a sparse matrix that contains the input on the diagonal.

Examples:

$$\mathcal{H} = \begin{pmatrix} 66 & 77 \\ 88 & 99 \end{pmatrix}$$

$$\text{spdiagonal}(\{\mathcal{A}, x, \mathcal{H}\}) \quad = \quad \begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 9 & 0 & 0 & 0 \\ 0 & 0 & 0 & x & 0 & 0 \\ 0 & 0 & 0 & 0 & 66 & 77 \\ 0 & 0 & 0 & 0 & 88 & 99 \end{pmatrix}$$

Related functions:

spjordan_block.

---

*The {}'s can be omitted.

6.16   spextend

`spextend(`$\mathcal{A}$`,r,c,expr);`

$\mathcal{A}$	:-	a sparse matrix.
r,c	:-	positive integers.
expr	:-	algebraic expression or symbol.

Synopsis:

`spextend` returns a copy of $\mathcal{A}$ that has been extended by r rows and c columns. The new entries are made equal to expr.

Examples:

$$\texttt{spextend}(\mathcal{A}, 1, 2, 0) \quad = \quad \begin{pmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 5 & 0 & 0 & 0 \\ 0 & 0 & 9 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix}$$

Related functions:

`spcopy_into`, `spmatrix_augment`, `spmatrix_stack`, `spremove_columns`, `spremove_rows`.

6.17   spfind_companion

`spfind_companion(`$\mathcal{A}$`,x);`

| $\mathcal{A}$ | :- | a sparse matrix. |
| x | :- | the variable. |

Synopsis:

Given a sparse companion matrix, `spfind_companion` finds the polynomial from which it was made.

Examples:

$$\mathcal{C} = \begin{pmatrix} 0 & 0 & 0 & -11 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 9 \\ 0 & 0 & 1 & -17 \end{pmatrix}$$

`spfind_companion`$(\mathcal{C}, x) = x^4 + 17 * x^3 - 9 * x^2 + 11$

Related functions:

  spcompanion.

6.18   spget_columns, spget_rows

  spget_columns($\mathcal{A}$,column_list);

  $\mathcal{A}$:-   a sparse matrix.
  c   :-   either a positive integer or a list of positive integers.

Synopsis:

  spget_columns removes the columns of $\mathcal{A}$ specified in column_list and
  returns them as a list of column matrices.

  spget_rows performs the same task on the rows of $\mathcal{A}$.

Examples:

$$\texttt{spget\_columns}(\mathcal{A}, \{1, 3\}) \;\; = \;\; \left\{ \begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ 0 \\ 9 \end{pmatrix} \right\}$$

$$\texttt{spget\_rows}(\mathcal{A}, 2) \;\; = \;\; \left\{ \begin{pmatrix} 0 & 5 & 0 \end{pmatrix} \right\}$$

Related functions:

  spaugment_columns, spstack_rows, spsub_matrix.

6.19   spget_rows

  see: spget_columns.

6.20   spgram_schmidt

  spgram_schmidt({vec$_1$,vec$_2$, ...,vec$_n$});

  vec$_1$,vec$_2$, ...,vec$_n$:-   linearly independent vectors. Each vector must
                                      be written as a list of predefined sparse (col-
                                      umn) matrices, eg: sparse a(4,1):, a(1,1):=1;

Synopsis:

spgram_schmidt performs the gram_schmidt orthonormalisation on the input vectors.

It returns a list of orthogonal normalised vectors.

Examples:

Suppose a,b,c,d correspond to sparse matrices representing the following lists:- $\{\{1,0,0,0\},\{1,1,0,0\},\{1,1,1,0\},\{1,1,1,1\}\}$.

spgram_schmidt($\{\{a\},\{b\},\{c\},\{d\}\}$) $= \{\{1,0,0,0\},\{0,1,0,0\},\{0,0,1,0\},\{0,0,0,1\}\}$

6.21   sphermitian_tp

sphermitian_tp($\mathcal{A}$);

$\mathcal{A}$:-   a sparse matrix.

Synopsis:

sphermitian_tp computes the hermitian transpose of $\mathcal{A}$.

Examples:

$$\mathcal{J} = \begin{pmatrix} i+1 & i+2 & i+3 \\ 0 & 0 & 0 \\ 0 & i & 0 \end{pmatrix}$$

$$\text{sphermitian\_tp}(\mathcal{J}) \quad = \quad \begin{pmatrix} -i+1 & 0 & 0 \\ -i+2 & 0 & -i \\ -i+3 & 0 & 0 \end{pmatrix}$$

Related functions:

tp[†].

6.22   sphessian

sphessian(expr,variable_list);

[†]standard reduce call for the transpose of a matrix - see REDUCE User's Manual[2].

expr	:-	a scalar expression.	
variable_list	:-	either a single variable or a list of variables.	

Synopsis:

sphessian computes the hessian matrix of expr w.r.t. the variables in variable_list.

Examples:

$$\texttt{sphessian}(x * y * z + x^2, \{w, x, y, z\}) \;=\; \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 2 & z & y \\ 0 & z & 0 & x \\ 0 & y & x & 0 \end{pmatrix}$$

6.23 spjacobian

spjacobian(expr_list,variable_list);

expr_list	:-	either a single algebraic expression or a list of algebraic expressions.
variable_list	:-	either a single variable or a list of variables.

Synopsis:

spjacobian computes the jacobian matrix of expr_list w.r.t. variable_list.

Examples:

$$\texttt{spjacobian}(\{x^4, x * y^2, x * y * z^3\}, \{w, x, y, z\}) =$$

$$\begin{pmatrix} 0 & 4 * x^3 & 0 & 0 \\ 0 & y^2 & 2 * x * y & 0 \\ 0 & y * z^3 & x * z^3 & 3 * x * y * z^2 \end{pmatrix}$$

Related functions:

sphessian, df[‡].

6.24 spjordan_block

spjordan_block(expr,square_size);

[‡]standard reduce call for differentiation - see REDUCE User's Manual[2].

| expr | :- | an algebraic expression or symbol. |
| square_size | :- | a positive integer. |

Synopsis:

spjordan_block computes the square jordan block matrix $\mathcal{J}$ of dimension square_size.

Examples:

$$\texttt{spjordan\_block}(\texttt{x}, 5) \quad = \quad \begin{pmatrix} x & 1 & 0 & 0 & 0 \\ 0 & x & 1 & 0 & 0 \\ 0 & 0 & x & 1 & 0 \\ 0 & 0 & 0 & x & 1 \\ 0 & 0 & 0 & 0 & x \end{pmatrix}$$

Related functions:

spdiagonal, spcompanion.

6.25   splu_decom

splu_decom($\mathcal{A}$);

| $\mathcal{A}$ | :- | a sparse matrix containing either numeric entries or imaginary entries with numeric coefficients. |

Synopsis:

splu_decom performs LU decomposition on $\mathcal{A}$, ie: it returns $\{\mathcal{L}, \mathcal{U}\}$ where $\mathcal{L}$ is a lower diagonal matrix, $\mathcal{U}$ an upper diagonal matrix and $\mathcal{A} = \mathcal{LU}$.

caution:

The algorithm used can swap the rows of $\mathcal{A}$ during the calculation. This means that $\mathcal{LU}$ does not equal $\mathcal{A}$ but a row equivalent of it. Due to this, splu_decom returns $\{\mathcal{L}, \mathcal{U}, \text{vec}\}$. The call spconvert($\mathcal{A}$,vec) will return the sparse matrix that has been decomposed, ie: $\mathcal{LU} = $ spconvert($\mathcal{A}$,vec).

Examples:

$$\mathcal{K} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

$$\texttt{lu} := \texttt{splu\_decom}(\mathcal{K}) \;\; = \;\; \left\{ \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}, \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, [\, 1\, 2\, 3\,] \right\}$$

$$\texttt{first lu * second lu} \;\; = \;\; \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

$$\texttt{convert}(\mathcal{K},\texttt{third lu}) \;\; = \;\; \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

Related functions:

spcholesky.

6.26   spmake_identity

spmake_identity(square_size);

square_size   :-   a positive integer.

Synopsis:

spmake_identity creates the identity matrix of dimension square_size.

Examples:

$$\texttt{spmake\_identity}(4) \;\; = \;\; \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}$$

Related functions:

spdiagonal.

6.27   spmatrix_augment, spmatrix_stack

spmatrix_augment({mat$_1$,mat$_2$, ...,mat$_n$});[§]

mat$_1$,mat$_2$, ...,mat$_n$:-   matrices.

[§]The {}'s can be omitted.

Synopsis:

spmatrix_augment joins the matrices in matrix_list together horizontally.

spmatrix_stack joins the matrices in matrix_list together vertically.

Examples:

$$\text{spmatrix\_augment}(\{\mathcal{A}, \mathcal{A}\}) \quad = \quad \begin{pmatrix} 1 & 0 & 0 & 1 & 0 & 0 \\ 0 & 5 & 0 & 0 & 5 & 0 \\ 0 & 0 & 9 & 0 & 0 & 9 \end{pmatrix}$$

$$\text{spmatrix\_stack}(\{\mathcal{A}, \mathcal{A}\}) \quad = \quad \begin{pmatrix} 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \\ 1 & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

Related functions:

spaugment_columns, spstack_rows, spsub_matrix.

6.28   matrixp

matrixp(test_input);

test_input   :-   anything you like.

Synopsis:

matrixp is a boolean function that returns t if the input is a matrix of type sparse or matrix and nil otherwise.

Examples:

matrixp($\mathcal{A}$) = t

matrixp(doodlesackbanana) = nil

Related functions:

squarep, symmetricp, sparsematp.

6.29 spmatrix_stack

see: `spmatrix_augment`.

6.30 spminor

`spminor(`$\mathcal{A}$`,r,c);`

$\mathcal{A}$:- a sparse matrix.
r,c :- positive integers.

Synopsis:

`spminor` computes the (r,c)'th minor of $\mathcal{A}$.

Examples:

$$\texttt{spminor}(\mathcal{A}, 1, 3) \;=\; \begin{pmatrix} 0 & 5 \\ 0 & 0 \end{pmatrix}$$

Related functions:

`spremove_columns`, `spremove_rows`.

6.31 spmult_columns, spmult_rows

`spmult_columns(`$\mathcal{A}$`,column_list,expr);`

$\mathcal{A}$:- a sparse matrix.
column_list :- a positive integer or a list of positive integers.
expr :- an algebraic expression.

Synopsis:

`spmult_columns` returns a copy of $\mathcal{A}$ in which the columns specified in column_list have been multiplied by expr.

`spmult_rows` performs the same task on the rows of $\mathcal{A}$.

Examples:

$$\texttt{spmult\_columns}(\mathcal{A}, \{1, 3\}, x) \;=\; \begin{pmatrix} x & 0 & 0 \\ 0 & 5 & 0 \\ 0 & 0 & 9*x \end{pmatrix}$$

$$\texttt{spmult\_rows}(\mathcal{A}, 2, 10) \quad = \quad \begin{pmatrix} 1 & 0 & 0 \\ 0 & 50 & 0 \\ 0 & 0 & 9 \end{pmatrix}$$

Related functions:

spadd_to_columns, spadd_to_rows.

6.32   spmult_rows

see: spmult_columns.

6.33   sppivot

sppivot($\mathcal{A}$,r,c);

$\mathcal{A}$:-   a sparse matrix.
r,c   :-   positive integers such that $\mathcal{A}$(r,c) neq 0.

Synopsis:

sppivot pivots $\mathcal{A}$ about it's (r,c)'th entry.

To do this, multiples of the r'th row are added to every other row in the matrix.

This means that the c'th column will be 0 except for the (r,c)'th entry.

Related functions:

sprows_pivot.

6.34   sppseudo_inverse

sppseudo_inverse($\mathcal{A}$);

$\mathcal{A}$:-   a sparse matrix.

Synopsis:

sppseudo_inverse, also known as the Moore-Penrose inverse, computes the pseudo inverse of $\mathcal{A}$.

Examples:

$$\mathcal{R} = \begin{pmatrix} 0 & 0 & 3 & 0 \\ 9 & 0 & 7 & 0 \end{pmatrix}$$

$$\texttt{sppseudo\_inverse}(\mathcal{R}) = \begin{pmatrix} -0.26 & 0.11 \\ 0 & 0 \\ 0.33 & 0 \\ 0.25 & -0.05 \end{pmatrix}$$

Related functions:

spsvd.

6.35   spremove_columns, spremove_rows

spremove_columns($\mathcal{A}$,column_list);

$\mathcal{A}$:-   a sparse matrix.
column_list   :-   either a positive integer or a list of positive integers.

Synopsis:

spremove_columns removes the columns specified in column_list from $\mathcal{A}$.

spremove_rows performs the same task on the rows of $\mathcal{A}$.

Examples:

$$\texttt{spremove\_columns}(\mathcal{A}, 2) = \begin{pmatrix} 1 & 0 \\ 0 & 0 \\ 0 & 9 \end{pmatrix}$$

$$\texttt{spremove\_rows}(\mathcal{A}, \{1, 3\}) = \begin{pmatrix} 0 & 5 & 0 \end{pmatrix}$$

Related functions:

spminor.

6.36   spremove_rows

see: spremove_columns.

6.37 sprow_dim

see: `spcolumn_dim`.

6.38 sprows_pivot

`sprows_pivot`($\mathcal{A}$,r,c,{`row_list`});

$\mathcal{A}$	:-	a sparse matrix.
r,c	:-	positive integers such that $\mathcal{A}$(r,c) neq 0.
row_list	:-	positive integer or a list of positive integers.

Synopsis:

`sprows_pivot` performs the same task as `sppivot` but applies the pivot only to the rows specified in row_list.

Related functions:

`sppivot`.

6.39 sparsematp

`sparsematp`($\mathcal{A}$);

$\mathcal{A}$:-   a matrix.

Synopsis:

`sparsematp` is a boolean function that returns t if the matrix is declared sparse and nil otherwise.

Examples:

L:= `mat((1,2,3),(4,5,6),(7,8,9))`;

`sparsematp`($\mathcal{A}$) = t

`sparsematp`($\mathcal{L}$) = nil

Related functions:

`matrixp`, `symmetricp`, `squarep`.

6.40   squarep

squarep($\mathcal{A}$);

$\mathcal{A}$:-   a matrix.

Synopsis:

squarep is a boolean function that returns t if the matrix is square and nil otherwise.

Examples:

$$\mathcal{L} = \left(\begin{array}{ccc} 1 & 3 & 5 \end{array} \right)$$

squarep($\mathcal{A}$) = t

squarep($\mathcal{L}$) = nil

Related functions:

matrixp, symmetricp, sparsematp.

6.41   spstack_rows

see: spaugment_columns.

6.42   spsub_matrix

spsub_matrix($\mathcal{A}$,row_list,column_list);

$\mathcal{A}$	:-	a sparse matrix.
row_list, column_list	:-	either a positive integer or a list of positive integers.

Synopsis:

spsub_matrix produces the matrix consisting of the intersection of the rows specified in row_list and the columns specified in column_list.

Examples:

$$\texttt{spsub\_matrix}(\mathcal{A}, \{1,3\}, \{2,3\}) \;=\; \left(\begin{array}{cc} 5 & 0 \\ 0 & 9 \end{array} \right)$$

Related functions:

> spaugment_columns, spstack_rows.

6.43 spsvd (singular value decomposition)

> spsvd($\mathcal{A}$);
>
> $\mathcal{A}$:- a sparse matrix containing only numeric entries.

Synopsis:

> spsvd computes the singular value decomposition of $\mathcal{A}$.
>
> It returns $\{\mathcal{U}, \sum, \mathcal{V}\}$ where $\mathcal{A} = \mathcal{U} \sum \mathcal{V}^T$ and $\sum = diag(\sigma_1, \ldots, \sigma_n)$. σ_i for $i = (1 \ldots n)$ are the singular values of $\mathcal{A}$.
>
> n is the column dimension of $\mathcal{A}$.

Examples:

$$\mathcal{Q} = \begin{pmatrix} 1 & 0 \\ 0 & 3 \end{pmatrix}$$

$$\text{svd}(\mathcal{Q}) = \left\{ \begin{pmatrix} -1 & 0 \\ 0 & 0 \end{pmatrix}, \begin{pmatrix} 1.0 & 0 \\ 0 & 5.0 \end{pmatrix}, \begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix} \right\}$$

6.44 spswap_columns, spswap_rows

> spswap_columns($\mathcal{A}$,c1,c2);
>
> $\mathcal{A}$:- a sparse matrix.
> c1,c1 :- positive integers.

Synopsis:

> spswap_columns swaps column c1 of $\mathcal{A}$ with column c2.
>
> spswap_rows performs the same task on 2 rows of $\mathcal{A}$.

Examples:

$$
\texttt{spswap\_columns}(\mathcal{A}, 2, 3) \;=\;
\begin{pmatrix}
1 & 0 & 0 \\
0 & 0 & 5 \\
0 & 9 & 0
\end{pmatrix}
$$

Related functions:

  spswap_entries.

6.45   swap_entries

  spswap_entries($\mathcal{A}$,{r1,c1},{r2,c2});

  $\mathcal{A}$:-   a sparse matrix.
  r1,c1,r2,c2   :-   positive integers.

Synopsis:

  spswap_entries swaps $\mathcal{A}$(r1,c1) with $\mathcal{A}$(r2,c2).

Examples:

$$
\texttt{spswap\_entries}(\mathcal{A}, \{1, 1\}, \{3, 3\}) \;=\;
\begin{pmatrix}
9 & 0 & 0 \\
0 & 5 & 0 \\
0 & 0 & 1
\end{pmatrix}
$$

Related functions:

  spswap_columns, spswap_rows.

6.46   spswap_rows

  see: spswap_columns.

6.47   symmetricp

  symmetricp($\mathcal{A}$);

  $\mathcal{A}$:-   a matrix.

Synopsis:

  symmetricp is a boolean function that returns t if the matrix is symmetric and nil otherwise.

Examples:

$$\mathcal{M} = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$$

symmetricp$(\mathcal{A})$ = t

symmetricp$(\mathcal{M})$ = nil

Related functions:

matrixp, squarep, sparsematp.

7   Fast Linear Algebra

By turning the `fast_la` switch on, the speed of the following functions will be increased:

spadd_columns	spadd_rows	spaugment_columns	spcol_dim
spcopy_into	spmake_identity	spmatrix_augment	spmatrix_stack
spminor	spmult_column	spmult_row	sppivot
spremove_columns	spremove_rows	sprows_pivot	squarep
spstack_rows	spsub_matrix	spswap_columns	spswap_entries
spswap_rows	symmetricp		

The increase in speed will be insignificant unless you are making a significant number(i.e: thousands) of calls. When using this switch, error checking is minimised. This means that illegal input may give strange error messages. Beware.

8   Acknowledgments

This package is an extention of the code from the Linear Algebra Package for REDUCE by Matt Rebbeck[1].

The algorithms for `spcholesky`, `splu_decom`, and `spsvd` are taken from the book Linear Algebra - J.H. Wilkinson & C. Reinsch[3].

The `spgram_schmidt` code comes from Karin Gatermann's Symmetry package[4] for REDUCE.

References

[1] Matt Rebbeck: A Linear Algebra Package for REDUCE, ZIB , Berlin. (1994)

[2] Anthony C. Hearn: REDUCE User's Manual 3.6. RAND (1995)

[3] J. H. Wilkinson & C. Reinsch: Linear Algebra (volume II). Springer-Verlag (1971)

[4] Karin Gatermann: Symmetry: A REDUCE package for the computation of linear representations of groups. ZIB, Berlin. (1992)