


Actividad

Título de la actividad:

Script SQL con consultas CRUD y consultas JOIN funcionales sobre la base de datos existente.


CONSULTA 1



The screenshot shows the pgAdmin 4 interface. On the left, the 'Object Explorer' pane displays the database structure, with the 'owners' table selected under the 'Tables' folder. The 'Columns' list for 'owners' is expanded, showing fields like 'owner_id', 'first_name', 'last_name', 'company_name', 'email', 'phone', 'tax_id', and 'country'. The main query editor displays an SQL INSERT statement:

```
1 INSERT INTO owners
2 (
3     first_name,
4     last_name,
5     company_name,
6     email,
7     phone,
8     tax_id,
9     country
10 )
11 VALUES
12 (
13     'Martha',
14     'Santos',
15     'Turismo SV',
16     'martha@turismosv.com',
17     '7230-8888',
18     'SV-2026-001',
19     'El Salvador'
20 )
```

The 'Data Output' pane at the bottom shows the result: 'INSERT 0 1' and 'Query returned successfully in 74 msec.' The status bar indicates 'Total rows: Query complete 00:00:00.074'.



The screenshot shows the pgAdmin 4 interface. On the left, the 'Object Explorer' pane displays the database structure, with the 'accommodations' table selected under the 'Tables' folder. The 'Columns' list for 'accommodations' is expanded, showing fields like 'accommodation_id', 'owner_id', 'accommodation_type_id', 'location_id', 'name', 'description', 'max_guests', 'bedroom_count', 'bathroom_count', 'base_price_per_night', 'currency_code', 'check_in_time', 'check_out_time', 'is_active', 'created_at', and 'updated_at'. The main query editor displays an SQL SELECT statement:

```
9 -- country
10 --)
11 --VALUES(
12 -- 'Martha',
13 -- 'Santos',
14 -- 'Turismo SV',
15 -- 'martha@turismosv.com',
16 -- '7230-8888',
17 -- 'SV-2026-001',
18 -- 'El Salvador'
19 --);
20
21 SELECT * FROM owners ORDER BY owner_id DESC LIMIT 1;
```

The 'Data Output' pane at the bottom shows the result as a table with 7 columns: 'owner_id', 'first_name', 'last_name', 'company_name', 'email', 'phone', and 'tax_id'. The data row shows: 21, Martha, Santos, Turismo SV, martha@turismosv.com, 7230-8888, and SV-2026-001. The status bar indicates 'Total rows: 1 Query complete 00:00:00.060'.

CONSULTA 2

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with the 'accommodations' table selected under 'Tables (14)'. The table has 16 columns: accommodation_id (bigint), owner_id (bigint), accommodation_type_id (integer), location_id (bigint), name (character varying(150)), description (text), max_guests (integer), bedroom_count (integer), bathroom_count (integer), base_price_per_night (numeric(10,2)), currency_code (character(3)), check_in_time (time without time zone), check_out_time (time without time zone), is_active (boolean), created_at (timestamp without time zone), and updated_at (timestamp without time zone). The main query editor shows an INSERT statement:

```
-- 02. INSERTAR ALOJAMIENTO
INSERT INTO accommodations
(
    owner_id,
    accommodation_type_id,
    location_id,
    name,
    description,
    max_guests,
    bedroom_count,
    base_price_per_night,
    currency_code,
    check_in_time,
    check_out_time,
    is_active
)
VALUES
(
    1,
    1,
    1,
    'Hotel Arucha',
    'Alojamiento creado para practica SQL',
    4,
    2,
    1,
    75.00,
    'USD',
    '14:00:00',
    '11:00:00',
    TRUE
);
```

The Data Output tab shows the message: "Query returned successfully in 58 msec." The status bar indicates "Total rows: Query complete 00:00:00.058" and "CRLF Ln 60, Col 16".

The screenshot shows the pgAdmin 4 interface. The main query editor shows a SELECT statement:

```
SELECT * FROM accommodations ORDER BY accommodation_id DESC LIMIT 1;
```

The Data Output tab displays the result of the query as a table with 12 columns: accommodation_id, owner_id, accommodation_type_id, location_id, name, description, max_guests, and bedroom_count. The table contains one row of data:

accommodation_id	owner_id	accommodation_type_id	location_id	name	description	max_guests	bedroom_count
22	1	1	1	Hotel Arucha	Alojamiento creado para practica SQL	4	2

The status bar indicates "Total rows: 1 Query complete 00:00:00.082" and "CRLF Ln 65, Col 69".

CONSULTA 3

pgAdmin 4

Object Explorer

- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests (12)
 - Columns (12)
 - guest_id bigint
 - first_name character varying(100)
 - last_name character varying(100)
 - email character varying(150)
 - phone character varying(30)
 - date_of_birth date
 - nationality character varying(100)
 - passport_number character varying(50)
 - emergency_contact_name character vary
 - emergency_contact_phone character vary
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers

Processes X CONSULTAS_MINE... X ventas_mined/pos... X accommodation_d... X accommodation_d... X consultas_sql.sql X

tarea-mined/postgres@servidor local

Query History

```

66 -- SELECT * FROM accommodations ORDER BY accommodation_id DESC LIMIT 1;
67
68 -- 03. INSERTAR HUESPED Y RESERVA
69
70 INSERT INTO guests
71 (
72     first_name,
73     last_name,
74     email,
75     phone,
76     date_of_birth,
77     nationality
78 )
79 VALUES
80 (
81     'Dionisio',
82     'Arucha',
83     'darucha@turismosv.com',
84     '7663-2222',
85     '24/03/1962',
86     'Salvadoreño'
87 );
88

```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 59 msec.

Total rows: Query complete 00:00:00.059 CRLF Ln 87, Col 1

pgAdmin 4

Object Explorer

- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests (12)
 - Columns (12)
 - guest_id bigint
 - first_name character varying(100)
 - last_name character varying(100)
 - email character varying(150)
 - phone character varying(30)
 - date_of_birth date
 - nationality character varying(100)
 - passport_number character varying(50)
 - emergency_contact_name character vary
 - emergency_contact_phone character vary
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers

Processes X CONSULTAS_MINE... X ventas_mined/pos... X accommodation_d... X accommodation_d... X consultas_sql.sql X

tarea-mined/postgres@servidor local

Query History

```

70
71     first_name,
72     last_name,
73     email,
74     phone,
75     date_of_birth,
76     nationality
77 )
78 VALUES
79 (
80     'Dionisio',
81     'Arucha',
82     'darucha@turismosv.com',
83     '7663-2222',
84     '24/03/1962',
85     'Salvadoreño'
86 );
87
88 SELECT *
89 FROM guests
90 WHERE first_name = 'Dionisio'
91 AND last_name = 'Arucha';
92
93

```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport character
101	Dionisio	Arucha	darucha@turismosv.com	7663-2222	1962-03-24	Salvadoreño	[null]

Total rows: 1 Query complete 00:00:00.076 CRLF Ln 92, Col 1

CONSULTA 4

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests
 - locations
 - owners
 - payments
 - Columns (9)
 - payment_id bigint
 - booking_id bigint
 - payment_date timestamp without time zone
 - amount numeric(10,2)
 - payment_method character varying(50)
 - payment_status character varying(50)
 - transaction_reference character varying(100)
 - notes text
 - created_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers

Query History

```

90 WHERE transaction_id = 01011310
91 AND last_name = 'Arucha';
92
93
94 -- 04. INSERTAR PAGO
95
96 INSERT INTO payments
97 (
98     booking_id,
99     payment_date,
100     amount,
101     payment_method,
102     payment_status,
103     transaction_reference
104 )
105 VALUES
106 (
107     1,
108     '2026-06-15',
109     125.50,
110     'Credit Card',
111     'Completed',
112     'TXN-2026-001'
113 );

```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 55 msec.

Total rows: Query complete 00:00:00.055 CRLF Ln 110, Col 19

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests
 - locations
 - owners
 - payments
 - Columns (9)
 - payment_id bigint
 - booking_id bigint
 - payment_date timestamp without time zone
 - amount numeric(10,2)
 - payment_method character varying(50)
 - payment_status character varying(50)
 - transaction_reference character varying(100)
 - notes text
 - created_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers

Query History

```

92
93 -- 04. INSERTAR PAGO
94
95 INSERT INTO payments
96 (
97     booking_id,
98     payment_date,
99     amount,
100     payment_method,
101     payment_status,
102     transaction_reference
103 )
104 VALUES
105 (
106     1,
107     '2026-06-15',
108     125.50,
109     'Credit Card',
110     'Completed',
111     'TXN-2026-001'
112 );
113
114 SELECT * FROM payments ORDER BY payment_id DESC LIMIT 1;
115

```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

payment_id (PK) bigint	booking_id bigint	payment_date timestamp without time zone	amount numeric (10,2)	payment_method character varying (50)	payment_status character varying (50)	transaction_reference character varying (100)	notes text
1	92	2026-06-15 00:00:00	125.50	Credit Card	Completed	TXN-2026-001	[null]

Total rows: 1 Query complete 00:00:00.082 CRLF Ln 115, Col 57

CONSULTA 5

pgAdmin 4

Object Explorer

- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenties
 - accommodation_types
 - accommodations
 - amenties
 - booking_guests
 - booking_statuses
 - bookings
 - guests
 - locations
 - owners
 - payments
 - reviews
 - rooms
 - staff_users
- Trigger Functions
- Types
- Views
- Subscriptions
- ventas_mined
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications

Query History

```

VALUES
(
  1,
  '2026-06-15',
  125.50,
  'Credit Card',
  'Completed',
  'TXN-2026-001'
);
);

SELECT * FROM payments ORDER BY payment_id DESC LIMIT 1;

-- 5. Alojamientos activos
SELECT * FROM accommodations
WHERE is_active = TRUE;

```

Data Output

accommodation_id (PK) bigint	owner_id bigint	accommodation_type_id integer	location_id bigint	name character varying (150)	description text
1	1	9	7	Rustic Lodge Ville	Asimismo mes principios peso joven.
2	2	14	2	Rustic Hideaway Ville	Democratic change vote participant institution.
3	3	10	7	Boutique Retreat Ville	Eran buenos natural. General victoria rey su.
4	5	10	4	Panoramic Stay Ville	Quinze exiger auquel déposer personne. Repindre puis
5	6	18	3	Rustic Getaways de la Monta	Couner respect soutien enfoncer enco

Showing rows: 1 to 20 | Page No: 1 of 1

Successfully run. Total query runtime: 103 msec. 20 rows affected.

Total rows: 20 | Query complete 00:00:00.103

CONSULTA 6

pgAdmin 4

Object Explorer

- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenties
 - accommodation_types
 - accommodations
 - amenties
 - booking_guests
 - booking_statuses
 - bookings
 - guests
- Columns (12)
 - guest_id bigint
 - first_name character varying(100)
 - last_name character varying(100)
 - email character varying(150)
 - phone character varying(30)
 - date_of_birth date
 - nationality character varying(100)
 - passport_number character varying(50)
 - emergency_contact_name character varying(150)
 - emergency_contact_phone character varying(30)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers

Query History

```

'Credit Card',
'Completed',
'TXN-2026-001'
);
);

SELECT * FROM payments ORDER BY payment_id DESC LIMIT 1;

-- 5. Alojamientos activos
SELECT * FROM accommodations
WHERE is_active = TRUE;

-- 6. Huespedes por país
SELECT * FROM guests
WHERE nationality = 'Salvadoreño';

```

Data Output

guest_id (PK) bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	
1	101	Dionisio	Arucha	darucha@turismosv.com	7603-2222	1962-03-24	Salvadoreño

Showing rows: 1 to 1 | Page No: 1 of 1

Total rows: 1 | Query complete 00:00:00.093

CONSULTA 7

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- accommodation_types
- accommodations
- amenities
- booking_guests
- booking_statuses
- bookings
- Columns (19)
 - booking_id bigint
 - guest_id bigint
 - accommodation_id bigint
 - room_id bigint
 - booking_status_id integer
 - check_in_date date
 - check_out_date date
 - adult_count integer
 - child_count integer
 - total_nights integer
 - subtotal_amount numeric(10,2)
 - tax_amount numeric(10,2)
 - discount_amount numeric(10,2)
 - total_amount numeric(10,2)
 - special_requests text
 - booking_reference character varying(50)
 - booked_at timestamp without time zone
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers

Consultas

CONSULTAS_MINE... x ventas_mined/pos... x accommodation_d... x accommodation_d... x consultas_sql.sql* x

tarea-mined/postgres@servidor local

Query Query History

```

116 -- 5. Alojamientos activos
117 SELECT * FROM accommodations
118 WHERE is_active = TRUE;
119
120 -- 6. Huespedes por país
121 SELECT * FROM guests
122 WHERE nationality = 'Salvadoreño';
123
124 -- 7. Reservas por fecha
125 SELECT * FROM bookings
126 WHERE check_in_date
127 BETWEEN '2026-01-01' AND '2026-12-31';
128
129
130
131
132
133

```

Data Output Messages Notifications

Showing rows: 1 to 39 Page No: 1 of 1

	booking_id (PK) bigint	guest_id bigint	accommodation_id bigint	room_id bigint	booking_status_id integer	check_in_date date	check_out_date date	adult_count integer	child_count integer	total_ni integer
1	6	28	13	44	2	2026-04-08	2026-04-21	3	2	
2	7	66	4	15	3	2026-05-16	2026-05-26	4	2	
3	10	94	5	[null]	2	2026-01-07	2026-01-09	3	1	
4	12	12	20	50	4	2026-03-03	2026-03-08	1	3	
5	13	6	8	57	5	2026-01-31	2026-02-11	2	2	

Successfully run. Total query runtime: 108 msec. 39 rows affected. X

Total rows: 39 Query complete 00:00:00.108 CRLF Ln 132, Col 1

CONSULTA 8

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- accommodation_types
- accommodations
- amenities
- booking_guests
- booking_statuses
- bookings
- Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - currency_code character(3)
 - check_in_time time without time zone
 - check_out_time time without time zone
 - is_active boolean
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- amenities
- booking_guests
- booking_statuses
- bookings
- guests
- locations
- owners

Consultas

CONSULTAS_MINE... x ventas_mined/pos... x accommodation_d... x accommodation_d... x consultas_sql.sql* x

tarea-mined/postgres@servidor local

Query Query History

```

115 WHERE is_active = TRUE;
116
117 -- 6. Huespedes por país
118 SELECT * FROM guests
119 WHERE nationality = 'Salvadoreño';
120
121 -- 7. Reservas por fecha
122 SELECT * FROM bookings
123 WHERE check_in_date
124 BETWEEN '2026-01-01' AND '2026-12-31';
125
126 -- 8- Actualizar precio
127 UPDATE accommodations
128 SET base_price_per_night = 100.00
129 WHERE name = 'Hotel Arucha';
130
131
132

```

Data Output Messages Notifications

UPDATE 2

Query returned successfully in 94 msec.

Query returned successfully in 94 msec. X

Total rows: Query complete 00:00:00.094 CRLF Ln 132, Col 29

CONSULTA 9

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- accommodation_types
- accommodations
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - currency_code character(3)
 - check_in_time time without time zone
 - check_out_time time without time zone
 - is_active boolean
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- amenities
- booking_guests
- booking_statuses
- bookings
- guests
- locations
- owners

Query History

```

124 SELECT * FROM bookings
125 WHERE check_in_date
126 BETWEEN '2026-01-01' AND '2026-12-31';
127
128 -- 8. Actualizar precio
129
130 UPDATE accommodations
131 SET base_price_per_night = 100.00
132 WHERE name = 'Hotel Arucha';
133
134 -- 9. Estado reserva
135 -- 9. UPDATE BOOKING STATUS
136
137 UPDATE bookings
138 SET booking_status_id = 2
139 WHERE booking_id = 1;
140
141

```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 76 msec.

Total rows: Query complete 00:00:00.076

✓ Query returned successfully in 76 msec. ✕

CRLF Ln 139, Col 22

CONSULTA 10

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- accommodation_types
- accommodations
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - currency_code character(3)
 - check_in_time time without time zone
 - check_out_time time without time zone
 - is_active boolean
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- amenities
- booking_guests
- booking_statuses
- bookings
- guests
- locations
- owners

Query History

```

127 -- 8. Actualizar precio
128
129
130 UPDATE accommodations
131 SET base_price_per_night = 100.00
132 WHERE name = 'Hotel Arucha';
133
134 -- 9. Estado reserva (UPDATE BOOKING STATUS)
135
136 UPDATE bookings
137 SET booking_status_id = 2
138 WHERE booking_id = 1;
139
140 -- 10. DELETE REVIEW
141
142 DELETE FROM reviews
143 WHERE review_id = 1;
144

```

Data Output Messages Notifications

DELETE 1

Query returned successfully in 45 msec.

Total rows: Query complete 00:00:00.045

✓ Query returned successfully in 45 msec. ✕

CRLF Ln 143, Col 21

CONSULTA 11

pgAdmin 4

Object Explorer

- accommodation_types
- accommodations
- amenities
- booking_guests
- booking_statuses
- bookings
 - Columns (19)
 - booking_id bigint
 - guest_id bigint
 - accommodation_id bigint
 - room_id bigint
 - booking_status_id integer
 - check_in_date date
 - check_out_date date
 - adult_count integer
 - child_count integer
 - total_nights integer
 - subtotal_amount numeric(10,2)
 - tax_amount numeric(10,2)
 - discount_amount numeric(10,2)
 - total_amount numeric(10,3)
 - special_requests text
 - booking_reference character varying(50)
 - booked_at timestamp without time zone
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers

Query

```

-- 10. DELETE REVIEW
DELETE FROM reviews
WHERE review_id = 1;

-- 11. BOOKINGS + GUEST (INNER JOIN)
SELECT
  b.booking_id,
  g.first_name,
  g.last_name,
  b.check_in_date,
  b.check_out_date
FROM bookings b
INNER JOIN guests g
ON b.guest_id = g.guest_id;

```

Data Output

booking_id	first_name	last_name	check_in_date	check_out_date
1	2	Karl-Josef	2025-06-08	2025-06-16
2	3	Imtraut	2025-06-11	2025-06-25
3	4	Henri	2025-05-27	2025-05-29
4	5	Claude	2025-07-31	2025-08-03
5	6	Thomas	2026-04-08	2026-04-21
6	7	Tiburcio	2026-05-1	

Successfully run. Total query runtime: 58 msec. 100 rows affected.

CONSULTA 12

pgAdmin 4

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - Columns (3)
 - accommodation_type_id integer
 - type_name character varying(50)
 - description text
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - accommodations
 - Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - name character varying(150)

Query

```

ON b.guest_id = g.guest_id;

-- 12. COMPLETE ACCOMMODATION (MULTIPLE INNER JOIN)
SELECT
  a.accommodation_id,
  a.name AS accommodation_name,
  o.first_name,
  o.last_name,
  at.type_name AS accommodation_type
FROM accommodations a
INNER JOIN owners o
ON a.owner_id = o.owner_id
INNER JOIN accommodation_types at
ON a.accommodation_type_id = at.accommodation_type_id;

```

Data Output

accommodation_id	accommodation_name	first_name	last_name	accommodation_type
1	Rustic Lodge Ville	Anunciación	Real	Resort
2	Rustic Hideaway Ville	Ismael	Jacquot	Hostel
3	Boutique Retreat Ville	Ignacio	Stafford	Resort
4	Modern Escape Ville	Ignacio	Stafford	House
5	Panoramic Stay Ville	Ignacio	Stafford	House
6	Rustic Getaway de la Monta...	Zacharie		

Successfully run. Total query runtime: 66 msec. 22 rows affected.

CONSULTA 13

pgAdmin 4

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - Columns (3)
 - accommodation_type_id integer
 - type_name character varying(50)
 - description text
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - accommodations
 - Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - status character varying(20)

Query History

```

165 FROM accommodations a
166 INNER JOIN owners o
167   ON a.owner_id = o.owner_id
168 INNER JOIN accommodation_types at
169   ON a.accommodation_type_id = at.accommodation_type_id;
170
171 -- 13. PAYMENTS + BOOKINGS
172
173 SELECT
174   p.payment_id,
175   p.amount,
176   p.payment_method,
177   p.payment_status,
178   b.booking_id
179 FROM payments p
180 INNER JOIN bookings b
181   ON p.booking_id = b.booking_id;
182

```

Data Output

payment_id	amount	payment_method	payment_status	booking_id
1	2447.60	CreditCard	Completed	1
2	2437.43	CreditCard	Failed	2
3	199.38	Cash	Refunded	3
4	136.97	Crypto	Refunded	4
5	602.10	BankTransfer	Refunded	5
6	775.07	BankTransfer	Refunded	6

Total rows: 91 Query complete 00:00:00.077

Successfully run. Total query runtime: 77 msec. 91 rows affected.

CONSULTA 14

pgAdmin 4

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - Columns (3)
 - accommodation_type_id integer
 - type_name character varying(50)
 - description text
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - accommodations
 - Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - status character varying(20)

Query History

```

175 p.amount,
176 p.payment_method,
177 p.payment_status,
178 b.booking_id
179 FROM payments p
180 INNER JOIN bookings b
181   ON p.booking_id = b.booking_id;
182
183 -- 14. SIN RESEÑAS (ACCOMMODATIONS WITHOUT REVIEWS)
184
185 SELECT
186   a.accommodation_id,
187   a.name,
188   r.review_id
189 FROM accommodations a
190 LEFT JOIN reviews r
191   ON a.accommodation_id = r.accommodation_id;
192

```

Data Output

accommodation_id	name	review_id
10	Rustic Lodge boeuf	2
4	Modern Escape Ville	3
5	Panoramic Stay Ville	4
15	Luxury Nest Ville	5
3	Boutique Retreat Ville	6
4	Modern Escape Ville	7

Total rows: 61 Query complete 00:00:00.074

Successfully run. Total query runtime: 74 msec. 61 rows affected.

CONSULTA 15

pgAdmin 4

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - Columns (3)
 - accommodation_type_id integer
 - type_name character varying(50)
 - description text
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - accommodations
 - Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - status character varying(20)

Query

```

SELECT
  a.accommodation_id,
  a.name,
  r.review_id
FROM accommodations a
LEFT JOIN reviews r
  ON a.accommodation_id = r.accommodation_id;

-- 15. SIN RESERVAS (ACCOMMODATIONS WITHOUT BOOKINGS)
SELECT
  a.accommodation_id,
  a.name
FROM accommodations a
LEFT JOIN bookings b
  ON a.accommodation_id = b.accommodation_id
WHERE b.booking_id IS NULL;

```

Data Output

accommodation_id (PK) bigint	name character varying (150)
21	Hotel Arucha
22	Hotel Arucha

Showing rows: 1 to 2 | Page No: 1 of 1

Successfully run. Total query runtime: 147 msec. 2 rows affected.

CONSULTA 16

pgAdmin 4

Object Explorer

- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests
 - locations
 - owners
 - payments
 - Columns (9)
 - payment_id bigint
 - booking_id bigint
 - payment_date timestamp without time zone
 - amount numeric(10,2)
 - payment_method character varying(50)
 - payment_status character varying(50)
 - transaction_reference character varying(100)
 - notes text
 - created_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - reviews
 - rooms
 - staff_users

Query

```

-- 15. SIN RESERVAS (ACCOMMODATIONS WITHOUT BOOKINGS)
SELECT
  a.accommodation_id,
  a.name
FROM accommodations a
LEFT JOIN bookings b
  ON a.accommodation_id = b.accommodation_id
WHERE b.booking_id IS NULL;

-- 16. TOTAL INGRESOS (TOTAL REVENUE)
SELECT
  SUM(amount) AS total_ingresos
FROM payments;

```

Data Output

total_ingresos numeric
133311.91

Showing rows: 1 to 1 | Page No: 1 of 1

Successfully run. Total query runtime: 64 msec. 1 rows affected.

CONSULTA 17

pgAdmin 4

Object Explorer

- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests
 - locations
 - owners
 - payments
 - reviews
- Columns (9)
 - review_id bigint
 - booking_id bigint
 - guest_id bigint
 - accommodation_id bigint
 - rating integer
 - review_title character varying(150)
 - review_text text
 - review_date timestamp without time zone
 - created_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- rooms
- staff_users
- Trainer Functions

Query

```

196     a.accommodation_id,
197     a.name
198 FROM accommodations a
199 LEFT JOIN bookings b
200   ON a.accommodation_id = b.accommodation_id
201 WHERE b.booking_id IS NULL;
202
203 -- 16. TOTAL INGRESOS (TOTAL REVENUE)
204
205 SELECT
206     SUM(amount) AS total_ingresos
207 FROM payments;
208
209 -- 17. PROMEDIO RATING (AVERAGE RATING)
210
211 SELECT
212     AVG(rating) AS promedio_rating
213 FROM reviews;
  
```

Data Output

promedio_rating
3.1864406779661017

Showing rows: 1 to 1 of 1

Page No: 1 of 1

Successfully run. Total query runtime: 72 msec. 1 rows affected.

Total rows: 1 Query complete 00:00:00.072

CONSULTA 18

pgAdmin 4

Object Explorer

- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - guests
 - locations
 - owners
 - payments
 - reviews
- Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - currency_code character(3)
 - check_in_time time without time zone
 - check_out_time time without time zone
 - is_active boolean
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- amenities
- booking_guests
- booking_statuses
- bookings
- naeste

Query

```

209 -- 17. PROMEDIO RATING (AVERAGE RATING)
210
211 SELECT
212     AVG(rating) AS promedio_rating
213 FROM reviews;
214
215 -- 18. TOP ALOJAMIENTOS (TOP ACCOMMODATIONS)
216
217 SELECT
218     a.accommodation_id,
219     a.name,
220     COUNT(b.booking_id) AS total_reservas
221 FROM accommodations a
222 INNER JOIN bookings b
223   ON a.accommodation_id = b.accommodation_id
224 GROUP BY a.accommodation_id, a.name
225 ORDER BY total_reservas DESC
226 LIMIT 5;
  
```

Data Output

accommodation_id [PK] bigint	name character varying (150)	total_reservas bigint
1	18 Charming Stay los bajos	9
2	5 Panoramic Stay Ville	8
3	15 Luxury Nest Ville	6
4	11 Boutique Stay Ville	6
5	19 Boutique Suite los bajos	5

Showing rows: 1 to 5 of 1

Page No: 1 of 1

Successfully run. Total query runtime: 152 msec. 5 rows affected.

Total rows: 5 Query complete 00:00:00.152

CONSULTA 19

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - currency_code character(3)
 - check_in_time time without time zone
 - check_out_time time without time zone
 - is_active boolean
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - nuaste

Query History

```

221 FROM accommodations a
222 INNER JOIN bookings b
223   ON a.accommodation_id = b.accommodation_id
224 GROUP BY a.accommodation_id, a.name
225 ORDER BY total_reservas DESC
226 LIMIT 5;
227
228 -- 19. MAS DE 3 RESERVAS (ACCOMMODATIONS WITH MORE THAN 3 BOOKINGS)
229
230 SELECT
231   a.accommodation_id,
232   a.name,
233   COUNT(b.booking_id) AS total_reservas
234 FROM accommodations a
235 INNER JOIN bookings b
236   ON a.accommodation_id = b.accommodation_id
237 GROUP BY a.accommodation_id, a.name
238 HAVING COUNT(b.booking_id) > 3;
  
```

Data Output

accommodation_id (PK) bigint	name character varying (150)	total_reservas bigint
11	Boutique Stay Ville	6
8	Cozy Lodge Ville	5
19	Boutique Suite los bajos	5
4	Modern Escape Ville	5
14	Luxury Escape de la Montaña	4
3	Boutique Retreat Ville	5

Showing rows: 1 to 19 Page No: 1 of 1

Successfully run. Total query runtime: 134 msec. 19 rows affected.

Total rows: 19 Query complete 00:00:00.142 CRLF Ln 238, Col 32

CONSULTA 20

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Tables (14)
 - accommodation_amenities
 - accommodation_types
 - accommodations
 - Columns (16)
 - accommodation_id bigint
 - owner_id bigint
 - accommodation_type_id integer
 - location_id bigint
 - name character varying(150)
 - description text
 - max_guests integer
 - bedroom_count integer
 - bathroom_count integer
 - base_price_per_night numeric(10,2)
 - currency_code character(3)
 - check_in_time time without time zone
 - check_out_time time without time zone
 - is_active boolean
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - amenities
 - booking_guests
 - booking_statuses
 - bookings
 - nuaste

Query History

```

231   a.accommodation_id,
232   a.name,
233   COUNT(b.booking_id) AS total_reservas
234 FROM accommodations a
235 INNER JOIN bookings b
236   ON a.accommodation_id = b.accommodation_id
237 GROUP BY a.accommodation_id, a.name
238 HAVING COUNT(b.booking_id) > 3;
239
240 -- 20. ALOJAMIENTO MAS CARO (MOST EXPENSIVE ACCOMMODATION)
241
242 SELECT *
243 FROM accommodations
244 WHERE base_price_per_night =
245   (
246     SELECT MAX(base_price_per_night)
247     FROM accommodations
248   );
  
```

Data Output

accommodation_id (PK) bigint	owner_id bigint	accommodation_type_id integer	location_id bigint	name character varying (150)	description text
13	18	8	5	Panoramic Suite Ville	Acciones términos nuestro están cada. Pp imagen durante act

Showing rows: 1 to 1 Page No: 1 of 1

Successfully run. Total query runtime: 104 msec. 1 rows affected.

Total rows: 1 Query complete 00:00:00.104 CRLF Ln 248, Col 3