Donate

Learn to code — free 3,000-hour curriculum



Dillion Megida

Developer Advocate and Content Creator passionate about sharing my knowledge on Tech. I simplify JavaScript / ReactJS / NodeJS / Frameworks / TypeScript / et al My YT channel: youtube.com/c/deeecode

Nigeria • 82 posts •



#JAVASCRIPT

What is the Nullish Coalescing Operator in JavaScript, and how is it useful

Donate

Learn to code — free 3,000-hour curriculum




#JAVASCRIPT

What is Hoisting in JavaScript | Hoisting Functions, Variables and Classes



DILLION MEGIDA

A MONTH AGO



#JAVASCRIPT

Function Declaration vs Function Expression

Donate

Learn to code — free 3,000-hour curriculum




#JAVASCRIPT

Arrow Functions vs Regular Functions in JavaScript - What's the Difference?



DILLION MEGIDA

A MONTH AGO



#JAVASCRIPT

Why is the Second Argument in JSON.stringify() usually null?

Donate

Learn to code — free 3,000-hour curriculum




#JAVASCRIPT

How to replace links in a text with Anchor Tags using JavaScript



DILLION MEGIDA

2 MONTHS AGO




#JAVASCRIPT

Circular Reference Error in JavaScript - Meaning and How to Fix It

Donate

Learn to code — free 3,000-hour curriculum



#JAVASCRIPT

Dot Notation vs Bracket Notation for Object Properties – What's the Difference?



DILLION MEGIDA

3 MONTHS AGO



#JAVASCRIPT

How to Set Dynamic Object Properties using Computed Property Names

Donate

Learn to code — free 3,000-hour curriculum



#PYTHON

Exponent in Python - Power Function and Exponents Using a Loop



DILLION MEGIDA

3 MONTHS AGO




#JAVASCRIPT

Fall-Through in JavaScript Switch Statements – Explained with Examples

Donate

Learn to code — free 3,000-hour curriculum



#PYTHON

Python Length of List - How to Find the Size of a List



DILLION MEGIDA

4 MONTHS AGO



#JAVASCRIPT

Why a Ternary Operator is not a Conditional Operator in JS

Donate

Learn to code — free 3,000-hour curriculum



#JAVASCRIPT

Unary, Binary, and Ternary Operators in JavaScript – Explained with Examples



DILLION MEGIDA

4 MONTHS AGO



#JAVASCRIPT

Donate

Learn to code — free 3,000-hour curriculum



#PYTHON

How to Delete a File in Python - And Remove a Directory, Too



DILLION MEGIDA

4 MONTHS AGO



#JAVASCRIPT

Donate

Learn to code — free 3,000-hour curriculum



#CSS

CSS display:none and visibility:hidden - What's the Difference?



DILLION MEGIDA

5 MONTHS AGO



#PYTHON

Python Slicing - How to Slice an Array and What Does [::-1] Mean?

Donate

Learn to code — free 3,000-hour curriculum



#JAVASCRIPT

How to Generate a Random Number within Certain a Range in JavaScript



DILLION MEGIDA

6 MONTHS AGO




#CSS

CSS Pseudo-Classes - How the :is Pseudo-Class Works with Examples

Donate

Learn to code — free 3,000-hour curriculum




#JAVASCRIPT

How to Reverse an Array in JavaScript - JS .reverse() Function



DILLION MEGIDA

6 MONTHS AGO



#JAVASCRIPT

How to Merge Arrays in JavaScript - Array Concatenation in JS

Donate

Learn to code — free 3,000-hour curriculum



#JAVASCRIPT

Hoisting in JavaScript with let and const - and How it Differs from var



DILLION MEGIDA

6 MONTHS AGO



#JAVASCRIPT

Coercion and Type Conversion in JavaScript - Explained with Code Examples

Donate

Learn to code — free 3,000-hour curriculum

Load More Articles

freeCodeCamp is a donor-supported tax-exempt 501(c)(3) charity organization (United States Federal Tax Identification Number: 82-0779546)

Our mission: to help people learn to code for free. We accomplish this by creating thousands of videos, articles, and interactive coding lessons - all freely available to the public. We also have thousands of freeCodeCamp study groups around the world.

Donations to freeCodeCamp go toward our education initiatives, and help pay for servers, services, and staff.

You can make a tax-deductible donation here.

Trending Guides

What is a Framework? SQL HAVING

What Do CS Majors Do? What is OOP?

Discord Update Failed HTML textarea

Center an Image in CSS NVM for Windows

What is the MVC Model? Git Revert File

JavaScript replaceAll() GROUP BY in SQL

Python Switch Statement 2D Array in Java

Python string.replace() How to Install NVM

What is a Relational DB? Percentages in Excel

Split a String in Python JavaScript Timestamp

Git List Remote Branches Remove Item from Array JS

Donate

Learn to code — free 3,000-hour curriculum

Three Dots Operator in JS

String to Int in JavaScript

How to Format Dates in JS

What's the .gitignore File?

Our Charity

About Alumni Network Open Source Shop Support Sponsors Academic Honesty

Code of Conduct Privacy Policy Terms of Service Copyright Policy