

**EDGE**

**2016**

*PROFESSIONAL CYCLING COMPONENTS*




**EDGE DESIGN**

<b>ROAD FRAMESET SERIES .....</b>	<b>1-5</b>
ADROITE · AVANCE · ALLER · AIRY SL · ALICANTE ·	
ANLACE · AXION SL · FOX II · ASCETIC	
<b>MTB FRAMESET SERIES .....</b>	<b>6-11</b>
PHANTOM · PHAETON 650B · PHAETON 29ER · PHAETON 650B PLUS ·	
PICCOLO 650B SL · PICCOLO 29ER SL · PYRENEES 650B · PYRENEES 29ER ·	
PYRENEES 650B AM PRO 150 · PYRENEES 29ER AM PRO 150 · ARTIC · TALLYHO	
<b>TRACK FRAMESET SERIES .....</b>	<b>12</b>
STINGER	
<b>TT FRAMESET SERIES .....</b>	<b>12-13</b>
TRIDENT · SPRINT-2	
<b>CX FRAMESET SERIES .....</b>	<b>13</b>
CCX PRO	
<b>E BIKE FRAME .....</b>	<b>14</b>
PINNACLE 29ER · PINNACLE URBAN	
<b>WHEELSET SERIES .....</b>	<b>15-22</b>
AERO DISK(TUBULAR/CLINCHER) · AERO FOUR SPOKE · AERO 30T ·	
AERO 45T · AERO 80T · AERO 30C · AERO 45C · AERO 80C ·	
XLR-280 · XLR-200 · XLR-300 · THUNDERBOLT 275 ·	
THUNDERBOLT 29ER · XLR-650B · XLR-29ER	
<b>HANDLEBAR SERIES .....</b>	<b>23-24</b>
HB-SR-AW · HB-SL-A75 · HB-CSL-33 · HB-CSL-68 · HB-ISR ·	
HB-SL-AL1 · HB-CSL-ACM4 · HB-CSL-ACM1	
<b>FORK SERIES .....</b>	<b>25</b>
FK26/ FK650B/ FK29ER · FK10F · FK650B PLUS	
<b>SADDLE SERIES .....</b>	<b>26</b>
SD10 · SD04 · SD08 · SD16 · SD09 · SD1133 · SD2059	
<b>SEAT POST SERIES .....</b>	<b>27</b>
SP-CSL1 · SP-CSL2 · SP-CSL3 · SP-SL	
<b>STEM SERIES .....</b>	<b>28</b>
SM-SL · SM-C75 · SM-3D	
<b>QUICK RELEASE .....</b>	<b>28</b>
QR03 · QR58	
<b>BOTTLE CAGE / MISCELLANEOUS .....</b>	<b>29</b>
BC009 · BOT-012 · BOT-FIGMO · BK1992R · BK1297A · BK1903R ·	
TNBOLT · BK1990D-L	

# EDGE DESIGN

## ROAD FRAME SERIES




SIZE	S	SC	O	HS	HC	OT	WB	FC	RC	G	Reach	Stack
480	480	74.8°	515	125	71.3°	45	976.4	578.4	408	69	373.6	521.5
500	500	74.3°	525	135	72°	45	975.7	577.7	408	69	375.4	533.5
520	520	73.5°	535	145	72°	45	977.3	579.4	408	70	373.9	544
540	540	73°	550	160	72.3°	45	984.5	586.6	408	70	379	559.3
560	560	72.5°	560	170	72.3°	45	989.2	591.2	408	70	380.6	568.9
580	580	72.5°	570	190	73°	45	992.1	594.1	408	70	383.8	590.5

### ADROITE

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head tube	1 1/8"- 1 1/2"
Seat post	Aero
Size	480/ 500/ 520/ 540/ 560/ 580 mm
Weight(frame)	1050g ± 50g
BB type	BB86/ BSA/ BB30/ PF30
Seat tube	Aero

\* Shimano flat mount disc version available



### AVANCE


SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
430	430	75°	515	100	71.5°	370	45	971.7	576.8	405	69	380.7	501.1
470	470	74°	536	120	72.5°	370	45	975.3	580.4	405	69	385.9	523.4
495	495	73.5°	548	140	73°	370	45	978	583.1	405	69	386.9	543.8
510	510	73.25°	565	160	73.5°	370	45	987.7	592.7	405	69	394.9	565
540	540	73°	587	180	73.5°	370	45	1006.8	611.7	405	69	408.3	584.2

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head tube	1 1/8"- 1 1/2"
Seat post	Aero
Size	430/ 470/ 495/ 510/ 540 mm
Weight(frame)	950g ± 25g
BB type	BB86
Seat tube	Aero

\* Shimano flat mount disc version available

# EDGE DESIGN

## ROAD FRAME SERIES




SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
440	440	74.5°	520	115	71.5°	368	45	978	577.7	410	68	377.8	511.8
470	470	73.6°	540	135	72.5°	368	45	980.9	580.6	410	68	382.4	534.2
510	510	73°	555	155	73°	368	45	985.5	584.9	410	68	385	555
540	540	73°	570	170	73°	368	45	1000.2	599.7	410	68	395.6	569.3
570	570	72.5°	590	190	73.5°	368	45	1009.4	609	410	68	403.5	590.2

### ALLER

Feature	Carbon monocoque road frame ,direct mount brake/DI2 compatible
Head tube	48/57 mm , 1 1/8"- 1 1/2"
Seat post	Aero
Size	440/ 470/ 510/ 540/ 570 mm
Weight (frame)	985g ± 50g
BB type	BSA/ BB30/ PF30/ BB86
Seat tube	Aero

\* Shimano flat mount disc version available




### AIRY SL

Feature	Carbon monocoque super light road frame. DI2 compatible.
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	27.2 mm
Size	450/ 480/ 500/ 520/ 540/ 560/ 580/ 600 mm
Weight(frame)	850g ± 50g
BB type	BSA/ BB30/ PF30/ BB86/ BB386
Seat tube	31.8 mm

\* Disc version available

# EDGE DESIGN


## ROAD FRAME SERIES



SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	HD	HB
450	450	75°	505	100	71°	370	45	965.6	570	405	69	367.7	498	46	46
480	480	74.5°	515	110	71.5°	370	45	967.6	572.7	405	69	371.7	510	46	46
500	500	74.5°	525	115	72°	370	45	973.6	578.6	405	69	374	516.5	46	46
520	520	74°	535	120	72.5°	370	45	974.5	579.5	405	69	381	522.5	46	46
540	540	73.5°	545	140	73°	370	45	975.2	580.3	405	69	384	543.2	46	46
560	560	73.5°	560	160	73°	370	45	990	595	405	69	385	558.3	46	46
580	580	73°	575	180	73.5°	370	45	995	600	405	69	395	584	46	46
600	600	72.5°	590	200	73.5°	370	45	1004.2	609	405	69	396.4	602.7	46	46

### ALICANTE

Feature	Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post
Head tube	1 1/8"
Seat post	Aero
Size	450/ 480/ 500/ 520/ 540/ 560/ 580/ 600 mm
Weight (frame)	1030g ± 50g
BB type	BSA/ BB30/ PF30/ BB86/ BB386
Seat tube	Aero




### ANLACE

Feature	Carbon monocoque road frameset, DI2 compatible.
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	27.2 mm
Size	450/ 470/ 490/ 510/ 530/ 550/ 580 mm
Weight(frame)	1000g ± 50g
BB type	BSA/ BB30/ BB86/ PF30
Seat tube	31.8 mm

# EDGE DESIGN


## ROAD FRAME SERIES



### AXION SL

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
470	470	420	75°	500	487.1	100	71.5°	371	43	955.1	560	405	68	366.4	498.6
490	490	440	74°	510	494.8	120	72°	371	43	952.3	557.1	405	68	360.4	521.7
510	510	460	73.5°	530.4	514.3	132.8	72.1°	371	43	967.2	572	405	68	372.2	534.2
540	540	490	73°	548	532.7	145	73.1°	371	43	970.5	575.3	405	68	380.1	549.2
565	565	515	72.5°	569.1	552.4	171.1	73.1°	371	43	986.1	590.7	405	68	388.1	574.2
590	590	540	72°	590.7	572.6	197.3	73.1°	371	43	1004.6	606.2	405	68	396	599.3

Feature	Carbon monocoque super light road frame, DI2 compatible.
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	27.2 mm
Size	470/ 490/ 510/ 540/ 565/ 590 mm
Weight(frame)	765g ± 30g
BB type	BSA/ BB30/ PF30
Seat tube	31.8 mm




### FOX II

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
450	450	400	75°	510	495.5	100	71°	368	45	970.4	575.8	405	70	376.6	498.7
480	480	430	74.5°	525	510	115	72°	368	45	973	578.4	405	70	381.8	516.3
510	510	460	74°	540	524.7	135	72.5°	368	45	980.2	584.9	405	68	386.5	535
540	540	490	73.5°	555	539.7	155	73°	368	45	985.8	590.4	405	68	390.3	555.9
570	570	520	73°	570	555.4	175	73°	368	45	995.5	600.1	405	68	394.2	575

Feature	Super light road carbon frame.
Head tube	48/57mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	450/ 480/ 510/ 540/ 570 mm
Weight(frame)	900g ± 50g
BB type	BSA/ BB30/ PF30/ BB86/ BB386
Seat tube	34.9 mm

# EDGE DESIGN

## ROAD FRAME SERIES



### ASCETIC


SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
510	510	465	74°	520	516.1	102	72.5°	365	45	959.7	564.22	405	67	377.74	496.21
530	530	485	74°	535	530.9	120	73°	365	45	970.8	575.27	405	67	387.35	515
550	550	505	73.5°	550	545.1	140	73°	365	45	981.1	585.5	405	67	391.81	534.13
570	570	525	73.5°	565	560.15	160	73°	365	45	996.3	600.6	405	67	401.14	553.25
590	590	545	73°	575	569.31	180	73°	365	45	1003	605.29	407	67	400.01	572.37

Feature	Super light Titanium road frame, Integrated headset.
Head tube	46 mm, 1 1/8"
Seat post	27.2 mm
Size	510/ 530/ 550/ 570/ 590 mm
BB type	BSA/ BB30/ BB86
Seat tube	31.8 mm



# EDGE DESIGN


## MTB FRAME SERIES



SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
17"	432	72.5°	595	105	68.5°	506	51	1109.8	676.7	425	60	402.3	611.3
19"	483	115°	617	110	68.5°	506	51	1131.8	698.6	425	60	422.4	616
21"	533	125°	639	115	68.5°	506	51	1154.6	721.3	425	60	443.3	520.7

### PHANTOM


Feature	Carbon 27.5/29er MTB frame, TA 12mm dropout
Head tube	1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	17"/ 19"/ 21"
Weight(frame)	1300g ± 50g
BB type	BB92
Seat tube	34.9 mm



SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	73°	562	95	69°	485	43	1073.4	650.3	427	45	398	561
17.5"	440	73°	587.6	100	69°	485	43	1087.4	664.4	427	45	410.9	578.1
19"	480	73°	602	105	69°	485	43	1098.1	675	427	45	425.7	583.4
20.5"	520	73°	617	110	69°	485	43	1113.5	690.3	427	45	437.8	598

### PHAETON 650B

Feature	27.5" MTB carbon frame, QR/TA 12mm dropout
Head tube	48/57 mm , 1 1/8"-1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19.5"/ 20.5"
Weight (frame)	1145g ± 50g
BB type	BSA/ BB30/ PF30/ BB92
Seat tube	37.0 mm




PHAETON 29ER (Length: mm/ Angle: °)

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	72.5°	580	100	69.5°	506	45	1087.7	644.5	440	60	387.1	612
17.5"	440	72.5°	600	105	69.5°	506	45	1097.7	663.6	440	60	404.3	618
19"	483	72.5°	620	110	69.5°	506	45	1107.7	684.5	440	60	419.8	632
21"	533	72.5°	640	115	69.5°	506	45	1117.7	704.5	440	60	438	640.8

### PHAETON 29ER

Feature	29er MTB carbon frame, QR/TA 12mm dropout
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19.5"/ 20.5"
Weight(frame)	1185g ± 50g
BB type	BSA/ BB30/ PF30/ BB92
Seat tube	37.0 mm




PHAETON 650B PLUS (Length: mm/ Angle: °)

### PHAETON 650B PLUS

Feature	27.5" PLUS MTB carbon frame, OLD 12*148MM
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19.5"/ 20.5"
Weight (frame)	1254g ± 50g
BB type	BSA/ BB30/ PF30/ BB92
Seat tube	37.0 mm

SIZE	S	SP	SC	SL	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	341	72.5°	110.8	580	555	100	69.5°	506	45	1077.4	644.3	440	60	387	612
17.5"	440	385	72.5°	126.6	600	572	105	69.5°	506	45	1097.7	664.5	440	60	405	618
19"	483	431.3	72.5°	140.4	620	584.7	120	69.5°	506	45	1117.6	684.3	440	60	420	632
21"	533	478.2	72.5°	157.6	640	606.5	130	69.5°	506	45	1139.3	705.7	440	60	438	641


**EDGE DESIGN**  
**MTB FRAME SERIES**



**PICCOLO 650B SL**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	400	347.3	73.5°	570	555.9	101	70°	485	43	1064.4	640.3	428	45	398	581
17.5"	435	381.6	73°	595	570.8	115	70.5°	485	43	1078	654	428	45	410.1	598.1
19"	480	427.1	73°	610	584.2	120	71°	485	43	1089.1	665	428	45	425.7	603.4
20.5"	520	466.9	73°	625	599.1	130	71°	485	43	1104.5	680.3	428	45	437.8	618

Feature	Super light 650B MTB frame, QR/TA 12mm dropout
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	27.2 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(frame)	950g ± 50g
BB type	BSA/ BB30/ PF30/ BB92
Seat tube	31.8 mm




**PICCOLO 29ER SL**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15.5"	395	341	72.5	580	555	100	69.5°	506	45	1077.4	644.3	440	60	387.1	611.9
17.5"	440	385	72.5°	600	572	105	69.5°	506	45	1097.7	664.5	440	60	405	618
19"	483	431.3	72.5°	620	584.7	120	69.5°	506	45	1117.6	684.3	440	60	419.8	632.1
20.5"	533	478.2	72.5°	640	606.5	130	69.5°	506	45	1139.3	705.7	440	60	438	640.8

Feature	Super light 29er MTB carbon frame, QR/TA 12mm dropout
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 21"
Weight(frame)	900g ± 50g
BB type	BSA/ BB30/ PF30/ BB92
Seat tube	34.9 mm

# EDGE DESIGN


## MTB FRAME SERIES



### PYRENEES 650B

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	395	74.5°	559	95	69°	502	51	1098	662.1	435	45	397.6	582	110	190
17.5"	445	74.5°	585	100	69°	502	51	1117.7	686.6	435	45	412.7	588.7	110	190
19"	483	74.5°	600	115	69°	502	51	1141	705.1	435	45	433.4	600.7	110	190
20.5"	520	74.5°	630	125	69°	502	51	1172	736.1	435	45	460.8	610	110	190

Feature	Carbon 27.5" MTB suspension frame, XC, travel 110mm,TA 12mm dropout
Head tube	1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(frame)	2000g ± 50g
BB type	BB92
Seat tube	34.9 mm




### PYRENEES 29ER

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	395	73.6°	560.5	95	68°	520	51	1105.5	668.1	440	38	386.9	589.2	110	190
17.5"	445	73.6°	587.5	100	68°	520	51	1129.5	692.1	440	38	412.7	595.1	110	190
19"	483	73.6°	602	115	68°	520	51	1149	711.4	440	38	422.4	608.5	110	190
20.5"	520	73.6°	632	125	68°	520	51	1180	742.6	440	38	449.6	618.3	110	190

Feature	Carbon 29er MTB suspension frame, XC, travel 110mm,TA 12mm dropout
Head tube	1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 20.5"
Weight(frame)	2000g ± 50g
BB type	BB92
Seat tube	34.9 mm

# EDGE DESIGN


## MTB FRAME SERIES



### PYRENEES 650B AM PRO 150

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	400	74°	580	100	68°	540	45	1134.7	694.8	440	5	413.2	591	150	200
17.5"	445	74°	600	110	68°	540	45	1155.5	715.5	440	5	430.2	591	150	200
19"	483	74°	620	120	68.5°	540	45	1171	731	440	5	447.1	602.9	150	200

Feature	Carbon 27.5" MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19"
Weight(frame)	2500g ± 50g
BB type	BSA/ BB30/ PF30
Seat tube	34.9 mm




### PYRENEES 29ER AM PRO 150

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	Travel	Shock Eye to Eye
15.5"	400	74°	580	100	69°	550	46	1136.2	680	457	25	402.2	620	150	200
17.5"	440	74°	600	110	69°	550	46	1157	701	457	25	419.5	629.3	150	200
19"	480	74°	620	120	69°	550	46	1178	722	457	25	436.8	638.7	150	200
21"	530	74°	640	135	69°	550	46	1198.9	743	457	25	454.2	648	150	200

Feature	Carbon 29" MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15.5"/ 17.5"/ 19"/ 21"
Weight(frame)	2500g ± 50g
BB type	BSA/ BB30/ PF30
Seat tube	34.9 mm


**EDGE DESIGN**  
**MTB FRAME SERIES**



**ARTIC**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15"	381	316	67.5°	583	562.1	115	69.5°	468	45	1112	651.6	467	60	401.9	590.3
17"	432	366.4	67.5°	602	576.4	135	70°	468	45	1126.8	666.4	467	60	415.2	611.2
19"	483	416.5	67.5°	622	597	155	70°	468	45	1148	687.5	467	60	429.5	630
21"	533	466	67.5°	640	611.6	175	70°	468	45	1167	706.4	467	60	441.6	648.8

Feature	Fatbike carbon frame, QR/TA 12mm dropout
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	15"/ 17"/ 19"/ 21"
Weight(frame)	1100g ± 50g
BB type	BSA/ BB30/ PF30/ BB386
Seat tube	34.9 mm




**TALLYHO**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
15"	381	326	73°	538.6	520	110	71°	445	38	1005.1	588.1	420	38	370.8	548.9
17"	432	377	73°	579	554.7	110	71°	445	38	1045.5	628.4	420	38	411.2	548.9
19"	483	428	73°	598	576	110	71°	445	38	1064.5	647.4	420	38	430.2	548.9
21"	533	478	73°	608.3	591.3	125	71°	445	38	1075.3	658.2	420	38	436.1	563.1

Feature	Titanium MTB frame. Integrated headset
Head tube	46 mm
Seat post	27.2 mm
Size	15"/ 17"/ 19"/ 21"
BB type	BSA/ BB30/ BB92
Seat tube	31.8 mm


**EDGE DESIGN**  
**TRACK FRAME / TT FRAME SERIES**



**TRIDENT**

SIZE	S	SC	O	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
505	505	77°	480	100	70.3	370	45	954.3	570.5	395	72	364.8	499.2
525	525	77°	505	115	71.5°	370	45	970.4	586.5	395	72	385.5	517.7
549	549	77°	530	140	72°	370	45	993.3	609.2	395	72	404.6	543.1
577	577	77°	560	165	72.5°	370	45	1020.8	636.5	395	72	428.7	568.7

Feature	Carbon monocoque aerodynamic triathlon frame. DI2 compatible. Include fork ,seat post, stem and handle bar
Head tube	1 1/8"
Seat post	Aero
Size	505/ 525/ 549/ 577 mm
Weight(frame)	1430g ± 25g
BB type	BSA/ BB30/ PF30/ BB86
Seat tube	Aero




**STINGER**

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	HD	HB
490	498	473	75	516	517	85	72.5°	368	35	932	560	380	60	386.8	471.1	48	57
510	505	477.5	75°	535	536	90	72.5°	368	35	951	579	380	60	404.5	487.1	48	57
540	520	492	75°	557	558	105	72.5°	368	35	974	601.5	380	60	422.6	501.4	48	57
560	539	512	75°	573	574	125	72.5°	368	35	991	618	380	60	433.5	509.3	48	57

Feature	Carbon track frame include fork and seatpost
Head tube	48/57 mm,1 1/8"- 1 1/2"
Seat post	Aero
Size	490/ 510/ 540/ 560 mm
Weight(frame)	1850g ± 50g
BB type	BSA/ BB30
Seat tube	Aero


**EDGE DESIGN**  
**TT FRAME / CX FRAMESET SERIES**



SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack	HD	HB	ST
450	450	435	75°	490	488	91.5	71°	370	45	945.5	562.5	395	75	372.5	453.5	46	46	75
490	515	500	75°	511	511.5	101.5	72.5°	370	45	945.5	562.8	395	75	378	512	46	46	75
520	525	510	75°	531.5	532	111.5	72.5°	370	45	967	584	395	75	396	521.5	46	46	75
540	542	527	75°	550.5	551	129.5	72.5°	370	45	986.5	603.5	395	75	410	538	46	46	75
560	561	546	75°	569	569.5	148	72.5°	370	45	1006	622.5	395	75	424	556	46	46	75

### SPRINT-2

Feature	Carbon time trial frame with fork, seat post and handle bar. Front brake:mini V ; rear brake:direct mount
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	OVAL
Size	450/ 490/ 520/ 540/ 560 mm
Weight(frame)	1360g ± 50g
BB type	BSA/ BB30/ PF30
Seat tube	Aero



### CCX PRO


Feature	Carbon cyclocross frame
Head tube	48/57 mm, 1 1/8"- 1 1/2"
Seat post	27.2 mm
Size	480/ 500/ 520/ 540/ 560/ 580 mm
Weight(frame)	1100g ± 50g
BB type	BSA/ BB30/ PF30/ BB386
Seat tube	31.8 mm

\* Disc version available

SIZE	S	SP	SC	O	OS	HS	HC	F	OT	WB	FC	RC	G	Reach	Stack
480	480	445	75.5°	510	501.4	100	70.5°	400	45	1009.4	590	425	53	378	510
500	500	465	75°	525	516.3	115	70.5°	400	45	1020.8	601.5	425	53	384.5	524
520	520	485	74.5°	535	526.2	125	71°	400	45	1021.1	602.2	425	55	386	537.5
540	540	505	74°	545	536.8	135	71.5°	400	45	1021.7	602.8	425	55	387.5	548.5
560	560	525	73.5°	560	552.2	145	72°	400	45	1026.6	607.6	425	57	393.5	562.5
580	580	545	73°	575	566.8	160	72.5°	400	45	1030.9	612.4	425	57	398	578.5

# EDGE DESIGN


## E BIKE FRAME



SIZE	S	SC	O	HS	HC	F	OT	WB	RC	G	Reach	Stack
16"	408	74°	575	105	69°	508	46	1143	475	58	399	614
18"	457	73.5°	616	115	70°	508	46	1158	475	58	431	628
20"	508	73°	640	125	71°	508	46	1165	475	58	444	641

### PINNACLE 29ER


Feature	Carbon monocoque 29er MTB E bike frame
Head tube	48/58 mm , 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	16"/ 18"/ 20"
Weight (frame)	1725g ± 50g
BB type	Compatible with SHIMANO STEPS Electric Power System
Seat tube	34.9 mm



SIZE	S	SC	O	HS	HC	F	OT	WB	RC	G	Reach	Stack
460	460	74.3°	560	150	68.5°	473	44	1101.6	455	68	382.5	631.5
480	480	74°	588	160	69°	473	44	1121	455	68	403.6	643.2
500	500	73.5°	580	170	69.5°	473	44	1102.3	455	68	386	654.9
520	520	73°	590	180	70°	473	44	1100.8	455	68	386.2	666.6


### PINNACLE URBAN

Feature	Carbon monocoque 700C trekking E bike frame
Head tube	48/60 mm , 1 1/8"- 1 1/2"
Seat post	31.6 mm
Size	460/ 480/ 500/ 520 mm
Weight(frame)	1845g ± 50g
BB type	Compatible with SHIMANO STEPS Electric Power System
Seat tube	34.9 mm




### AERO REAR DISK

Rim Size	FALT DISK WHEEL
Model	AERO REAR DISK
Rim Type	Carbon Tubular / Clincher
E.R.D	N/A
Spoke	N/A
Shape	N/A
Material	N/A
Nipple Material & Gauge	N/A
Lacing	N/A
Hub	MARU0708
Bearings	4 sealed bearing
Freehub Type	Track/Shimano/Campy/Sram 10/11s
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	Track:120mm/Road :130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1100g



### AERO 4 SPOKE

Rim Size	4 SPOKE WHEEL
Model	AERO 4 SPOKE
Rim Type	Carbon Tubular
E.R.D	N/A
Spoke	N/A
Shape	N/A
Material	N/A
Nipple Material & Gauge	N/A
Lacing	N/A
Hub	MARU0708
Bearings	4 sealed bearing
Freehub Type	Track/Shimano/Campy/Sram 10/11s
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	Track:120mm/Road :130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1075g




### AERO 30T

Rim Size	30mm	
Model	AERO 30T	
Rim Type	Carbon Tubular	
E.R.D	581.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1325.4g	1369.4g


### AERO 45T

Rim Size	45mm	
Model	AERO 45T	
Rim Type	Carbon Tubular	
E.R.D	551.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1365.4g	1409.4g




### AERO 80T

Rim Size	80mm	
Model	AERO 80T	
Rim Type	Carbon Tubular	
E.R.D	482	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/Campy/Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1645.4g	1689.4g




### AERO 30C

Rim Size	30mm	
Model	AERO 30C	
Rim Type	Carbon Clincher	
E.R.D	581.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1505.4g	1549.4g




### AERO 45C

Rim Size	45mm	
Model	AERO 45C	
Rim Type	Carbon Clincher	
E.R.D	551.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/ Campy/ Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1605.4g	1649.4g




### AERO 80C

Rim Size	80mm	
Model	AERO 80C	
Rim Type	Carbon Clincher	
E.R.D	481.9	
Spoke	Sapim CX-Ray 20/24	Sapim Race 20/24
Shape	AERO 2.0-(0.9x2.2)-2.0 mm	Round D.B 14G 2.0-1.8-2.0 mm
Material	Stainless	Stainless
Nipple Material & Gauge	Alloy Sapim inverted nipple 10mm	Alloy Sapim inverted nipple 10mm
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 332RR	EDGE 288JR
Bearings	2/4 sealed bearing	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram 10/11s	Shimano/Campy/Sram
Freehub Switchable	Yes	Yes
Freehub Material	Alloy	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm	F:100mm/R:130mm
Axle Material	Alloy	Alloy
Skewer Type	QR	QR
Weight (w/o skewer)	1875g	1919g




### XLR-280

Rim Size	W:23mm,H:28mm
Model	XLR-280
Rim Type	Alloy Clincher
E.R.D	581
Spoke	20/24
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 288JR
Bearings	2/4 sealed bearing
Freehub Type	Shimano/Campy/Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1541g




### XLR-200

Rim Size	22mm
Model	XLR-200
Rim Type	Alloy Clincher
E.R.D	588
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 288JR
Bearings	2/4 sealed bearing
Freehub Type	Shimano/Campy/Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1380g




### XLR-300

Rim Size	30mm
Model	XLR-300
Rim Type	Alloy Clincher
E.R.D	571.5
Spoke	20/24
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Front: Radial Rear: Radial (non-drive side) Cross (drive side)
Hub	EDGE 288JR
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Campy/ Sram
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:130mm
Axle Material	Alloy
Skewer Type	QR
Weight (w/o skewer)	1486g




### THUNDERBOLT 275

Rim Size	W:26mm,H:22mm(W:33mm,H:24mm)
Model	THUNDERBOLT 27.5
Rim Type	Carbon hookless Clincher
E.R.D	557.5(553.4)
Spoke	28/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1475g (1505g)



### **THUNDERBOLT 29**


Rim Size	W:26mm,H:22mm(W:33mm,H:24mm)
Model	THUNDERBOLT 29
Rim Type	Carbon hookless Clincher
E.R.D	595.4(591.4)
Spoke	28/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1575g (1615g)



### **XLR-650B**

Rim Size	22.4mm
Model	XLR-650B-XC
Rim Type	Alloy Clincher
E.R.D	551
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1600g

**EDGE DESIGN**  
**WHEELSET SERIES**



**XLR-29ER**

Rim Size	22.4mm
Model	XLR-29ER-XC
Rim Type	Alloy Clincher
E.R.D	587.5
Spoke	24/28
Shape	Round D.B
Material	Stainless
Nipple Material & Gauge	Alloy 14G
Lacing	Cross
Hub	EDGE 402JM
Bearings	2/4 sealed bearing
Freehub Type	Shimano/ Sram 11S
Freehub Switchable	Yes
Freehub Material	Alloy
Axle Width (O.L.D)	F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle)
Axle Material	Alloy
Skewer Type	QR / Thru Axle
Weight (w/o skewer)	1650g



**EDGE DESIGN**  
**HANDLEBAR SERIES**



**HB-SR-AW**

Material	Alloy 6061
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	260g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	130 / 80



**HB-SL-A75**

Material	Alloy 7075
Feature	Road Bar
Bar Bore	31.8mm
Weight	260g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	163 / 90



**HB-CSL-33**

Material	Carbon
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	195g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	145.4 / 85.7



**HB-CSL-68**

Material	Carbon
Feature	Road Compact Bar
Bar Bore	31.8mm
Weight	185g (ex. 420mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	129.93 / 74.57

**EDGE DESIGN**  
**HANDLEBAR SERIES**



**HB-ISR**

Material	Carbon
Feature	Integrated Handle Bar
Bar Bore	31.8mm
Stem	90/ 100/ 110/ 120 mm
Weight	380g (ex. 400mm*90mm)
Width	400/ 420/ 440 mm
Color	Black/ White
Drop/ Reach	130 / 90



**HB-SL-AL1**

Material	Alloy 2014
Feature	Straight MTB Bar
Bar Bore	31.8
Weight	219g (ex. 680mm)
Width	580- 780mm
Color	Black
Rise	4
Backsweep	9°



**HB-CSL-ACM4**

Material	Carbon
Feature	Riser MTB Bar
Bar Bore	31.8mm
Weight	210g (ex. 700mm)
Width	660mm- 750mm
Color	Black
Rise	15
Backsweep	9°



**HB-CSL-ACM1**

Material	Carbon
Feature	Straight MTB Bar
Bar Bore	31.8mm
Weight	222g (ex. 750mm)
Width	580mm- 750mm
Color	Black
Rise	0
Backsweep	4°



**FK26/ FK650B/ FK29ER**

Material	Carbon Fiber
Feature	MTB FORK , size 26" / 27.5" / 29", QR type or M15 thru axle dropout available
Headtube/ Crown	1 1/8"- 1 1/2"
Weight	600g ± 30g



**FK10**

Material	Carbon Fiber
Feature	26" Fat bike fork, OLD 135mm or OLD 150mm available, M15 thru axle dropout
Headtube/ Crown	1 1/8"- 1 1/2"
Weight	700g ± 30g



**FK650B PLUS**

Material	Carbon Fiber
Feature	MTB Fork, 27.5" PLUS; OLD: 110mm; M15 thru axle dropout
Headtube Crown	Tapered 1 1/8"- 1 1/2" / 56mm
Weight	630 ± 30g

**EDGE DESIGN**  
**SADDLE SERIES**



**SD10**

Material	Carbon
Weight	105g
Color	Black / White



**SD04**

Material	Carbon
Weight	120g
Color	Black / White

**SD9**

Material	Carbon saddle with micro fiber cover, super light foam
Weight	164g
Color	Black / White



**SD08**

Material	Carbon
Weight	110g
Color	Black / White

**SD1133**

Material	CRN Ti alloy rail, super light foam
Weight	191g
Color	Black-Silver / White-Black



**SD16**

Material	Carbon
Weight	105g
Color	Black / White

**SD2059**

Material	CRN Ti alloy rail, super light foam
Weight	210g
Color	Black-Silver / White-Black

**EDGE DESIGN**  
**SEAT POST SERIES**



**SP-CSL1**

Material	Full carbon
Diameter	27.2mm 31.6mm
Weight	182g 240g
Length	350mm
Color	Black UD



**SP-CSL2**

Material	Full carbon
Diameter	27.2mm 31.6mm
Weight	170g 185g
Length	350mm
Color	Black UD



**SP-CSL3**

Material	Full carbon, set back adjustable 0-30mm
Diameter	27.2mm 31.6mm
Weight	223g 243g
Length	415mm
Color	Black UD



**SP-SL**

Material	Alloy 2014
Diameter	27.2mm 31.6mm
Weight	237g 252g
Length	350mm
Color	Black

**SM-SL**

Material	Alloy 7075
Bar Bore	31.8mm
Weight	95g(ext: 100mm)
Length	50 -130mm
Color	Shinning Black / Matt Black / Shinning White

**SM-C75**

Material	Alloy stem wrapped by carbon
Bar Bore	31.8mm
Weight	128g(ext:100mm)
Length	50 -130mm
Color	Shinning Black

**SM-3D**

Material	Alloy
Bar Bore	31.8mm
Weight	150g(ext: 100mm)
Length	70 -120mm
Color	Matt Black

**QR03**

Material	Alloy
Feature	QR, Cromo Hollow Axle
Weight	88g / pair
Color	Black

**QR58**

Material	Alloy
Feature	QR, Hollow Axle
Weight	58g / pair
Color	Black / Red / Gold

**BC009**

Material	Carbon
Feature	Bottle Cage
Weight	18g
Finish	UD
Color	Black

**BOT-012**

Material	Carbon
Feature	Bottle Cage
Weight	25g
Finish	3K/ UD
Color	Black

**BOT-FIGMO**

Material	Carbon
Feature	Bottle Cage
Weight	25g
Finish	3K/ UD
Color	Black

**BK1992R**

Feature	Bike bag ,210D,for 700C / 29" / 27.5" / 26" ,folded size 40x11CM
Color	Black

**BK1297A**

Feature	saddle bag, 1500D , 3-1/2"x7-1/2"x4"
Color	Black

**BK1903R**

Feature	saddle bag, 1200D w/ carbon weave look, 3" X 5-1/2" X 3-1/2"
Color	Black

**TNBOLT**

Material	Carbon
Feature	Racer Number Plate Holder
Finish	3K/ UD
Color	Black

**BK1990D-L**

Feature	Double wheel bag, 1200D, for 29" / 27.5" / 26" , 29-1/2"(DIA)*8-1/2"
Color	Black



**MARUDEAN CO., LTD**

**ADD:639, Folker Rd.his-Tung  
Taichung, Taiwan, R.O.C. 407**

**TEL:886-4-24653278  
FAX:886-4-24616825  
EMAIL:paul@marudean.com.tw  
WEBSITE:www.edge-design.com.tw**