

EDGE

2017

PROFESSIONAL CYCLING COMPONENTS



EDGE DESIGN

| | |
|---|--------------|
| ROAD FRAME SERIES | 1-4 |
| ADROITE · AVANCE · AIRY PRO · AIRY SL · ALICANTE · | |
| GRAVEL · AXION SL · FOX II | |
| MTB FRAME SERIES | 5-10 |
| PHANTOM · PAX · PHAETON 650B · PHAETON 29ER · | |
| PICCOLO 650B SL · PICCOLO 29ER SL · PYRENEES 650B · | |
| PYRENEES 29ER · PYRENEES 650B AM PRO 150 · | |
| PYRENEES 29ER AM PRO 150 · PYRENEES PLUS · PHAETON 650B PLUS | |
| TRACK FRAME SERIES | 11 |
| STINGER · STINGER EV | |
| TT FRAME SERIES | 12-13 |
| TRIDENT · SPRINT-2 · ROSETTA | |
| CX FRAME SERIES | 14 |
| CCX PRO | |
| E BIKE FRAME SERIES | 14 |
| PINNACLE 29ER | |
| TITANIUM FRAME SERIES | 15 |
| ASCETIC · TALLYHO | |
| WHEELSET SERIES | 16-24 |
| AERO DISK(T/C) · RS35 · RS50 · AERO 30T · AERO 45T · AERO 80T · | |
| AERO 30C · AERO 45C · AERO 80C · XLR-280 · XLR-200 · XLR-300 · | |
| THUNDERBOLT 275 · THUNDERBOLT 29ER · XLR-650B · XLR-29ER | |
| HANDLEBAR SERIES | 25-26 |
| HB-SR-AW · HB-SL-A75 · HB-CSL-33 · HB-CSL-68 · HB-ISR · | |
| HB-SL-AL1 · H-CSL-ACM4 · HB-CSL-ACM1 | |
| FORK SERIES | 27 |
| FK26/FK650B/FK29ER · FK10F · FK650B PLUS | |
| SADDLE SERIES | 28 |
| SD10 · SD04 · SD08 · SD16 · SD09 · SD1133 · SD2059 | |
| SEAT POST SERIES | 29 |
| SP-CSL1 · SP-CSL2 · SP-CSL3 · SP-SL | |
| STEM SERIES | 30 |
| SM-SL · SM-C75 · SM-3D | |
| QUICK RELEASE SERIES | 30 |
| QR03 · QR58 | |
| BOTTLE CAGE / MISCELLANEOUS SERIES | 31 |
| BC009 · BOT-012 · BOT-FIGMO · BK1992R · BK1297A · BK1903R · | |
| TNBOLT · BK1990D-L | |



Our Story

Flying in the sky is a dream that mankind has always had.

It is a well-known story that the Wright Brothers, who used the concept of operating a bike, made it possible for mankind to successfully fly for the first time in the sky by plane.

Even today the technology of bicycle making is closely related with airplanes.

Paul, the creator of EDGE, served in the air force and flew a fighter in his early years.

With great passion for cycling, he made up his mind going into the industry of bikes after he retired from the air force.

He has worked with several factories which manufacture bicycle components and thus has accumulated substantial technical knowledge.

Besides, he has cooperated for years with many famous professional cycling teams in Europe. EDGE develops, designs and makes bikes intended for racing that can enhance the performance of the professional riders.

A handwritten signature in black ink, likely belonging to Paul, the founder of EDGE. The signature is fluid and cursive, with a large, stylized letter 'P' at the beginning.



UCI/EN/IOS Tested and Approved

EDGE-DESIGN's products are tested to be safe and strong.



Quality Control

EDGE DESIGN insists on high quality products, and strictly controls the production.



Professional Design

EDGE-DESIGN seeks to enhance the performance of riders.



Aerospace-Material

EDGE-DESIGN uses aerospace level carbon or alloy.



Carbon Technology

EDGE-DESIGN uses Toray T700,800,1000 for carbon frames and EPS technology.



Cost Effective

EDGE-DESIGN brings the high quality products with the most reasonable cost.



Product Design

EDGE-DESIGN helps customers to develop their own products.



Brand Development


EDGE-DESIGN's designer helps customers to create their own brand.



Product Sourcing

EDGE-DESIGN helps customers to source products that they need.

ROAD FRAME SERIES




| SIZE | S | SC | O | HS | HC | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|----|-------|-------|-----|----|-------|-------|
| 480 | 480 | 74.8° | 515 | 125 | 71.3° | 45 | 976.4 | 578.4 | 408 | 69 | 373.6 | 521.5 |
| 500 | 500 | 74.3° | 525 | 135 | 72° | 45 | 975.7 | 577.7 | 408 | 69 | 375.4 | 533.5 |
| 520 | 520 | 73.5° | 535 | 145 | 72° | 45 | 977.3 | 579.4 | 408 | 70 | 373.9 | 544 |
| 540 | 540 | 73° | 550 | 160 | 72.3° | 45 | 984.5 | 586.6 | 408 | 70 | 379 | 559.3 |
| 560 | 560 | 72.5° | 560 | 170 | 72.3° | 45 | 989.2 | 591.2 | 408 | 70 | 380.6 | 568.9 |
| 580 | 580 | 72.5° | 570 | 190 | 73° | 45 | 992.1 | 594.1 | 408 | 70 | 383.8 | 590.5 |

ADROITE

| | |
|---------------|---|
| Feature | Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | Aero |
| Size | 480/ 500/ 520/ 540/ 560/ 580 mm |
| Weight(Frame) | 1050g ± 50g |
| BB Type | BB86/ BSA/ BB30/ PF30 |
| Seat Tube | Aero |

* Shimano flat mount disc version available




| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|--------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 430 | 430 | 75° | 515 | 100 | 71.5° | 370 | 45 | 971.7 | 576.8 | 405 | 69 | 380.7 | 501.1 |
| 470 | 470 | 74° | 536 | 120 | 72.5° | 370 | 45 | 975.3 | 580.4 | 405 | 69 | 385.9 | 523.4 |
| 495 | 495 | 73.5° | 548 | 140 | 73° | 370 | 45 | 978 | 583.1 | 405 | 69 | 386.9 | 543.8 |
| 510 | 510 | 73.25° | 565 | 160 | 73.5° | 370 | 45 | 987.7 | 592.7 | 405 | 69 | 394.9 | 565 |
| 540 | 540 | 73° | 587 | 180 | 73.5° | 370 | 45 | 1006.8 | 611.7 | 405 | 69 | 408.3 | 584.2 |

AVANCE

| | |
|---------------|---|
| Feature | Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | Aero |
| Size | 430/ 470/ 495/ 510/ 540 mm |
| Weight(Frame) | 950g ± 25g |
| BB Type | BB86/ PF30/ BSA |
| Seat Tube | Aero |

* Shimano flat mount disc version available

ROAD FRAME SERIES




AIRY PRO (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-------|-----|-------|-----|----|-------|-------|-----|----|-------|-------|
| 450 | 415 | 75° | 505 | 100 | 71° | 368 | 45 | 964.4 | 570.4 | 405 | 72 | 371 | 501 |
| 480 | 435 | 74.5° | 515 | 110 | 71.5° | 368 | 45 | 967.3 | 573.3 | 405 | 72 | 373 | 512 |
| 500 | 455 | 74.5° | 525 | 115 | 72° | 368 | 45 | 972.5 | 578 | 405 | 72 | 381 | 519 |
| 520 | 475 | 74° | 535 | 120 | 72.5° | 368 | 45 | 974.6 | 579.5 | 405 | 69 | 385 | 522 |
| 540 | 495 | 73.5° | 545 | 140 | 73° | 368 | 45 | 975.2 | 580.2 | 405 | 69 | 384 | 543 |
| 560 | 515 | 73.5° | 559.6 | 155 | 73° | 368 | 45 | 990 | 595 | 405 | 69 | 395 | 558 |
| 580 | 535 | 73° | 575 | 175 | 73.5° | 368 | 45 | 995.1 | 600 | 405 | 69 | 398 | 579 |

AIRY PRO

| | |
|---------------|---|
| Feature | Carbon monocoque super light road frame. DI2 compatible. Include fork. |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 27.2 mm |
| Size | 450/ 480/ 500/ 520/ 540/ 560/ 580 mm |
| Weight(Frame) | 875g ± 25g |
| BB Type | BSA/ BB30/ BB86/ PF30 |
| Seat Tube | 31.8 mm |




AIRY (Length: mm/ Angle: °)

AIRY SL

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-------|-------|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 505 | 491 | 100 | 71° | 370 | 45 | 964.2 | 570.2 | 408 | 72 | 371 | 501 |
| 480 | 480 | 420.6 | 74.5° | 515 | 500.1 | 110 | 71.5° | 370 | 45 | 996.3 | 572.3 | 408 | 72 | 373 | 513 |
| 500 | 500 | 440.6 | 74.5° | 525 | 511.5 | 115 | 72° | 370 | 45 | 972.2 | 578.1 | 408 | 72 | 381 | 519.5 |
| 520 | 520 | 460.6 | 74° | 535 | 522.9 | 120 | 72.5° | 370 | 45 | 974.6 | 579.5 | 408 | 69 | 384 | 522.5 |
| 540 | 540 | 480.6 | 73.5° | 545 | 531.7 | 140 | 73° | 370 | 45 | 975.2 | 580.2 | 408 | 69 | 385 | 543 |
| 560 | 560 | 500.6 | 73.5° | 559.6 | 547.2 | 155 | 73° | 370 | 45 | 990 | 594.9 | 408 | 69 | 394.5 | 557.5 |
| 580 | 580 | 520.6 | 73° | 575 | 560.9 | 175 | 73.5° | 370 | 45 | 995.1 | 600 | 410 | 69 | 398 | 579 |
| 600 | 600 | 540.6 | 72.5° | 590 | 574.7 | 195 | 73.5° | 370 | 45 | 1004.2 | 609 | 410 | 69 | 401.5 | 598 |

| | |
|---------------|---|
| Feature | Carbon monocoque super light road frame. DI2 compatible. Include fork. |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 27.2 mm |
| Size | 450/ 480/ 500/ 520/ 540/ 560/ 580/ 600 mm |
| Weight(Frame) | 850g ± 50g |
| BB Type | BSA/ PF30/ BB86 |
| Seat Tube | 31.8 mm |

* Disc version available


ROAD FRAME SERIES

ALICANTE (Length: mm/ Angle: °)

| SIZE | S | O | I | SC | HC | FC | RC | HS | G | OT | F | Reach | Stack | WB |
|------|-----|-----|-------|-------|-------|-------|-----|-----|----|----|-----|-------|-------|-------|
| 460 | 460 | 495 | 137.2 | 75° | 71.5° | 558 | 402 | 115 | 69 | 45 | 367 | 357.8 | 512.8 | 949.7 |
| 490 | 480 | 515 | 146 | 74.5° | 71.5° | 573.9 | 402 | 130 | 69 | 45 | 367 | 369 | 527 | 965.7 |
| 520 | 500 | 525 | 147.8 | 74.5° | 72° | 579.6 | 402 | 135 | 69 | 45 | 367 | 377.2 | 533.5 | 971.5 |
| 540 | 520 | 535 | 154.7 | 74° | 72.5° | 580.1 | 402 | 140 | 69 | 45 | 367 | 380.3 | 540 | 972.1 |
| 560 | 540 | 545 | 165.9 | 73.5° | 73° | 580.6 | 402 | 160 | 69 | 45 | 367 | 379.1 | 560.8 | 972.5 |
| 580 | 560 | 560 | 171.6 | 73.5° | 73° | 595.7 | 402 | 180 | 69 | 45 | 367 | 388.4 | 579.9 | 987.7 |

ALICANTE

| | |
|---------------|---|
| Feature | Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | Aero |
| Size | 460/ 490/ 520/ 540/ 560/ 580 mm |
| Weight(Frame) | 1080g ± 25g |
| BB Type | BSA/ BB86 |
| Seat Tube | Aero |




GRAVEL (Length: mm/ Angle: °)

| SIZE | S | RC | WB | FC | F | G | OT | HS | O | Stack | Reach | SC | HC |
|------|-----|-----|------|-----|-----|----|----|-----|-----|-------|-------|-------|-------|
| S | 500 | 420 | 1001 | 592 | 395 | 70 | 50 | 105 | 528 | 522 | 365 | 72.5° | 69.5° |
| M | 530 | 420 | 1008 | 598 | 395 | 70 | 50 | 130 | 549 | 551 | 376 | 72.5° | 71° |
| L | 560 | 420 | 1014 | 604 | 395 | 70 | 50 | 155 | 570 | 580 | 387 | 72.5° | 72.5° |
| XL | 590 | 420 | 1032 | 622 | 395 | 70 | 50 | 180 | 591 | 609 | 398 | 72.5° | 72.5° |


GRAVEL

| | |
|---------------|---|
| Feature | Carbon monocoque aerodynamic gravel frame. DI2 compatible. Include fork and seat post |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | Aero |
| Size | 500/ 535/ 560/ 590 mm |
| Weight(Frame) | 1260g ± 25g |
| BB Type | BB86 |
| Seat Tube | Aero |


ROAD FRAME SERIES

**AXION SL**

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-------|-------|-------|-------|-----|----|--------|-------|-----|----|-------|-------|
| 470 | 470 | 420 | 75° | 500 | 487.1 | 100 | 71.5° | 371 | 43 | 955.1 | 560 | 405 | 68 | 366.4 | 498.6 |
| 490 | 490 | 440 | 74° | 510 | 494.8 | 120 | 72° | 371 | 43 | 952.3 | 557.1 | 405 | 68 | 360.4 | 521.7 |
| 510 | 510 | 460 | 73.5° | 530.4 | 514.3 | 132.8 | 72.1° | 371 | 43 | 967.2 | 572 | 405 | 68 | 372.2 | 534.2 |
| 540 | 540 | 490 | 73° | 548 | 532.7 | 145 | 73.1° | 371 | 43 | 970.5 | 575.3 | 405 | 68 | 380.1 | 549.2 |
| 565 | 565 | 515 | 72.5° | 569.1 | 552.4 | 171.1 | 73.1° | 371 | 43 | 986.1 | 590.7 | 405 | 68 | 388.1 | 574.2 |
| 590 | 590 | 540 | 72° | 590.7 | 572.6 | 197.3 | 73.1° | 371 | 43 | 1004.6 | 606.2 | 405 | 68 | 396 | 599.3 |

**FOX II**

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-------|-----|-------|-----|----|-------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 510 | 495.5 | 100 | 71° | 368 | 45 | 970.4 | 575.8 | 405 | 70 | 376.6 | 498.7 |
| 480 | 480 | 430 | 74.5° | 525 | 510 | 115 | 72° | 368 | 45 | 973 | 578.4 | 405 | 70 | 381.8 | 516.3 |
| 510 | 510 | 460 | 74° | 540 | 524.7 | 135 | 72.5° | 368 | 45 | 980.2 | 584.9 | 405 | 68 | 386.5 | 535 |
| 540 | 540 | 490 | 73.5° | 555 | 539.7 | 155 | 73° | 368 | 45 | 985.8 | 590.4 | 405 | 68 | 390.3 | 555.9 |
| 570 | 570 | 520 | 73° | 570 | 555.4 | 175 | 73° | 368 | 45 | 995.5 | 600.1 | 405 | 68 | 394.2 | 575 |


MTB FRAME SERIES

PHANTOM (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 17" | 432 | 72.5° | 595 | 105 | 68.5° | 506 | 51 | 1109.8 | 676.7 | 425 | 60 | 402.3 | 611.3 |
| 19" | 483 | 115° | 617 | 110 | 68.5° | 506 | 51 | 1131.8 | 698.6 | 425 | 60 | 422.4 | 616 |
| 21" | 533 | 125° | 639 | 115 | 68.5° | 506 | 51 | 1154.6 | 721.3 | 425 | 60 | 443.3 | 620.7 |

PHANTOM

| | |
|---------------|--|
| Feature | Carbon 27.5"/29er MTB frame, TA 12mm dropout |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 17"/ 19"/ 21" |
| Weight(Frame) | 1300g ± 50g |
| BB Type | BB92 |
| Seat Tube | 37.0 mm |




PAX (Length: mm/ Angle: °)

| SIZE | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-----|----|--------|-------|-----|----|-------|-------|
| 16" | 73° | 575 | 95 | 71° | 490 | 45 | 1056.9 | 627.6 | 437 | 63 | 391.4 | 601.4 |
| 18" | 73° | 605 | 105.5 | 71° | 490 | 45 | 1086.9 | 657.5 | 437 | 63 | 418 | 612.5 |
| 20" | 73° | 625 | 110 | 71° | 490 | 45 | 1107.3 | 677.6 | 437 | 63 | 436.6 | 615.8 |

PAX

| | |
|---------------|---|
| Feature | Carbon 29er MTB frame, QR/TA 12mm dropout |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 27.2 mm |
| Size | 16"/ 18"/ 20" |
| Weight(Frame) | 1320g ± 25g |
| BB Type | BSA/ BB92/ BB30 |
| Seat Tube | 31.8 mm |


MTB FRAME SERIES

PHAETON 650B (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-----|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 400 | 73° | 562 | 95 | 69° | 485 | 43 | 1073.4 | 650.3 | 427 | 45 | 398 | 561 |
| 17.5" | 440 | 73° | 587.6 | 100 | 69° | 485 | 43 | 1087.4 | 664.4 | 427 | 45 | 410.9 | 578.1 |
| 19" | 480 | 73° | 602 | 105 | 69° | 485 | 43 | 1098.1 | 675 | 427 | 45 | 425.7 | 583.4 |
| 20.5" | 520 | 73° | 617 | 110 | 69° | 485 | 43 | 1113.5 | 690.3 | 427 | 45 | 437.8 | 598 |

PHAETON 650B

| | |
|---------------|--|
| Feature | 27.5" MTB carbon frame, QR/TA 12mm dropout |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(Frame) | 1145g ± 50g |
| BB Type | BSA/ PF30/ BB92 |
| Seat Tube | 37.0 mm |




PHAETON 29ER (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 72.5° | 580 | 100 | 69.5° | 506 | 45 | 1087.7 | 644.5 | 440 | 60 | 387.1 | 612 |
| 17.5" | 440 | 72.5° | 600 | 105 | 69.5° | 506 | 45 | 1097.7 | 663.6 | 440 | 60 | 404.3 | 618 |
| 19" | 483 | 72.5° | 620 | 110 | 69.5° | 506 | 45 | 1107.7 | 684.5 | 440 | 60 | 419.8 | 632 |
| 21" | 533 | 72.5° | 640 | 115 | 69.5° | 506 | 45 | 1117.7 | 704.5 | 440 | 60 | 438 | 640.8 |


PHAETON 29ER

| | |
|---------------|---|
| Feature | 29er MTB carbon frame, QR/TA 12mm dropout |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 21" |
| Weight(Frame) | 1185g ± 50g |
| BB Type | BSA/ PF30/ BB92 |
| Seat Tube | 37.0 mm |

MTB FRAME SERIES**PICCOLO 650B SL**


| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 400 | 347.3 | 73.5° | 570 | 555.9 | 101 | 70° | 485 | 43 | 1064.4 | 640.3 | 428 | 45 | 398 | 581 |
| 17.5" | 435 | 381.6 | 73° | 595 | 570.8 | 115 | 70.5° | 485 | 43 | 1078 | 654 | 428 | 45 | 410.1 | 598.1 |
| 19" | 480 | 427.1 | 73° | 610 | 584.2 | 120 | 71° | 485 | 43 | 1089.1 | 665 | 428 | 45 | 425.7 | 603.4 |
| 20.5" | 520 | 466.9 | 73° | 625 | 599.1 | 130 | 71° | 485 | 43 | 1104.5 | 680.3 | 428 | 45 | 437.8 | 618 |

| | |
|---------------|---|
| Feature | Super light 27.5" MTB frame, QR/TA 12mm dropout |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 27.2 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(Frame) | 950g ± 50g |
| BB Type | BSA/ PF30/ BB92 |
| Seat Tube | 31.8 mm |

**PICCOLO 29ER SL**


| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 341 | 72.5° | 580 | 555 | 100 | 69.5° | 506 | 45 | 1077.4 | 644.3 | 440 | 60 | 387.1 | 611.9 |
| 17.5" | 440 | 385 | 72.5° | 600 | 572 | 105 | 69.5° | 506 | 45 | 1097.7 | 664.5 | 440 | 60 | 405 | 618 |
| 19" | 483 | 431.3 | 72.5° | 620 | 584.7 | 120 | 69.5° | 506 | 45 | 1117.6 | 684.3 | 440 | 60 | 419.8 | 632.1 |
| 21" | 533 | 478.2 | 72.5° | 640 | 606.5 | 130 | 69.5° | 506 | 45 | 1139.3 | 705.7 | 440 | 60 | 438 | 640.8 |

| | |
|---------------|---|
| Feature | Super light 29er MTB carbon frame, QR/TA 12mm dropout |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 21" |
| Weight(Frame) | 900g ± 50g |
| BB Type | BSA/ PF30/ BB92 |
| Seat Tube | 34.9 mm |

MTB FRAME SERIES**PYRENEES 27.5**


| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-------|-----|-----|-----|-----|----|--------|-------|-----|----|-------|-------|--------|------------------|
| 15.5" | 395 | 74.5° | 559 | 95 | 69° | 502 | 51 | 1098 | 662.1 | 435 | 45 | 397.6 | 582 | 110 | 190 |
| 17.5" | 445 | 74.5° | 585 | 100 | 69° | 502 | 51 | 1117.7 | 686.6 | 435 | 45 | 412.7 | 588.7 | 110 | 190 |
| 19" | 483 | 74.5° | 600 | 115 | 69° | 502 | 51 | 1141 | 705.1 | 435 | 45 | 433.4 | 600.7 | 110 | 190 |
| 20.5" | 520 | 74.5° | 630 | 125 | 69° | 502 | 51 | 1172 | 736.1 | 435 | 45 | 460.8 | 610 | 110 | 190 |

| | |
|---------------|--|
| Feature | Carbon 27.5" MTB suspension frame, XC, travel 110mm, TA 12mm dropout |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(Frame) | 2000g ± 50g |
| BB Type | BB92 |
| Seat Tube | 34.9 mm |

**PYRENEES 29ER**

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|--------|------------------|
| 15.5" | 395 | 73.6° | 560.5 | 95 | 68° | 520 | 51 | 1105.5 | 668.1 | 440 | 38 | 386.9 | 589.2 | 110 | 190 |
| 17.5" | 445 | 73.6° | 587.5 | 100 | 68° | 520 | 51 | 1129.5 | 692.1 | 440 | 38 | 412.7 | 595.1 | 110 | 190 |
| 19" | 483 | 73.6° | 602 | 115 | 68° | 520 | 51 | 1149 | 711.4 | 440 | 38 | 422.4 | 608.5 | 110 | 190 |
| 20.5" | 520 | 73.6° | 632 | 125 | 68° | 520 | 51 | 1180 | 742.6 | 440 | 38 | 449.6 | 618.3 | 110 | 190 |


| | |
|---------------|---|
| Feature | Carbon 29er MTB suspension frame, XC, travel 110mm, TA 12mm dropout |
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(Frame) | 2000g ± 50g |
| BB Type | BB92 |
| Seat Tube | 34.9 mm |

MTB FRAME SERIES**PYRENEES 650B AM PRO 150**

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-----|-----|-----|-------|-----|----|--------|-------|-----|---|-------|-------|--------|------------------|
| 15.5" | 400 | 74° | 580 | 100 | 68° | 540 | 45 | 1134.7 | 694.8 | 440 | 5 | 413.2 | 591 | 150 | 200 |
| 17.5" | 445 | 74° | 600 | 110 | 68° | 540 | 45 | 1155.5 | 715.5 | 440 | 5 | 430.2 | 591 | 150 | 200 |
| 19" | 483 | 74° | 620 | 120 | 68.5° | 540 | 45 | 1171 | 731 | 440 | 5 | 447.1 | 602.9 | 150 | 200 |
| 20.5" | 520 | 74° | 640 | 130 | 68.5° | 540 | 45 | 1191 | 751 | 440 | 5 | 463.5 | 612 | 150 | 200 |

Feature Carbon 27.5" MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm


| | |
|---------------|---------------------------|
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(Frame) | 2500g ± 50g |
| BB Type | BB92 |
| Seat Tube | 34.9 mm |

**PYRENEES 29ER AM PRO 150**

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-----|-----|-----|-----|-----|----|--------|-----|-----|----|-------|-------|--------|------------------|
| 15.5" | 400 | 74° | 580 | 100 | 69° | 550 | 46 | 1136.2 | 680 | 457 | 25 | 402.2 | 620 | 150 | 200 |
| 17.5" | 440 | 74° | 600 | 110 | 69° | 550 | 46 | 1157 | 701 | 457 | 25 | 419.5 | 629.3 | 150 | 200 |
| 19" | 480 | 74° | 620 | 120 | 69° | 550 | 46 | 1178 | 722 | 457 | 25 | 436.8 | 638.7 | 150 | 200 |
| 21" | 530 | 74° | 640 | 135 | 69° | 550 | 46 | 1198.9 | 743 | 457 | 25 | 454.2 | 648 | 150 | 200 |

Feature Carbon 29er MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm

| | |
|---------------|---------------------------|
| Head Tube | 48/ 57 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 21" |
| Weight(Frame) | 2500g ± 50g |
| BB Type | BB92 |
| Seat Tube | 34.9 mm |

MTB FRAME SERIES

PYRENEES PLUS (Length: mm/ Angle: °)

| SIZE | S | O | I | SC | HC | FC | RC | HS | G | OT | F | Reach | Stack | WB |
|-------|-------|-------|-------|-------|-----|-------|-----|-----|----|----|-----|-------|-------|--------|
| 15.5" | 395 | 558.2 | 162.6 | 74.5 | 69° | 659.4 | 445 | 95 | 45 | 51 | 502 | 395.6 | 584.8 | 1100.6 |
| 17.5" | 445.5 | 585 | 163.3 | 74.5° | 69° | 686.6 | 445 | 100 | 45 | 51 | 502 | 421.7 | 588.7 | 1127.8 |
| 19" | 483 | 600 | 167.1 | 74.5° | 69° | 703 | 445 | 115 | 45 | 51 | 502 | 432.9 | 602.7 | 1144.3 |
| 20.5" | 520 | 630 | 169.7 | 74.5° | 69° | 733.9 | 445 | 125 | 45 | 51 | 502 | 460.5 | 612.1 | 1175.3 |

PYRENEES PLUS

Feature 27.5" PLUS Carbon MTB suspension frame,
TA 12mm dropout, travel: 110 mm rear shock
eye to eye: 190

Head Tube 48/ 57 mm, 1 1/8"- 1 1/2"


Seat Post 27.2 mm

Size 15.5"/ 17.5"/ 19"/ 20.5"

Weight(Frame) 2050g ± 25g

BB Type BB 92

Seat Tube 31.8 mm



PHAETON 650B PLUS (Length: mm/ Angle: °)

PHAETON 650B PLUS

Feature 27.5" PLUS MTB carbon frame, OLD 12*148MM

Head tube 48/ 57 mm, 1 1/8"- 1 1/2"

Seat post 31.6 mm


Size 15.5"/ 17.5"/ 19"/ 21"

Weight (frame) 1254g ± 50g

BB type BSA/ PF30/ BB92


Seat tube 34.9 mm

| SIZE | S | SP | SC | SL | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 341 | 72.5° | 110.8 | 580 | 555 | 100 | 69.5° | 506 | 45 | 1077.4 | 644.3 | 440 | 60 | 387 | 612 |
| 17.5" | 440 | 385 | 72.5° | 126.6 | 600 | 572 | 105 | 69.5° | 506 | 45 | 1097.7 | 664.5 | 440 | 60 | 405 | 618 |
| 19" | 483 | 431.3 | 72.5° | 140.4 | 620 | 584.7 | 120 | 69.5° | 506 | 45 | 1117.6 | 684.3 | 440 | 60 | 420 | 632 |
| 21" | 533 | 478.2 | 72.5° | 157.6 | 640 | 606.5 | 130 | 69.5° | 506 | 45 | 1139.3 | 705.7 | 440 | 60 | 438 | 641 |

TRACK FRAME SERIES**STINGER**


| SIZE | S | SP | SC | SL | O | HS | HC | F | OT | WB | FC | RC | G | HD | HB | Reach | Stack |
|------|-----|-------|-----|-------|-----|-----|-------|-----|----|-------|-------|-----|----|----|----|-------|-------|
| 450 | 450 | 468.5 | 75 | 121.5 | 505 | 80 | 72.5° | 368 | 35 | 921.3 | 551.1 | 375 | 46 | 48 | 57 | 380.8 | 463.6 |
| 490 | 498 | 473 | 75° | 122 | 516 | 85 | 72.5° | 368 | 35 | 932 | 560 | 375 | 50 | 48 | 57 | 387 | 461.5 |
| 510 | 505 | 477.5 | 75° | 123.5 | 535 | 90 | 72.5° | 368 | 35 | 951 | 579 | 375 | 50 | 48 | 57 | 405 | 477 |
| 540 | 520 | 492 | 75° | 127 | 557 | 105 | 72.5° | 368 | 35 | 974 | 601.5 | 375 | 50 | 48 | 57 | 422.5 | 491.5 |
| 560 | 539 | 512 | 75 | 132.5 | 573 | 125 | 72.5° | 368 | 35 | 991 | 618 | 375 | 50 | 48 | 57 | 433.5 | 499 |

| | |
|---------------|--|
| Feature | Carbon track frame include fork and seatpost |
| Head Tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat Post | Aero |
| Size | 450/ 490/ 510/ 540/ 560 mm |
| Weight(Frame) | 1850g ± 50g |
| BB Type | BSA/ PF30 |
| Seat Tube | Aero |

**STINGER EV**

| SIZE | O(SA75°) | O(SA79°) | HC | FC | RC | HS | G | OT | F | WB | Reach | Stack |
|------|----------|----------|-------|-------|-----|-----|----|----|-----|--------|-------|-------|
| 510 | 544.6 | 508.6 | 72.5° | 596.9 | 377 | 95 | 60 | 43 | 368 | 966 | 413.6 | 488.6 |
| 540 | 557.5 | 520.9 | 72.5° | 610.3 | 377 | 105 | 60 | 43 | 368 | 979.8 | 424 | 498.2 |
| 560 | 581.6 | 543.2 | 72.5° | 635.3 | 377 | 130 | 60 | 43 | 368 | 1004.7 | 441.7 | 522 |
| 580 | 598.6 | 559.1 | 72.5° | 952.9 | 377 | 145 | 60 | 43 | 368 | 1022.4 | 454.9 | 536.3 |


| | |
|---------------|--|
| Feature | Carbon track frame include fork and seat post. |
| Head Tube | 46 mm, 1 1/8" |
| Seat Post | Aero |
| Size | 510/ 540/ 560/ 580 mm |
| Weight(Frame) | 1455g ± 25g |
| BB Type | BSA |
| Seat Tube | Aero |

TT FRAME SERIES**TRIDENT**

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 505 | 505 | 77° | 480 | 100 | 70.3° | 370 | 45 | 954.3 | 570.5 | 395 | 72 | 364.8 | 499.2 |
| 525 | 525 | 77° | 505 | 115 | 71.5° | 370 | 45 | 970.4 | 586.5 | 395 | 72 | 385.5 | 517.7 |
| 549 | 549 | 77° | 530 | 140 | 72° | 370 | 45 | 993.3 | 609.2 | 395 | 72 | 404.6 | 543.1 |
| 577 | 577 | 77° | 560 | 165 | 72.5° | 370 | 45 | 1020.8 | 636.5 | 395 | 72 | 428.7 | 568.7 |
| 600 | 600 | 77° | 585 | 190 | 72.5° | 370 | 45 | 1048 | 663.5 | 395 | 72 | 448 | 592.6 |

TRIDENT


| | |
|---------------|--|
| Feature | Carbon monocoque aerodynamic triathlon frame. DI2 compatible. Include fork, seat post, stem and handle bar |
| Head Tube | 46 mm, 1 1/8" |
| Seat Post | Aero |
| Size | 505/ 525/ 549/ 577/ 600 mm |
| Weight(Frame) | 1430g ± 25g |
| BB Type | BB86 |
| Seat Tube | Aero |

**SPRINT-2**

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | HD | HB | ST | Reach | Stack |
|------|-----|-----|-----|-------|-------|-------|-------|-----|----|-------|-------|-----|----|----|----|----|-------|-------|
| 450 | 450 | 435 | 75° | 490 | 488 | 91.5 | 71° | 370 | 45 | 945.5 | 562.5 | 395 | 75 | 46 | 46 | 75 | 372.5 | 453.5 |
| 490 | 515 | 500 | 75° | 511 | 511.5 | 101.5 | 72.5° | 370 | 45 | 945.5 | 562.8 | 395 | 75 | 46 | 46 | 75 | 378 | 512 |
| 520 | 525 | 510 | 75° | 531.5 | 532 | 111.5 | 72.5° | 370 | 45 | 967 | 584 | 395 | 75 | 46 | 46 | 75 | 396 | 521.5 |
| 540 | 542 | 527 | 75° | 550.5 | 551 | 129.5 | 72.5° | 370 | 45 | 986.5 | 603.5 | 395 | 75 | 46 | 46 | 75 | 410 | 538 |
| 560 | 561 | 546 | 75 | 569 | 569.5 | 148 | 72.5 | 370 | 45 | 1006 | 622.5 | 395 | 75 | 46 | 46 | 75 | 424 | 556 |

SPRINT-2

| | |
|---------------|--|
| Feature | Carbon time trial frame with fork, seat post and handle bar. Front brake: mini V; rear brake: direct mount |
| Head Tube | 46 mm, 1 1/8" |
| Seat Post | Oval |
| Size | 450/ 490/ 520/ 540/ 560 mm |
| Weight(Frame) | 1360g ± 50g |
| BB Type | BSA/ PF30 |
| Seat Tube | Aero |




ROSETTA (Length: mm/ Angle: °)

| SIZE | O(SA75°) | O(SA79°) | HC | FC | RC | HS | G | OT | F | WB | Reach | Stack |
|------|----------|----------|-------|-------|-----|-----|----|----|-----|--------|-------|-------|
| 510 | 533 | 495.9 | 72.5° | 583.1 | 399 | 95 | 75 | 43 | 368 | 970.2 | 398 | 503.6 |
| 540 | 551 | 513.2 | 72.5° | 601.4 | 399 | 105 | 75 | 43 | 368 | 988.6 | 413.5 | 513.2 |
| 560 | 570 | 530.5 | 72.5° | 621.4 | 399 | 130 | 75 | 43 | 368 | 1008.8 | 426.1 | 537 |
| 580 | 587 | 546.4 | 72.5° | 639 | 399 | 145 | 75 | 43 | 368 | 1026.4 | 439.3 | 551.3 |

ROSETTA

| | |
|---------------|--|
| Feature | Carbon time trial frame. Include fork and seat post. |
| Head Tube | 46 mm, 1 1/8" |
| Seat Post | Aero |
| Size | 510/ 540/ 560/ 580 mm |
| Weight(Frame) | 1455g ± 25g |
| BB Type | BSA/ BB30/ BB86 |
| Seat Tube | Aero |



CX / E BIKE FRAME SERIES**CCX PRO**

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 480 | 480 | 445 | 75.5° | 510 | 501.4 | 100 | 70.5° | 400 | 45 | 1009.4 | 590 | 425 | 53 | 378 | 510 |
| 500 | 500 | 465 | 75° | 525 | 516.3 | 115 | 70.5° | 400 | 45 | 1020.8 | 601.5 | 425 | 53 | 384.5 | 524 |
| 520 | 520 | 485 | 74.5° | 535 | 526.2 | 125 | 71° | 400 | 45 | 1021.1 | 602.2 | 425 | 55 | 386 | 537.5 |
| 540 | 540 | 505 | 74° | 545 | 536.8 | 135 | 71.5° | 400 | 45 | 1021.7 | 602.8 | 425 | 55 | 387.5 | 548.5 |
| 560 | 560 | 525 | 73.5° | 560 | 552.2 | 145 | 72° | 400 | 45 | 1026.6 | 607.6 | 425 | 57 | 393.5 | 562.5 |
| 580 | 580 | 545 | 73° | 575 | 566.8 | 160 | 72.5° | 400 | 45 | 1030.9 | 612.4 | 425 | 57 | 398 | 578.5 |

Feature Carbon cyclocross frame. Include fork.

Head Tube 48/ 57 mm, 1 1/8"- 1 1/2"

Seat Post 27.2 mm


Size 480/ 500/ 520/ 540/ 560/ 580 mm

Weight(Frame) 1100g ± 50g

BB Type BSA/ PF30/ BB386


Seat Tube 31.8 mm

* Disc version available

**PINNACLE 29ER**

| Feature | Carbon monocoque 29er MTB E bike frame. |
|---------------|---|
| Head Tube | 48/ 60 mm, 1 1/8"- 1 1/2" |
| Seat Post | 31.6 mm |
| Size | 16"/ 18"/ 20" |
| Weight(Frame) | 1660g ± 25g |
| BB Type | SHIMANO STEPS E8000 |
| Seat Tube | 37.0 mm |

| SIZE | S | HD1 | HD2 | HC | RC | SC | HS | WB | F | O | OT | C | FC | G | Reach | Stack |
|------|-----|-----|-----|----|-----|----|-----|------|----|-----|----|-----|-----|----|-------|-------|
| 16" | 408 | Ø48 | Ø60 | 69 | 475 | 74 | 105 | 1133 | 39 | 575 | 46 | 508 | 664 | 58 | 399 | 613.7 |
| 18" | 458 | Ø48 | Ø60 | 69 | 475 | 74 | 115 | 1158 | 39 | 599 | 46 | 508 | 689 | 58 | 420 | 623 |
| 20" | 508 | Ø48 | Ø60 | 69 | 475 | 74 | 125 | 1185 | 39 | 626 | 46 | 508 | 717 | 58 | 444.7 | 632 |

TITANIUM FRAME SERIES**ASCETIC**

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|--------|-----|-------|-----|----|-------|--------|-----|----|--------|--------|
| 510 | 510 | 465 | 74 | 520 | 516.1 | 102 | 72.5° | 365 | 45 | 959.7 | 564.22 | 405 | 67 | 377.74 | 496.21 |
| 530 | 530 | 485 | 74° | 535 | 530.9 | 120 | 73° | 365 | 45 | 970.8 | 575.27 | 405 | 67 | 387.35 | 515 |
| 550 | 550 | 505 | 73.5° | 550 | 545.1 | 140 | 73° | 365 | 45 | 981.1 | 585.5 | 405 | 67 | 391.81 | 534.13 |
| 570 | 570 | 525 | 73.5° | 565 | 560.15 | 160 | 73° | 365 | 45 | 996.3 | 600.6 | 405 | 67 | 401.14 | 553.25 |
| 590 | 590 | 545 | 73 | 575 | 569.31 | 180 | 73° | 365 | 45 | 1003 | 605.29 | 407 | 67 | 400.01 | 572.37 |

Feature Super light Titanium road frame,
Integrated headset.


Head Tube 46 mm, 1 1/8"

Seat Post 27.2 mm

Size 510/ 530/ 550/ 570/ 590 mm

BB Type BSA/ BB30/ BB86

Seat Tube 31.8 mm

**TALLYHO**

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-----|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 15" | 381 | 326 | 73° | 538.6 | 520 | 110 | 71° | 445 | 38 | 1005.1 | 588.1 | 420 | 38 | 370.8 | 548.9 |
| 17" | 432 | 377 | 73° | 579 | 554.7 | 110 | 71° | 445 | 38 | 1045.5 | 628.4 | 420 | 38 | 411.2 | 548.9 |
| 19" | 483 | 428 | 73° | 598 | 576 | 110 | 71° | 445 | 38 | 1064.5 | 647.4 | 420 | 38 | 430.2 | 548.9 |
| 21" | 533 | 478 | 73° | 608.3 | 591.3 | 125 | 71° | 445 | 38 | 1075.3 | 658.2 | 420 | 38 | 436.1 | 563.1 |

Feature Titanium MTB frame. Integrated headset


Head Tube 46 mm, 1 1/8"

Seat Post 27.2 mm

Size 15"/ 17"/ 19"/ 21"


BB Type BSA/ BB30/ BB92

Seat Tube 31.8 mm

**AERO REAR DISK**


| | |
|-------------------------|---------------------------------|
| Rim Size | FALT DISK WHEEL |
| Model | AERO REAR DISK |
| Rim Type | Carbon Tubular / Clincher |
| E.R.D | N/A |
| Spoke | N/A |
| Shape | N/A |
| Material | N/A |
| Nipple Material & Gauge | N/A |
| Lacing | N/A |
| Hub | MARU0708 |
| Bearings | 4 sealed bearing |
| Freehub Type | Track/Shimano/Campy/Sram 10/11s |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | Track:120mm/Road :130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1100g |

WHEELSET SERIES



RS35C


| | | |
|-------------------------|--|--|
| Rim Size | 30mm | |
| Model | RS35C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 570.8 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1445.4g | 1489.4g |



RS50C

| | | |
|-------------------------|--|--|
| Rim Size | 50mm | |
| Model | RS50C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 542.0 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1605.4g | 1649.4g |

WHEELSET SERIES




AERO 30T

| | | |
|-------------------------|--|--|
| Rim Size | 30mm | |
| Model | AERO 30T | |
| Rim Type | Carbon Tubular | |
| E.R.D | 581.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1325.4g | 1369.4g |


AERO 45T

| | | |
|-------------------------|--|--|
| Rim Size | 45mm | |
| Model | AERO 45T | |
| Rim Type | Carbon Tubular | |
| E.R.D | 551.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1365.4g | 1409.4g |

WHEELSET SERIES


**AERO 80T**

| | | |
|-------------------------|--|--|
| Rim Size | 80mm | |
| Model | AERO 80T | |
| Rim Type | Carbon Tubular | |
| E.R.D | 482 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1645.4g | 1689.4g |


**AERO 30C**

| | | |
|-------------------------|--|--|
| Rim Size | 30mm | |
| Model | AERO 30C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 581.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1505.4g | 1549.4g |

WHEELSET SERIES


**AERO 45C**

| | | |
|-------------------------|--|--|
| Rim Size | 45mm | |
| Model | AERO 45C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 551.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1605.4g | 1649.4g |


**AERO 80C**

| | | |
|-------------------------|--|--|
| Rim Size | 80mm | |
| Model | AERO 80C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 481.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1875g | 1919g |

WHEELSET SERIES


**XLR-280**

| | |
|-------------------------|--|
| Rim Size | W:23mm,H:28mm |
| Model | XLR-280 |
| Rim Type | Alloy Clincher |
| E.R.D | 581 |
| Spoke | 20/24 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 288JR |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1541g |



**XLR-200**

| | |
|-------------------------|--|
| Rim Size | 22mm |
| Model | XLR-200 |
| Rim Type | Alloy Clincher |
| E.R.D | 588 |
| Spoke | 24/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 288JR |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1380g |



WHEELSET SERIES

**XLR-300**


| | |
|-------------------------|--|
| Rim Size | 30mm |
| Model | XLR-300 |
| Rim Type | Alloy Clincher |
| E.R.D | 571.5 |
| Spoke | 20/24 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 288JR |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1486g |

**THUNDERBOLT 275**


| | |
|-------------------------|---|
| Rim Size | W:26mm,H:22mm(W:33mm,H:24mm) |
| Model | THUNDERBOLT 27.5 |
| Rim Type | Carbon Hookless Clincher |
| E.R.D | 557.5(553.4) |
| Spoke | 28/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1475g (1505g) |

WHEELSET SERIES**THUNDERBOLT 29**

| | |
|-------------------------|---|
| Rim Size | W:26mm,H:22mm(W:33mm,H:24mm) |
| Model | THUNDERBOLT 29 |
| Rim Type | Carbon Hookless Clincher |
| E.R.D | 595.4(591.4) |
| Spoke | 28/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1575g (1615g) |

**XLR-650B**

| | |
|-------------------------|---|
| Rim Size | 22.4mm |
| Model | XLR-650B-XC |
| Rim Type | Alloy Clincher |
| E.R.D | 551 |
| Spoke | 24/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1600g |

WHEELSET SERIES**XLR-29ER**

| | |
|-------------------------|---|
| Rim Size | 22.4mm |
| Model | XLR-29ER-XC |
| Rim Type | Alloy Clincher |
| E.R.D | 587.5 |
| Spoke | 24/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1650g |



HANDLEBAR SERIES**HB-SR-AW**

| | |
|-------------|------------------|
| Material | Alloy 6061 |
| Feature | Road Compact Bar |
| Bar Bore | 31.8mm |
| Weight | 260g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 130 / 80 |

**HB-SL-A75**

| | |
|-------------|------------------|
| Material | Alloy 7075 |
| Feature | Road Bar |
| Bar Bore | 31.8mm |
| Weight | 260g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 163 / 90 |

**HB-CSL-33**

| | |
|-------------|------------------|
| Material | Carbon |
| Feature | Road Compact Bar |
| Bar Bore | 31.8mm |
| Weight | 195g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 145.4 / 85.7 |

**HB-CSL-68**

| | |
|-------------|------------------|
| Material | Carbon |
| Feature | Road Compact Bar |
| Bar Bore | 31.8mm |
| Weight | 185g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 129.93 / 74.57 |

HANDLEBAR SERIES**HB-ISR**

| | |
|-------------|-------------------------|
| Material | Carbon |
| Feature | Integrated Handle Bar |
| Bar Bore | 31.8 mm |
| Stem | 90/ 100/ 110/ 120 mm |
| Weight | 380g (ex. 400 mm*90 mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 130 / 90 |

**HB-SL-AL1**

| | |
|-----------|-------------------|
| Material | Alloy 2014 |
| Feature | Straight MTB Bar |
| Bar Bore | 31.8 mm |
| Weight | 219g (ex. 680 mm) |
| Width | 580- 780 mm |
| Color | Black |
| Rise | 4 |
| Backsweep | 9° |

**HB-CSL-ACM4**

| | |
|-----------|-------------------|
| Material | Carbon |
| Feature | Riser MTB Bar |
| Bar Bore | 31.8 mm |
| Weight | 210g (ex. 700 mm) |
| Width | 660 mm- 750 mm |
| Color | Black |
| Rise | 15 |
| Backsweep | 9° |

**HB-CSL-ACM1**

| | |
|-----------|-------------------|
| Material | Carbon |
| Feature | Straight MTB Bar |
| Bar Bore | 31.8 mm |
| Weight | 222g (ex. 750 mm) |
| Width | 580 mm- 750 mm |
| Color | Black |
| Rise | 0 |
| Backsweep | 4° |

FORK SERIES**FK26/ FK650B/ FK29ER**

| | |
|-----------------|---|
| Material | Carbon Fiber |
| Feature | MTB FORK , size 26" / 27.5" / 29", QR type or M15 thru axle dropout available |
| Headtube/ Crown | 1 1/8" - 1 1/2" |
| Weight | 600g ± 30g |

**FK10**

| | |
|-----------------|--|
| Material | Carbon Fiber |
| Feature | 26" Fat bike fork, OLD 135mm or OLD 150mm available, M15 thru axle dropout |
| Headtube/ Crown | 1 1/8" - 1 1/2" |
| Weight | 700g ± 30g |

**FK650B PLUS**

| | |
|----------------|--|
| Material | Carbon Fiber |
| Feature | MTB Fork, 27.5" PLUS; OLD: 110 mm; M15 thru axle dropout |
| Headtube Crown | Tapered 1 1/8" - 1 1/2" / 56 mm |
| Weight | 630g ± 30g |

SADDLE SERIES**SD10**

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 105g |
| Color | Black / White |

**SD04**

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 120g |
| Color | Black / White |

SD9

| | |
|----------|--|
| Material | Carbon saddle with micro fiber cover, super light foam |
| Weight | 164g |
| Color | Black / White |

**SD08**

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 110g |
| Color | Black / White |

SD1133

| | |
|----------|-------------------------------------|
| Material | CRN Ti alloy rail, super light foam |
| Weight | 191g |
| Color | Black-Silver / White-Black |

**SD16**

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 105g |
| Color | Black / White |

SD2059

| | |
|----------|-------------------------------------|
| Material | CRN Ti alloy rail, super light foam |
| Weight | 210g |
| Color | Black-Silver / White-Black |

SEAT POST SERIES**SP-CSL1**

| | |
|----------|---------------|
| Material | Full carbon |
| Diameter | 27.2mm 31.6mm |
| Weight | 182g 240g |
| Length | 350mm |
| Color | Black UD |

**SP-CSL2**

| | |
|----------|---------------|
| Material | Full carbon |
| Diameter | 27.2mm 31.6mm |
| Weight | 170g 185g |
| Length | 350mm |
| Color | Black UD |

**SP-CSL3**

| | |
|----------|---|
| Material | Full carbon, set back adjustable 0-30mm |
| Diameter | 27.2mm 31.6mm |
| Weight | 223g 243g |
| Length | 350mm /450mm |
| Color | Black UD |

**SP-SL**

| | |
|----------|---------------|
| Material | Alloy 2014 |
| Diameter | 27.2mm 31.6mm |
| Weight | 237g 252g |
| Length | 350mm |
| Color | Black |

STEM/QUICK RELEASE SERIES**SM-SL**

| | |
|----------|--|
| Material | Alloy 7075 |
| Bar Bore | 31.8mm |
| Weight | 95g(ext: 100mm) |
| Length | 50 -130mm |
| Color | Shinning Black / Matt Black / Shinning White |

**SM-C75**

| | |
|----------|------------------------------|
| Material | Alloy stem wrapped by carbon |
| Bar Bore | 31.8mm |
| Weight | 128g(ext:100mm) |
| Length | 50 -130mm |
| Color | Shinning Black |

**SM-3D**

| | |
|----------|------------------|
| Material | Alloy |
| Bar Bore | 31.8mm |
| Weight | 150g(ext: 100mm) |
| Length | 70 -120mm |
| Color | Matt Black |

**QR03**

| | |
|----------|-----------------------|
| Material | Alloy |
| Feature | QR, Cromo Hollow Axle |
| Weight | 88g / pair |
| Color | Black |

**QR58**

| | |
|----------|--------------------|
| Material | Alloy |
| Feature | QR, Hollow Axle |
| Weight | 58g / pair |
| Color | Black / Red / Gold |

BOTTLE CAGE/MISCELLANEOUS SERIES**BC009**

| | |
|----------|-------------|
| Material | Carbon |
| Feature | Bottle Cage |
| Weight | 18g |
| Finish | UD |
| Color | Black |

**BOT-012**

| | |
|----------|-------------|
| Material | Carbon |
| Feature | Bottle Cage |
| Weight | 25g |
| Finish | 3K/ UD |
| Color | Black |

**BOT-FIGMO**

| | |
|----------|-------------|
| Material | Carbon |
| Feature | Bottle Cage |
| Weight | 25g |
| Finish | 3K/ UD |
| Color | Black |

**BK1992R**

| | |
|---------|---|
| Feature | Bike bag, 210D, for 700C / 29" / 27.5" / 26", folded size 40x11cm |
| Color | Black |

**BK1297A**

| | |
|---------|--|
| Feature | Saddle bag, 1500D , 3-1/2" x 7-1/2" x 4" |
| Color | Black |

**BK1903R**

| | |
|---------|--|
| Feature | Saddle bag, 1200D w/ carbon weave look, 3" x 5-1/2" x 3-1/2" |
| Color | Black |

**TNBOLT**

| | |
|----------|---------------------------|
| Material | Carbon |
| Feature | Racer Number Plate Holder |
| Finish | 3K/ UD |
| Color | Black |

**BK1990D-L**

| | |
|---------|---|
| Feature | Double wheel bag, 1200D, for 29" / 27.5" / 26", 29-1/2"(DIA)*8-1/2" |
| Color | Black |

MARUDEAN CO., LTD

**ADD:639, Folker Rd.his-Tung
Taichung, Taiwan, R.O.C. 407**

**TEL:886-4-24653278
FAX:886-4-24616825
EMAIL:paul@marudean.com.tw
WEBSITE:www.edge-design.com.tw**