

EDGE

2016

PROFESSIONAL CYCLING COMPONENTS




EDGE DESIGN

| | |
|---|--------------|
| ROAD FRAMESET SERIES | 1-5 |
| ADROITE · AVANCE · ALLER · AIRY SL · ALICANTE · | |
| ANLACE · AXION SL · FOX II · ASCETIC | |
| MTB FRAMESET SERIES | 6-11 |
| PHANTOM · PHAETON 650B · PHAETON 29ER · PHAETON 650B PLUS · | |
| PICCOLO 650B SL · PICCOLO 29ER SL · PYRENEES 650B · PYRENEES 29ER · | |
| PYRENEES 650B AM PRO 150 · PYRENEES 29ER AM PRO 150 · ARTIC · TALLYHO | |
| TRACK FRAMESET SERIES | 12 |
| STINGER | |
| TT FRAMESET SERIES | 12-13 |
| TRIDENT · SPRINT-2 | |
| CX FRAMESET SERIES | 13 |
| CCX PRO | |
| E BIKE FRAME | 14 |
| PINNACLE 29ER · PINNACLE URBAN | |
| WHEELSET SERIES | 15-22 |
| AERO DISK(TUBULAR/CLINCHER) · AERO FOUR SPOKE · AERO 30T · | |
| AERO 45T · AERO 80T · AERO 30C · AERO 45C · AERO 80C · | |
| XLR-280 · XLR-200 · XLR-300 · THUNDERBOLT 275 · | |
| THUNDERBOLT 29ER · XLR-650B · XLR-29ER | |
| HANDLEBAR SERIES | 23-24 |
| HB-SR-AW · HB-SL-A75 · HB-CSL-33 · HB-CSL-68 · HB-ISR · | |
| HB-SL-AL1 · HB-CSL-ACM4 · HB-CSL-ACM1 | |
| FORK SERIES | 25 |
| FK26/ FK650B/ FK29ER · FK10F · FK650B PLUS | |
| SADDLE SERIES | 26 |
| SD10 · SD04 · SD08 · SD16 · SD09 · SD1133 · SD2059 | |
| SEAT POST SERIES | 27 |
| SP-CSL1 · SP-CSL2 · SP-CSL3 · SP-SL | |
| STEM SERIES | 28 |
| SM-SL · SM-C75 · SM-3D | |
| QUICK RELEASE | 28 |
| QR03 · QR58 | |
| BOTTLE CAGE / MISCELLANEOUS | 29 |
| BC009 · BOT-012 · BOT-FIGMO · BK1992R · BK1297A · BK1903R · | |
| TNBOLT · BK1990D-L | |

EDGE DESIGN

ROAD FRAME SERIES




| SIZE | S | SC | O | HS | HC | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|----|-------|-------|-----|----|-------|-------|
| 480 | 480 | 74.8° | 515 | 125 | 71.3° | 45 | 976.4 | 578.4 | 408 | 69 | 373.6 | 521.5 |
| 500 | 500 | 74.3° | 525 | 135 | 72° | 45 | 975.7 | 577.7 | 408 | 69 | 375.4 | 533.5 |
| 520 | 520 | 73.5° | 535 | 145 | 72° | 45 | 977.3 | 579.4 | 408 | 70 | 373.9 | 544 |
| 540 | 540 | 73° | 550 | 160 | 72.3° | 45 | 984.5 | 586.6 | 408 | 70 | 379 | 559.3 |
| 560 | 560 | 72.5° | 560 | 170 | 72.3° | 45 | 989.2 | 591.2 | 408 | 70 | 380.6 | 568.9 |
| 580 | 580 | 72.5° | 570 | 190 | 73° | 45 | 992.1 | 594.1 | 408 | 70 | 383.8 | 590.5 |

ADROITE

| | |
|---------------|---|
| Feature | Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post |
| Head tube | 1 1/8"- 1 1/2" |
| Seat post | Aero |
| Size | 480/ 500/ 520/ 540/ 560/ 580 mm |
| Weight(frame) | 1050g ± 50g |
| BB type | BB86/ BSA/ BB30/ PF30 |
| Seat tube | Aero |

* Shimano flat mount disc version available



AVANCE


| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|--------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 430 | 430 | 75° | 515 | 100 | 71.5° | 370 | 45 | 971.7 | 576.8 | 405 | 69 | 380.7 | 501.1 |
| 470 | 470 | 74° | 536 | 120 | 72.5° | 370 | 45 | 975.3 | 580.4 | 405 | 69 | 385.9 | 523.4 |
| 495 | 495 | 73.5° | 548 | 140 | 73° | 370 | 45 | 978 | 583.1 | 405 | 69 | 386.9 | 543.8 |
| 510 | 510 | 73.25° | 565 | 160 | 73.5° | 370 | 45 | 987.7 | 592.7 | 405 | 69 | 394.9 | 565 |
| 540 | 540 | 73° | 587 | 180 | 73.5° | 370 | 45 | 1006.8 | 611.7 | 405 | 69 | 408.3 | 584.2 |

| | |
|---------------|---|
| Feature | Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post |
| Head tube | 1 1/8"- 1 1/2" |
| Seat post | Aero |
| Size | 430/ 470/ 495/ 510/ 540 mm |
| Weight(frame) | 950g ± 25g |
| BB type | BB86 |
| Seat tube | Aero |

* Shimano flat mount disc version available

EDGE DESIGN

ROAD FRAME SERIES




| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 440 | 440 | 74.5° | 520 | 115 | 71.5° | 368 | 45 | 978 | 577.7 | 410 | 68 | 377.8 | 511.8 |
| 470 | 470 | 73.6° | 540 | 135 | 72.5° | 368 | 45 | 980.9 | 580.6 | 410 | 68 | 382.4 | 534.2 |
| 510 | 510 | 73° | 555 | 155 | 73° | 368 | 45 | 985.5 | 584.9 | 410 | 68 | 385 | 555 |
| 540 | 540 | 73° | 570 | 170 | 73° | 368 | 45 | 1000.2 | 599.7 | 410 | 68 | 395.6 | 569.3 |
| 570 | 570 | 72.5° | 590 | 190 | 73.5° | 368 | 45 | 1009.4 | 609 | 410 | 68 | 403.5 | 590.2 |

ALLER

| | |
|----------------|---|
| Feature | Carbon monocoque road frame ,direct mount brake/DI2 compatible |
| Head tube | 48/57 mm , 1 1/8"- 1 1/2" |
| Seat post | Aero |
| Size | 440/ 470/ 510/ 540/ 570 mm |
| Weight (frame) | 985g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB86 |
| Seat tube | Aero |

* Shimano flat mount disc version available




AIRY SL

| | |
|---------------|---|
| Feature | Carbon monocoque super light road frame. DI2 compatible. |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 27.2 mm |
| Size | 450/ 480/ 500/ 520/ 540/ 560/ 580/ 600 mm |
| Weight(frame) | 850g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB86/ BB386 |
| Seat tube | 31.8 mm |

* Disc version available

EDGE DESIGN


ROAD FRAME SERIES



| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | HD | HB |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|----|----|
| 450 | 450 | 75° | 505 | 100 | 71° | 370 | 45 | 965.6 | 570 | 405 | 69 | 367.7 | 498 | 46 | 46 |
| 480 | 480 | 74.5° | 515 | 110 | 71.5° | 370 | 45 | 967.6 | 572.7 | 405 | 69 | 371.7 | 510 | 46 | 46 |
| 500 | 500 | 74.5° | 525 | 115 | 72° | 370 | 45 | 973.6 | 578.6 | 405 | 69 | 374 | 516.5 | 46 | 46 |
| 520 | 520 | 74° | 535 | 120 | 72.5° | 370 | 45 | 974.5 | 579.5 | 405 | 69 | 381 | 522.5 | 46 | 46 |
| 540 | 540 | 73.5° | 545 | 140 | 73° | 370 | 45 | 975.2 | 580.3 | 405 | 69 | 384 | 543.2 | 46 | 46 |
| 560 | 560 | 73.5° | 560 | 160 | 73° | 370 | 45 | 990 | 595 | 405 | 69 | 385 | 558.3 | 46 | 46 |
| 580 | 580 | 73° | 575 | 180 | 73.5° | 370 | 45 | 995 | 600 | 405 | 69 | 395 | 584 | 46 | 46 |
| 600 | 600 | 72.5° | 590 | 200 | 73.5° | 370 | 45 | 1004.2 | 609 | 405 | 69 | 396.4 | 602.7 | 46 | 46 |

ALICANTE

| | |
|----------------|--|
| Feature | Carbon monocoque aerodynamic road frame. DI2 compatible. Include fork and seat post |
| Head tube | 1 1/8" |
| Seat post | Aero |
| Size | 450/ 480/ 500/ 520/ 540/ 560/ 580/ 600 mm |
| Weight (frame) | 1030g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB86/ BB386 |
| Seat tube | Aero |




ANLACE

| | |
|---------------|--|
| Feature | Carbon monocoque road frameset, DI2 compatible. |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 27.2 mm |
| Size | 450/ 470/ 490/ 510/ 530/ 550/ 580 mm |
| Weight(frame) | 1000g ± 50g |
| BB type | BSA/ BB30/ BB86/ PF30 |
| Seat tube | 31.8 mm |

EDGE DESIGN


ROAD FRAME SERIES



AXION SL

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-------|-------|-------|-------|-----|----|--------|-------|-----|----|-------|-------|
| 470 | 470 | 420 | 75° | 500 | 487.1 | 100 | 71.5° | 371 | 43 | 955.1 | 560 | 405 | 68 | 366.4 | 498.6 |
| 490 | 490 | 440 | 74° | 510 | 494.8 | 120 | 72° | 371 | 43 | 952.3 | 557.1 | 405 | 68 | 360.4 | 521.7 |
| 510 | 510 | 460 | 73.5° | 530.4 | 514.3 | 132.8 | 72.1° | 371 | 43 | 967.2 | 572 | 405 | 68 | 372.2 | 534.2 |
| 540 | 540 | 490 | 73° | 548 | 532.7 | 145 | 73.1° | 371 | 43 | 970.5 | 575.3 | 405 | 68 | 380.1 | 549.2 |
| 565 | 565 | 515 | 72.5° | 569.1 | 552.4 | 171.1 | 73.1° | 371 | 43 | 986.1 | 590.7 | 405 | 68 | 388.1 | 574.2 |
| 590 | 590 | 540 | 72° | 590.7 | 572.6 | 197.3 | 73.1° | 371 | 43 | 1004.6 | 606.2 | 405 | 68 | 396 | 599.3 |

| | |
|---------------|--|
| Feature | Carbon monocoque super light road frame, DI2 compatible. |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 27.2 mm |
| Size | 470/ 490/ 510/ 540/ 565/ 590 mm |
| Weight(frame) | 765g ± 30g |
| BB type | BSA/ BB30/ PF30 |
| Seat tube | 31.8 mm |




FOX II

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|-------|-----|-------|-----|----|-------|-------|-----|----|-------|-------|
| 450 | 450 | 400 | 75° | 510 | 495.5 | 100 | 71° | 368 | 45 | 970.4 | 575.8 | 405 | 70 | 376.6 | 498.7 |
| 480 | 480 | 430 | 74.5° | 525 | 510 | 115 | 72° | 368 | 45 | 973 | 578.4 | 405 | 70 | 381.8 | 516.3 |
| 510 | 510 | 460 | 74° | 540 | 524.7 | 135 | 72.5° | 368 | 45 | 980.2 | 584.9 | 405 | 68 | 386.5 | 535 |
| 540 | 540 | 490 | 73.5° | 555 | 539.7 | 155 | 73° | 368 | 45 | 985.8 | 590.4 | 405 | 68 | 390.3 | 555.9 |
| 570 | 570 | 520 | 73° | 570 | 555.4 | 175 | 73° | 368 | 45 | 995.5 | 600.1 | 405 | 68 | 394.2 | 575 |

| | |
|---------------|--------------------------------|
| Feature | Super light road carbon frame. |
| Head tube | 48/57mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 450/ 480/ 510/ 540/ 570 mm |
| Weight(frame) | 900g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB86/ BB386 |
| Seat tube | 34.9 mm |

EDGE DESIGN

ROAD FRAME SERIES



ASCETIC


| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-------|-----|--------|-----|-------|-----|----|-------|--------|-----|----|--------|--------|
| 510 | 510 | 465 | 74° | 520 | 516.1 | 102 | 72.5° | 365 | 45 | 959.7 | 564.22 | 405 | 67 | 377.74 | 496.21 |
| 530 | 530 | 485 | 74° | 535 | 530.9 | 120 | 73° | 365 | 45 | 970.8 | 575.27 | 405 | 67 | 387.35 | 515 |
| 550 | 550 | 505 | 73.5° | 550 | 545.1 | 140 | 73° | 365 | 45 | 981.1 | 585.5 | 405 | 67 | 391.81 | 534.13 |
| 570 | 570 | 525 | 73.5° | 565 | 560.15 | 160 | 73° | 365 | 45 | 996.3 | 600.6 | 405 | 67 | 401.14 | 553.25 |
| 590 | 590 | 545 | 73° | 575 | 569.31 | 180 | 73° | 365 | 45 | 1003 | 605.29 | 407 | 67 | 400.01 | 572.37 |

| | |
|-----------|---|
| Feature | Super light Titanium road frame, Integrated headset. |
| Head tube | 46 mm, 1 1/8" |
| Seat post | 27.2 mm |
| Size | 510/ 530/ 550/ 570/ 590 mm |
| BB type | BSA/ BB30/ BB86 |
| Seat tube | 31.8 mm |



EDGE DESIGN


MTB FRAME SERIES



| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 17" | 432 | 72.5° | 595 | 105 | 68.5° | 506 | 51 | 1109.8 | 676.7 | 425 | 60 | 402.3 | 611.3 |
| 19" | 483 | 115° | 617 | 110 | 68.5° | 506 | 51 | 1131.8 | 698.6 | 425 | 60 | 422.4 | 616 |
| 21" | 533 | 125° | 639 | 115 | 68.5° | 506 | 51 | 1154.6 | 721.3 | 425 | 60 | 443.3 | 520.7 |

PHANTOM


| | |
|---------------|---|
| Feature | Carbon 27.5/29er MTB frame, TA 12mm dropout |
| Head tube | 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 17"/ 19"/ 21" |
| Weight(frame) | 1300g ± 50g |
| BB type | BB92 |
| Seat tube | 34.9 mm |



| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-----|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 400 | 73° | 562 | 95 | 69° | 485 | 43 | 1073.4 | 650.3 | 427 | 45 | 398 | 561 |
| 17.5" | 440 | 73° | 587.6 | 100 | 69° | 485 | 43 | 1087.4 | 664.4 | 427 | 45 | 410.9 | 578.1 |
| 19" | 480 | 73° | 602 | 105 | 69° | 485 | 43 | 1098.1 | 675 | 427 | 45 | 425.7 | 583.4 |
| 20.5" | 520 | 73° | 617 | 110 | 69° | 485 | 43 | 1113.5 | 690.3 | 427 | 45 | 437.8 | 598 |

PHAETON 650B

| | |
|----------------|--|
| Feature | 27.5" MTB carbon frame, QR/TA 12mm dropout |
| Head tube | 48/57 mm , 1 1/8"-1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19.5"/ 20.5" |
| Weight (frame) | 1145g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB92 |
| Seat tube | 37.0 mm |




PHAETON 29ER (Length: mm/ Angle: °)

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 72.5° | 580 | 100 | 69.5° | 506 | 45 | 1087.7 | 644.5 | 440 | 60 | 387.1 | 612 |
| 17.5" | 440 | 72.5° | 600 | 105 | 69.5° | 506 | 45 | 1097.7 | 663.6 | 440 | 60 | 404.3 | 618 |
| 19" | 483 | 72.5° | 620 | 110 | 69.5° | 506 | 45 | 1107.7 | 684.5 | 440 | 60 | 419.8 | 632 |
| 21" | 533 | 72.5° | 640 | 115 | 69.5° | 506 | 45 | 1117.7 | 704.5 | 440 | 60 | 438 | 640.8 |

PHAETON 29ER

| | |
|---------------|---|
| Feature | 29er MTB carbon frame, QR/TA 12mm dropout |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19.5"/ 20.5" |
| Weight(frame) | 1185g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB92 |
| Seat tube | 37.0 mm |




PHAETON 650B PLUS (Length: mm/ Angle: °)

PHAETON 650B PLUS

| | |
|----------------|---|
| Feature | 27.5" PLUS MTB carbon frame, OLD 12*148MM |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19.5"/ 20.5" |
| Weight (frame) | 1254g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB92 |
| Seat tube | 37.0 mm |

| SIZE | S | SP | SC | SL | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 341 | 72.5° | 110.8 | 580 | 555 | 100 | 69.5° | 506 | 45 | 1077.4 | 644.3 | 440 | 60 | 387 | 612 |
| 17.5" | 440 | 385 | 72.5° | 126.6 | 600 | 572 | 105 | 69.5° | 506 | 45 | 1097.7 | 664.5 | 440 | 60 | 405 | 618 |
| 19" | 483 | 431.3 | 72.5° | 140.4 | 620 | 584.7 | 120 | 69.5° | 506 | 45 | 1117.6 | 684.3 | 440 | 60 | 420 | 632 |
| 21" | 533 | 478.2 | 72.5° | 157.6 | 640 | 606.5 | 130 | 69.5° | 506 | 45 | 1139.3 | 705.7 | 440 | 60 | 438 | 641 |


EDGE DESIGN
MTB FRAME SERIES



PICCOLO 650B SL

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 400 | 347.3 | 73.5° | 570 | 555.9 | 101 | 70° | 485 | 43 | 1064.4 | 640.3 | 428 | 45 | 398 | 581 |
| 17.5" | 435 | 381.6 | 73° | 595 | 570.8 | 115 | 70.5° | 485 | 43 | 1078 | 654 | 428 | 45 | 410.1 | 598.1 |
| 19" | 480 | 427.1 | 73° | 610 | 584.2 | 120 | 71° | 485 | 43 | 1089.1 | 665 | 428 | 45 | 425.7 | 603.4 |
| 20.5" | 520 | 466.9 | 73° | 625 | 599.1 | 130 | 71° | 485 | 43 | 1104.5 | 680.3 | 428 | 45 | 437.8 | 618 |

| | |
|---------------|--|
| Feature | Super light 650B MTB frame, QR/TA 12mm dropout |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 27.2 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(frame) | 950g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB92 |
| Seat tube | 31.8 mm |




PICCOLO 29ER SL

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|-------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15.5" | 395 | 341 | 72.5 | 580 | 555 | 100 | 69.5° | 506 | 45 | 1077.4 | 644.3 | 440 | 60 | 387.1 | 611.9 |
| 17.5" | 440 | 385 | 72.5° | 600 | 572 | 105 | 69.5° | 506 | 45 | 1097.7 | 664.5 | 440 | 60 | 405 | 618 |
| 19" | 483 | 431.3 | 72.5° | 620 | 584.7 | 120 | 69.5° | 506 | 45 | 1117.6 | 684.3 | 440 | 60 | 419.8 | 632.1 |
| 20.5" | 533 | 478.2 | 72.5° | 640 | 606.5 | 130 | 69.5° | 506 | 45 | 1139.3 | 705.7 | 440 | 60 | 438 | 640.8 |

| | |
|---------------|---|
| Feature | Super light 29er MTB carbon frame, QR/TA 12mm dropout |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 21" |
| Weight(frame) | 900g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB92 |
| Seat tube | 34.9 mm |

EDGE DESIGN


MTB FRAME SERIES



PYRENEES 650B

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-------|-----|-----|-----|-----|----|--------|-------|-----|----|-------|-------|--------|------------------|
| 15.5" | 395 | 74.5° | 559 | 95 | 69° | 502 | 51 | 1098 | 662.1 | 435 | 45 | 397.6 | 582 | 110 | 190 |
| 17.5" | 445 | 74.5° | 585 | 100 | 69° | 502 | 51 | 1117.7 | 686.6 | 435 | 45 | 412.7 | 588.7 | 110 | 190 |
| 19" | 483 | 74.5° | 600 | 115 | 69° | 502 | 51 | 1141 | 705.1 | 435 | 45 | 433.4 | 600.7 | 110 | 190 |
| 20.5" | 520 | 74.5° | 630 | 125 | 69° | 502 | 51 | 1172 | 736.1 | 435 | 45 | 460.8 | 610 | 110 | 190 |

| | |
|---------------|---|
| Feature | Carbon 27.5" MTB suspension frame, XC, travel 110mm,TA 12mm dropout |
| Head tube | 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(frame) | 2000g ± 50g |
| BB type | BB92 |
| Seat tube | 34.9 mm |




PYRENEES 29ER

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|--------|------------------|
| 15.5" | 395 | 73.6° | 560.5 | 95 | 68° | 520 | 51 | 1105.5 | 668.1 | 440 | 38 | 386.9 | 589.2 | 110 | 190 |
| 17.5" | 445 | 73.6° | 587.5 | 100 | 68° | 520 | 51 | 1129.5 | 692.1 | 440 | 38 | 412.7 | 595.1 | 110 | 190 |
| 19" | 483 | 73.6° | 602 | 115 | 68° | 520 | 51 | 1149 | 711.4 | 440 | 38 | 422.4 | 608.5 | 110 | 190 |
| 20.5" | 520 | 73.6° | 632 | 125 | 68° | 520 | 51 | 1180 | 742.6 | 440 | 38 | 449.6 | 618.3 | 110 | 190 |

| | |
|---------------|--|
| Feature | Carbon 29er MTB suspension frame, XC, travel 110mm,TA 12mm dropout |
| Head tube | 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 20.5" |
| Weight(frame) | 2000g ± 50g |
| BB type | BB92 |
| Seat tube | 34.9 mm |

EDGE DESIGN


MTB FRAME SERIES



PYRENEES 650B AM PRO 150

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-----|-----|-----|-------|-----|----|--------|-------|-----|---|-------|-------|--------|------------------|
| 15.5" | 400 | 74° | 580 | 100 | 68° | 540 | 45 | 1134.7 | 694.8 | 440 | 5 | 413.2 | 591 | 150 | 200 |
| 17.5" | 445 | 74° | 600 | 110 | 68° | 540 | 45 | 1155.5 | 715.5 | 440 | 5 | 430.2 | 591 | 150 | 200 |
| 19" | 483 | 74° | 620 | 120 | 68.5° | 540 | 45 | 1171 | 731 | 440 | 5 | 447.1 | 602.9 | 150 | 200 |

| | |
|---------------|---|
| Feature | Carbon 27.5" MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19" |
| Weight(frame) | 2500g ± 50g |
| BB type | BB92 |
| Seat tube | 34.9 mm |




PYRENEES 29ER AM PRO 150

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | Travel | Shock Eye to Eye |
|-------|-----|-----|-----|-----|-----|-----|----|--------|-----|-----|----|-------|-------|--------|------------------|
| 15.5" | 400 | 74° | 580 | 100 | 69° | 550 | 46 | 1136.2 | 680 | 457 | 25 | 402.2 | 620 | 150 | 200 |
| 17.5" | 440 | 74° | 600 | 110 | 69° | 550 | 46 | 1157 | 701 | 457 | 25 | 419.5 | 629.3 | 150 | 200 |
| 19" | 480 | 74° | 620 | 120 | 69° | 550 | 46 | 1178 | 722 | 457 | 25 | 436.8 | 638.7 | 150 | 200 |
| 21" | 530 | 74° | 640 | 135 | 69° | 550 | 46 | 1198.9 | 743 | 457 | 25 | 454.2 | 648 | 150 | 200 |

| | |
|---------------|---|
| Feature | Carbon 29" MTB suspension frame, TA 12mm dropout travel: 150mm, rear shock eye to eye 200mm |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15.5"/ 17.5"/ 19"/ 21" |
| Weight(frame) | 2500g ± 50g |
| BB type | BB92 |
| Seat tube | 34.9 mm |


EDGE DESIGN
MTB FRAME SERIES



ARTIC

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-------|-------|-----|-------|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 15" | 381 | 316 | 67.5° | 583 | 562.1 | 115 | 69.5° | 468 | 45 | 1112 | 651.6 | 467 | 60 | 401.9 | 590.3 |
| 17" | 432 | 366.4 | 67.5° | 602 | 576.4 | 135 | 70° | 468 | 45 | 1126.8 | 666.4 | 467 | 60 | 415.2 | 611.2 |
| 19" | 483 | 416.5 | 67.5° | 622 | 597 | 155 | 70° | 468 | 45 | 1148 | 687.5 | 467 | 60 | 429.5 | 630 |
| 21" | 533 | 466 | 67.5° | 640 | 611.6 | 175 | 70° | 468 | 45 | 1167 | 706.4 | 467 | 60 | 441.6 | 648.8 |

| | |
|---------------|--|
| Feature | Fatbike carbon frame, QR/TA 12mm dropout |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 15"/ 17"/ 19"/ 21" |
| Weight(frame) | 1100g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB386 |
| Seat tube | 34.9 mm |




TALLYHO

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-----|-------|-------|-----|-----|-----|----|--------|-------|-----|----|-------|-------|
| 15" | 381 | 326 | 73° | 538.6 | 520 | 110 | 71° | 445 | 38 | 1005.1 | 588.1 | 420 | 38 | 370.8 | 548.9 |
| 17" | 432 | 377 | 73° | 579 | 554.7 | 110 | 71° | 445 | 38 | 1045.5 | 628.4 | 420 | 38 | 411.2 | 548.9 |
| 19" | 483 | 428 | 73° | 598 | 576 | 110 | 71° | 445 | 38 | 1064.5 | 647.4 | 420 | 38 | 430.2 | 548.9 |
| 21" | 533 | 478 | 73° | 608.3 | 591.3 | 125 | 71° | 445 | 38 | 1075.3 | 658.2 | 420 | 38 | 436.1 | 563.1 |

| | |
|-----------|--|
| Feature | Titanium MTB frame. Integrated headset |
| Head tube | 46 mm |
| Seat post | 27.2 mm |
| Size | 15"/ 17"/ 19"/ 21" |
| BB type | BSA/ BB30/ BB92 |
| Seat tube | 31.8 mm |


EDGE DESIGN
TRACK FRAME / TT FRAME SERIES



TRIDENT

| SIZE | S | SC | O | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack |
|------|-----|-----|-----|-----|-------|-----|----|--------|-------|-----|----|-------|-------|
| 505 | 505 | 77° | 480 | 100 | 70.3 | 370 | 45 | 954.3 | 570.5 | 395 | 72 | 364.8 | 499.2 |
| 525 | 525 | 77° | 505 | 115 | 71.5° | 370 | 45 | 970.4 | 586.5 | 395 | 72 | 385.5 | 517.7 |
| 549 | 549 | 77° | 530 | 140 | 72° | 370 | 45 | 993.3 | 609.2 | 395 | 72 | 404.6 | 543.1 |
| 577 | 577 | 77° | 560 | 165 | 72.5° | 370 | 45 | 1020.8 | 636.5 | 395 | 72 | 428.7 | 568.7 |

| | |
|---------------|--|
| Feature | Carbon monocoque aerodynamic triathlon frame. DI2 compatible. Include fork ,seat post, stem and handle bar |
| Head tube | 1 1/8" |
| Seat post | Aero |
| Size | 505/ 525/ 549/ 577 mm |
| Weight(frame) | 1430g ± 25g |
| BB type | BSA/ BB30/ PF30/ BB86 |
| Seat tube | Aero |




STINGER

| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | HD | HB |
|------|-----|-------|-----|-----|-----|-----|-------|-----|----|-----|-------|-----|----|-------|-------|----|----|
| 490 | 498 | 473 | 75 | 516 | 517 | 85 | 72.5° | 368 | 35 | 932 | 560 | 380 | 60 | 386.8 | 471.1 | 48 | 57 |
| 510 | 505 | 477.5 | 75° | 535 | 536 | 90 | 72.5° | 368 | 35 | 951 | 579 | 380 | 60 | 404.5 | 487.1 | 48 | 57 |
| 540 | 520 | 492 | 75° | 557 | 558 | 105 | 72.5° | 368 | 35 | 974 | 601.5 | 380 | 60 | 422.6 | 501.4 | 48 | 57 |
| 560 | 539 | 512 | 75° | 573 | 574 | 125 | 72.5° | 368 | 35 | 991 | 618 | 380 | 60 | 433.5 | 509.3 | 48 | 57 |

| | |
|---------------|--|
| Feature | Carbon track frame include fork and seatpost |
| Head tube | 48/57 mm,1 1/8"- 1 1/2" |
| Seat post | Aero |
| Size | 490/ 510/ 540/ 560 mm |
| Weight(frame) | 1850g ± 50g |
| BB type | BSA/ BB30 |
| Seat tube | Aero |


EDGE DESIGN
TT FRAME / CX FRAMESET SERIES



| SIZE | S | SP | SC | O | OS | HS | HC | F | OT | WB | FC | RC | G | Reach | Stack | HD | HB | ST |
|------|-----|-----|-----|-------|-------|-------|-------|-----|----|-------|-------|-----|----|-------|-------|----|----|----|
| 450 | 450 | 435 | 75° | 490 | 488 | 91.5 | 71° | 370 | 45 | 945.5 | 562.5 | 395 | 75 | 372.5 | 453.5 | 46 | 46 | 75 |
| 490 | 515 | 500 | 75° | 511 | 511.5 | 101.5 | 72.5° | 370 | 45 | 945.5 | 562.8 | 395 | 75 | 378 | 512 | 46 | 46 | 75 |
| 520 | 525 | 510 | 75° | 531.5 | 532 | 111.5 | 72.5° | 370 | 45 | 967 | 584 | 395 | 75 | 396 | 521.5 | 46 | 46 | 75 |
| 540 | 542 | 527 | 75° | 550.5 | 551 | 129.5 | 72.5° | 370 | 45 | 986.5 | 603.5 | 395 | 75 | 410 | 538 | 46 | 46 | 75 |
| 560 | 561 | 546 | 75° | 569 | 569.5 | 148 | 72.5° | 370 | 45 | 1006 | 622.5 | 395 | 75 | 424 | 556 | 46 | 46 | 75 |

SPRINT-2

| | |
|---------------|---|
| Feature | Carbon time trial frame with fork, seat post and handle bar. Front brake:mini V ; rear brake:direct mount |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | OVAL |
| Size | 450/ 490/ 520/ 540/ 560 mm |
| Weight(frame) | 1360g ± 50g |
| BB type | BSA/ BB30/ PF30 |
| Seat tube | Aero |




CCX PRO

| | |
|---------------|---------------------------------|
| Feature | Carbon cyclocross frame |
| Head tube | 48/57 mm, 1 1/8"- 1 1/2" |
| Seat post | 27.2 mm |
| Size | 480/ 500/ 520/ 540/ 560/ 580 mm |
| Weight(frame) | 1100g ± 50g |
| BB type | BSA/ BB30/ PF30/ BB386 |
| Seat tube | 31.8 mm |

* Disc version available

EDGE DESIGN


E BIKE FRAME



| SIZE | S | SC | O | HS | HC | F | OT | WB | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-----|-----|----|------|-----|----|-------|-------|
| 16" | 408 | 74° | 575 | 105 | 69° | 508 | 46 | 1143 | 475 | 58 | 399 | 614 |
| 18" | 457 | 73.5° | 616 | 115 | 70° | 508 | 46 | 1158 | 475 | 58 | 431 | 628 |
| 20" | 508 | 73° | 640 | 125 | 71° | 508 | 46 | 1165 | 475 | 58 | 444 | 641 |

PINNACLE 29ER


| | |
|----------------|---|
| Feature | Carbon monocoque 29er MTB E bike frame |
| Head tube | 48/58 mm , 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 16"/ 18"/ 20" |
| Weight (frame) | 1725g ± 50g |
| BB type | Compatible with SHIMANO STEPS Electric Power System |
| Seat tube | 34.9 mm |



PINNACLE URBAN


| SIZE | S | SC | O | HS | HC | F | OT | WB | RC | G | Reach | Stack |
|------|-----|-------|-----|-----|-------|-----|----|--------|-----|----|-------|-------|
| 460 | 460 | 74.3° | 560 | 150 | 68.5° | 473 | 44 | 1101.6 | 455 | 68 | 382.5 | 631.5 |
| 480 | 480 | 74° | 588 | 160 | 69° | 473 | 44 | 1121 | 455 | 68 | 403.6 | 643.2 |
| 500 | 500 | 73.5° | 580 | 170 | 69.5° | 473 | 44 | 1102.3 | 455 | 68 | 386 | 654.9 |
| 520 | 520 | 73° | 590 | 180 | 70° | 473 | 44 | 1100.8 | 455 | 68 | 386.2 | 666.6 |

| | |
|---------------|---|
| Feature | Carbon monocoque 700C trekking E bike frame |
| Head tube | 48/60 mm , 1 1/8"- 1 1/2" |
| Seat post | 31.6 mm |
| Size | 460/ 480/ 500/ 520 mm |
| Weight(frame) | 1845g ± 50g |
| BB type | Compatible with SHIMANO STEPS Electric Power System |
| Seat tube | 34.9 mm |




AERO REAR DISK

| | |
|-------------------------|---------------------------------|
| Rim Size | FALT DISK WHEEL |
| Model | AERO REAR DISK |
| Rim Type | Carbon Tubular / Clincher |
| E.R.D | N/A |
| Spoke | N/A |
| Shape | N/A |
| Material | N/A |
| Nipple Material & Gauge | N/A |
| Lacing | N/A |
| Hub | MARU0708 |
| Bearings | 4 sealed bearing |
| Freehub Type | Track/Shimano/Campy/Sram 10/11s |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | Track:120mm/Road :130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1100g |



AERO 4 SPOKE

| | |
|-------------------------|---------------------------------|
| Rim Size | 4 SPOKE WHEEL |
| Model | AERO 4 SPOKE |
| Rim Type | Carbon Tubular |
| E.R.D | N/A |
| Spoke | N/A |
| Shape | N/A |
| Material | N/A |
| Nipple Material & Gauge | N/A |
| Lacing | N/A |
| Hub | MARU0708 |
| Bearings | 4 sealed bearing |
| Freehub Type | Track/Shimano/Campy/Sram 10/11s |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | Track:120mm/Road :130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1075g |




AERO 30T

| | | |
|-------------------------|--|--|
| Rim Size | 30mm | |
| Model | AERO 30T | |
| Rim Type | Carbon Tubular | |
| E.R.D | 581.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1325.4g | 1369.4g |


AERO 45T

| | | |
|-------------------------|--|--|
| Rim Size | 45mm | |
| Model | AERO 45T | |
| Rim Type | Carbon Tubular | |
| E.R.D | 551.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1365.4g | 1409.4g |




AERO 80T

| | | |
|-------------------------|--|--|
| Rim Size | 80mm | |
| Model | AERO 80T | |
| Rim Type | Carbon Tubular | |
| E.R.D | 482 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/Campy/Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1645.4g | 1689.4g |




AERO 30C

| | | |
|-------------------------|--|--|
| Rim Size | 30mm | |
| Model | AERO 30C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 581.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1505.4g | 1549.4g |




AERO 45C

| | | |
|-------------------------|--|--|
| Rim Size | 45mm | |
| Model | AERO 45C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 551.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1605.4g | 1649.4g |




AERO 80C

| | | |
|-------------------------|--|--|
| Rim Size | 80mm | |
| Model | AERO 80C | |
| Rim Type | Carbon Clincher | |
| E.R.D | 481.9 | |
| Spoke | Sapim CX-Ray 20/24 | Sapim Race 20/24 |
| Shape | AERO 2.0-(0.9x2.2)-2.0 mm | Round D.B 14G 2.0-1.8-2.0 mm |
| Material | Stainless | Stainless |
| Nipple Material & Gauge | Alloy Sapim inverted nipple 10mm | Alloy Sapim inverted nipple 10mm |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 332RR | EDGE 288JR |
| Bearings | 2/4 sealed bearing | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram 10/11s | Shimano/Campy/Sram |
| Freehub Switchable | Yes | Yes |
| Freehub Material | Alloy | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm | F:100mm/R:130mm |
| Axle Material | Alloy | Alloy |
| Skewer Type | QR | QR |
| Weight (w/o skewer) | 1875g | 1919g |




XLR-280

| | |
|-------------------------|--|
| Rim Size | W:23mm,H:28mm |
| Model | XLR-280 |
| Rim Type | Alloy Clincher |
| E.R.D | 581 |
| Spoke | 20/24 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 288JR |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/Campy/Sram |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1541g |




XLR-200

| | |
|-------------------------|--|
| Rim Size | 22mm |
| Model | XLR-200 |
| Rim Type | Alloy Clincher |
| E.R.D | 588 |
| Spoke | 24/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 288JR |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/Campy/Sram |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1380g |




XLR-300

| | |
|-------------------------|--|
| Rim Size | 30mm |
| Model | XLR-300 |
| Rim Type | Alloy Clincher |
| E.R.D | 571.5 |
| Spoke | 20/24 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Front: Radial Rear: Radial (non-drive side) Cross (drive side) |
| Hub | EDGE 288JR |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Campy/ Sram |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:130mm |
| Axle Material | Alloy |
| Skewer Type | QR |
| Weight (w/o skewer) | 1486g |




THUNDERBOLT 275

| | |
|-------------------------|---|
| Rim Size | W:26mm,H:22mm(W:33mm,H:24mm) |
| Model | THUNDERBOLT 27.5 |
| Rim Type | Carbon hookless Clincher |
| E.R.D | 557.5(553.4) |
| Spoke | 28/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1475g (1505g) |



THUNDERBOLT 29


| | |
|-------------------------|---|
| Rim Size | W:26mm,H:22mm(W:33mm,H:24mm) |
| Model | THUNDERBOLT 29 |
| Rim Type | Carbon hookless Clincher |
| E.R.D | 595.4(591.4) |
| Spoke | 28/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1575g (1615g) |



XLR-650B

| | |
|-------------------------|---|
| Rim Size | 22.4mm |
| Model | XLR-650B-XC |
| Rim Type | Alloy Clincher |
| E.R.D | 551 |
| Spoke | 24/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm /R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1600g |

EDGE DESIGN
WHEELSET SERIES



XLR-29ER

| | |
|-------------------------|---|
| Rim Size | 22.4mm |
| Model | XLR-29ER-XC |
| Rim Type | Alloy Clincher |
| E.R.D | 587.5 |
| Spoke | 24/28 |
| Shape | Round D.B |
| Material | Stainless |
| Nipple Material & Gauge | Alloy 14G |
| Lacing | Cross |
| Hub | EDGE 402JM |
| Bearings | 2/4 sealed bearing |
| Freehub Type | Shimano/ Sram 11S |
| Freehub Switchable | Yes |
| Freehub Material | Alloy |
| Axle Width (O.L.D) | F:100mm/R:135mm or F:100mm/ R:142mm(F:15mm/R:12mm thru axle) |
| Axle Material | Alloy |
| Skewer Type | QR / Thru Axle |
| Weight (w/o skewer) | 1650g |



EDGE DESIGN
HANDLEBAR SERIES



HB-SR-AW

| | |
|-------------|------------------|
| Material | Alloy 6061 |
| Feature | Road Compact Bar |
| Bar Bore | 31.8mm |
| Weight | 260g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 130 / 80 |



HB-SL-A75

| | |
|-------------|------------------|
| Material | Alloy 7075 |
| Feature | Road Bar |
| Bar Bore | 31.8mm |
| Weight | 260g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 163 / 90 |



HB-CSL-33

| | |
|-------------|------------------|
| Material | Carbon |
| Feature | Road Compact Bar |
| Bar Bore | 31.8mm |
| Weight | 195g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 145.4 / 85.7 |



HB-CSL-68

| | |
|-------------|------------------|
| Material | Carbon |
| Feature | Road Compact Bar |
| Bar Bore | 31.8mm |
| Weight | 185g (ex. 420mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 129.93 / 74.57 |

EDGE DESIGN
HANDLEBAR SERIES



HB-ISR

| | |
|-------------|-----------------------|
| Material | Carbon |
| Feature | Integrated Handle Bar |
| Bar Bore | 31.8mm |
| Stem | 90/ 100/ 110/ 120 mm |
| Weight | 380g (ex. 400mm*90mm) |
| Width | 400/ 420/ 440 mm |
| Color | Black/ White |
| Drop/ Reach | 130 / 90 |



HB-SL-AL1

| | |
|-----------|------------------|
| Material | Alloy 2014 |
| Feature | Straight MTB Bar |
| Bar Bore | 31.8 |
| Weight | 219g (ex. 680mm) |
| Width | 580- 780mm |
| Color | Black |
| Rise | 4 |
| Backsweep | 9° |



HB-CSL-ACM4

| | |
|-----------|------------------|
| Material | Carbon |
| Feature | Riser MTB Bar |
| Bar Bore | 31.8mm |
| Weight | 210g (ex. 700mm) |
| Width | 660mm- 750mm |
| Color | Black |
| Rise | 15 |
| Backsweep | 9° |



HB-CSL-ACM1

| | |
|-----------|------------------|
| Material | Carbon |
| Feature | Straight MTB Bar |
| Bar Bore | 31.8mm |
| Weight | 222g (ex. 750mm) |
| Width | 580mm- 750mm |
| Color | Black |
| Rise | 0 |
| Backsweep | 4° |



FK26/ FK650B/ FK29ER

| | |
|-----------------|---|
| Material | Carbon Fiber |
| Feature | MTB FORK , size 26" / 27.5" / 29", QR type or M15 thru axle dropout available |
| Headtube/ Crown | 1 1/8"- 1 1/2" |
| Weight | 600g ± 30g |



FK10

| | |
|-----------------|--|
| Material | Carbon Fiber |
| Feature | 26" Fat bike fork, OLD 135mm or OLD 150mm available, M15 thru axle dropout |
| Headtube/ Crown | 1 1/8"- 1 1/2" |
| Weight | 700g ± 30g |



FK650B PLUS

| | |
|----------------|---|
| Material | Carbon Fiber |
| Feature | MTB Fork, 27.5" PLUS; OLD: 110mm; M15 thru axle dropout |
| Headtube Crown | Tapered 1 1/8"- 1 1/2" / 56mm |
| Weight | 630 ± 30g |

EDGE DESIGN
SADDLE SERIES



SD10

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 105g |
| Color | Black / White |



SD04

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 120g |
| Color | Black / White |



SD9

| | |
|----------|--|
| Material | Carbon saddle with micro fiber cover, super light foam |
| Weight | 164g |
| Color | Black / White |



SD08

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 110g |
| Color | Black / White |



SD1133

| | |
|----------|-------------------------------------|
| Material | CRN Ti alloy rail, super light foam |
| Weight | 191g |
| Color | Black-Silver / White-Black |



SD16

| | |
|----------|---------------|
| Material | Carbon |
| Weight | 105g |
| Color | Black / White |



SD2059

| | |
|----------|-------------------------------------|
| Material | CRN Ti alloy rail, super light foam |
| Weight | 210g |
| Color | Black-Silver / White-Black |

EDGE DESIGN
SEAT POST SERIES



SP-CSL1

| | |
|----------|---------------|
| Material | Full carbon |
| Diameter | 27.2mm 31.6mm |
| Weight | 182g 240g |
| Length | 350mm |
| Color | Black UD |



SP-CSL2

| | |
|----------|---------------|
| Material | Full carbon |
| Diameter | 27.2mm 31.6mm |
| Weight | 170g 185g |
| Length | 350mm |
| Color | Black UD |



SP-CSL3

| | |
|----------|---|
| Material | Full carbon, set back adjustable 0-30mm |
| Diameter | 27.2mm 31.6mm |
| Weight | 223g 243g |
| Length | 415mm |
| Color | Black UD |



SP-SL

| | |
|----------|---------------|
| Material | Alloy 2014 |
| Diameter | 27.2mm 31.6mm |
| Weight | 237g 252g |
| Length | 350mm |
| Color | Black |

**SM-SL**

| | |
|----------|--|
| Material | Alloy 7075 |
| Bar Bore | 31.8mm |
| Weight | 95g(ext: 100mm) |
| Length | 50 -130mm |
| Color | Shinning Black / Matt Black / Shinning White |

**SM-C75**

| | |
|----------|------------------------------|
| Material | Alloy stem wrapped by carbon |
| Bar Bore | 31.8mm |
| Weight | 128g(ext:100mm) |
| Length | 50 -130mm |
| Color | Shinning Black |

**SM-3D**

| | |
|----------|------------------|
| Material | Alloy |
| Bar Bore | 31.8mm |
| Weight | 150g(ext: 100mm) |
| Length | 70 -120mm |
| Color | Matt Black |

**QR03**

| | |
|----------|-----------------------|
| Material | Alloy |
| Feature | QR, Cromo Hollow Axle |
| Weight | 88g / pair |
| Color | Black |

**QR58**

| | |
|----------|--------------------|
| Material | Alloy |
| Feature | QR, Hollow Axle |
| Weight | 58g / pair |
| Color | Black / Red / Gold |

**BC009**

| | |
|----------|-------------|
| Material | Carbon |
| Feature | Bottle Cage |
| Weight | 18g |
| Finish | UD |
| Color | Black |

**BOT-012**

| | |
|----------|-------------|
| Material | Carbon |
| Feature | Bottle Cage |
| Weight | 25g |
| Finish | 3K/ UD |
| Color | Black |

**BOT-FIGMO**

| | |
|----------|-------------|
| Material | Carbon |
| Feature | Bottle Cage |
| Weight | 25g |
| Finish | 3K/ UD |
| Color | Black |

**BK1992R**

| | |
|---------|--|
| Feature | Bike bag ,210D,for 700C / 29" / 27.5" / 26" ,folded size 40x11CM |
| Color | Black |

**BK1297A**

| | |
|---------|--------------------------------------|
| Feature | saddle bag, 1500D , 3-1/2"x7-1/2"x4" |
| Color | Black |

**BK1903R**

| | |
|---------|--|
| Feature | saddle bag, 1200D w/ carbon weave look, 3" X 5-1/2" X 3-1/2" |
| Color | Black |

**TNBOLT**

| | |
|----------|---------------------------|
| Material | Carbon |
| Feature | Racer Number Plate Holder |
| Finish | 3K/ UD |
| Color | Black |

**BK1990D-L**

| | |
|---------|--|
| Feature | Double wheel bag, 1200D, for 29" / 27.5" / 26" , 29-1/2"(DIA)*8-1/2" |
| Color | Black |



MARUDEAN CO., LTD

**ADD:639, Folker Rd.his-Tung
Taichung, Taiwan, R.O.C. 407**

**TEL:886-4-24653278
FAX:886-4-24616825
EMAIL:paul@marudean.com.tw
WEBSITE:www.edge-design.com.tw**