SQL CODES

```
CREATE TABLE P1 (
  mothersage varchar(255),
  prepregnancydiabetes VARCHAR(255),
  gestationaldiabetes VARCHAR(255),
  prepregnancyhypertension VARCHAR(255),
  gestationalhypertension VARCHAR(255),
  hypertensioneclampsia VARCHAR(255),
  previouspretermbirth VARCHAR(255),
  infertilitytreatmentused VARCHAR(255),
  gonorrhea VARCHAR(255),
  syphilis VARCHAR(255),
  chlamydia VARCHAR(255),
  hepatitisB VARCHAR(255),
  hepatitisC VARCHAR(255),
  cigbeforepregnancy INT,
  cig1sttrimester INT,
  cig2ndtrimester INT,
  cig3rdtrimester INT,
  monthprenatalcare INT,
  tobaccousage INT,
  antibiotics VARCHAR(255),
  steroids VARCHAR(255),
  target INT
);
CREATE TABLE P1 (
  mothersage varchar(255),
  prepregnancydiabetes VARCHAR(255),
  gestationaldiabetes VARCHAR(255),
  prepregnancyhypertension VARCHAR(255),
  gestationalhypertension VARCHAR(255),
  hypertensioneclampsia VARCHAR(255),
  previouspretermbirth VARCHAR(255),
  infertilitytreatmentused VARCHAR(255),
  gonorrhea VARCHAR(255),
  syphilis VARCHAR(255),
  chlamydia VARCHAR(255),
  hepatitisB VARCHAR(255),
  hepatitisC VARCHAR(255),
  cigbeforepregnancy INT,
  cig1sttrimester INT,
```

```
cig2ndtrimester INT,
  cig3rdtrimester INT,
  monthprenatalcare INT,
  tobaccousage INT,
  antibiotics VARCHAR(255),
  steroids VARCHAR(255),
  target INT
);
CREATE TABLE PF AS
SELECT * FROM P1
UNION ALL
SELECT * FROM P2
DELETE FROM PF
WHERE mothersage = 99 OR
   tobaccousage = 99 OR
   prepregnancydiabetes = 99 OR
   gestationaldiabetes = 99 OR
   prepregnancyhypertension = 99 OR
   gestationalhypertension = 99 OR
   hypertensioneclampsia = 99 OR
   previouspretermbirth = 99 OR
   infertilitytreatmentused = 99 OR
   gonorrhea = 99 OR
   syphilis = 99 OR
   chlamydia = 99 OR
   hepatitisB = 99 OR
   hepatitisC = 99 OR
   cigbeforepregnancy = 99 OR
   cig1sttrimester = 99 OR
   cig2ndtrimester = 99 OR
   cig3rdtrimester = 99 OR
   monthprenatalcare = 99 OR
   antibiotics = 99 OR
   steroids = 99 OR
   target = 99;
DELETE FROM PF
WHERE mothersage IS NULL OR
   tobaccousage IS NULL OR
   prepregnancydiabetes IS NULL OR
   gestationaldiabetes IS NULL OR
   prepregnancyhypertension IS NULL OR
```

gestationalhypertension IS NULL OR hypertensioneclampsia IS NULL OR previouspretermbirth IS NULL OR infertilitytreatmentused IS NULL OR gonorrhea IS NULL OR syphilis IS NULL OR chlamydia IS NULL OR hepatitisB IS NULL OR hepatitisC IS NULL OR cigbeforepregnancy IS NULL OR cig1sttrimester IS NULL OR cig2ndtrimester IS NULL OR cig3rdtrimester IS NULL OR monthprenatalcare IS NULL OR antibiotics IS NULL OR steroids IS NULL OR target IS NULL;

SELECT COUNT(*) AS total_rows FROM PF;