

COMSATS UNIVERSITY ISLAMABAD
ATTOCK CAMPUS



ASSIGNMENT # 04

Submitted By:

Marwa Sajjad.

Registration Number:

(Sp22-BSE-035).

Course:

Mobile Application Development.

Date:

December 24,2024.

Submitted To:

Mr. Muhammad Kamran.

Part1:

Replace the useState in Assignment 3 with redux.

Store all states in global store and create necessary actions and reducers to update the state.

CODE:

```
import {  
  View,  
  Text,  
  TextInput,  
  Button,  
  Alert,  
  Image,  
  FlatList,  
  ImageBackground,  
  StyleSheet,  
} from 'react-native';  
  
import { NavigationContainer } from '@react-navigation/native';  
import { createStackNavigator } from '@react-navigation/stack';  
import { Provider, useDispatch, useSelector } from 'react-redux';  
import { configureStore, createSlice } from '@reduxjs/toolkit';  
  
const Stack = createStackNavigator();  
  
const authSlice = createSlice({  
  name: 'auth',  
  initialState: {
```

```
    username: "",
    password: "",
    email: "",
    phone: "",
  },
  reducers: {
    setUsername: (state, action) => {
      state.username = action.payload;
    },
    setPassword: (state, action) => {
      state.password = action.payload;
    },
    setEmail: (state, action) => {
      state.email = action.payload;
    },
    setPhone: (state, action) => {
      state.phone = action.payload;
    },
    resetAuth: (state) => {
      state.username = "";
      state.password = "";
      state.email = "";
      state.phone = "";
    },
  },
});
```

```
const { setUsername, setPassword, setEmail, setPhone } = authSlice.actions;
```

```
const store = configureStore({
```

```
  reducer: {
```

```
    auth: authSlice.reducer,
```

```
  },
```

```
});
```

```
const ScreenWrapper = ({ children }) => (
```

```
  <ImageBackground
```

```
    source={{ uri: 'https://i.imgur.com/qhulaCG.png' }}
```

```
    style={styles.background}
```

```
  >
```

```
    {children}
```

```
  </ImageBackground>
```

```
);
```

```
function SignupScreen({ navigation }) {
```

```
  const dispatch = useDispatch();
```

```
  const { username, password, email, phone } = useSelector((state) => state.auth);
```

```
  const validateAndNavigate = () => {
```

```
    const usernameRegex = /^[A-Za-z]+$;/
```

```
    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$;/
```

```
    const phoneRegex = /^\+92-3\d{2}-\d{7}$/;
```

```
    if (password.length < 8) {
```

```
      Alert.alert('Error', 'Password must be at least 8 characters long.');
```

```
} else if (!usernameRegex.test(username)) {  
  Alert.alert('Error', 'Username must contain only alphabets.');
```

```
} else if (!emailRegex.test(email)) {  
  Alert.alert('Error', 'Invalid email format.');
```

```
} else if (!phoneRegex.test(phone)) {  
  Alert.alert('Error', 'Phone number must match +92-3xx-xxxxxxx format.');
```

```
} else {  
  navigation.navigate('Login');
```

```
}
```

```
};
```

```
return (  
  <ScreenWrapper>  
    <View style={styles.container}>  
      <Text style={styles.title}>Signup</Text>  
      <TextInput  
        style={styles.input}  
        placeholder="Username"  
        onChangeText={({text) => dispatch(setUsername(text))}  
        value={username}  
      />  
      <TextInput  
        style={styles.input}  
        placeholder="Password"  
        secureTextEntry  
        onChangeText={({text) => dispatch(setPassword(text))}  
        value={password}
```

```
    />
    <TextInput
      style={styles.input}
      placeholder="Email"
      keyboardType="email-address"
      onChangeText={({text) => dispatch(setEmail(text))}
      value={email}
    />
    <TextInput
      style={styles.input}
      placeholder="Phone (+92-3xx-xxxxxxx)"
      keyboardType="phone-pad"
      onChangeText={({text) => dispatch(setPhone(text))}
      value={phone}
    />
    <Button title="Signup" onPress={validateAndNavigate} />
  </View>
</ScreenWrapper>
);
}
```

// Login Screen

```
function LoginScreen({ navigation }) {
  const dispatch = useDispatch();
  const { username, password } = useSelector((state) => state.auth);

  const handleLogin = () => {
```

```
if (username && password) {  
    navigation.navigate('Profile');  
} else {  
    Alert.alert('Error', 'Please enter both username and password.');
```

```
};  
  
return (  
  <ScreenWrapper>  
    <View style={styles.container}>  
      <Text style={styles.title}>Login</Text>  
      <TextInput  
        style={styles.input}  
        placeholder="Username"  
        onChangeText={({text} => dispatch(setUsername(text)))}  
        value={username}  
      />  
      <TextInput  
        style={styles.input}  
        placeholder="Password"  
        secureTextEntry  
        onChangeText={({text} => dispatch(setPassword(text)))}  
        value={password}  
      />  
      <Button title="Login" onPress={handleLogin} />  
    </View>  
  </ScreenWrapper>
```

```
);  
}  
  
const OrderImage = ({ source }) => (  
  <Image source={source} style={styles.orderImage} />  
);
```

// Profile Screen

```
function ProfileScreen() {  
  const profileData = {  
    name: 'Marwa',  
    avatar: 'https://i.imgur.com/56WrMzH.jpeg',  
    productSells: '14.850',  
    earnings: '50bil+',  
  };
```

```
  const ordersData = [  
    {  
      id: '1',  
      title: 'Beef Burger, Ice Cream, Berries',  
      date: '21 Thu 10.00',  
      price: '$38.15',  
      images: [  
        'https://i.imgur.com/Ntwlus3.png',  
        'https://i.imgur.com/7p0d7ZP.png',  
        'https://i.imgur.com/dJOohu2.png',  
      ],
```

```
},  
{  
  id: '2',  
  title: 'Beef Burger, Pepperoni Moo, Cheese Bust',  
  date: '15 Fri 18.00',  
  price: '$38.15',  
  images: [  
    'https://i.imgur.com/o6cPGYi.png',  
    'https://i.imgur.com/9srqTxP.png',  
    'https://i.imgur.com/mpnL9Ot.png',  
  ],  
},  
{  
  id: '3',  
  title: 'Beef Burger, Ketchup, French Fries',  
  date: '18 Mon 10.00',  
  price: '$30.50',  
  images: [  
    'https://i.imgur.com/o6cPGYi.png',  
    'https://i.imgur.com/4CeAMnp.png',  
    'https://i.imgur.com/trd0N3k.png',  
  ],  
},  
];  
  
return (  
  <ScreenWrapper>
```

```
<View style={styles.container}>
  <View style={styles.profileContainer}>
    <Text style={styles.profileTitle}>My Profile</Text>
    <View style={styles.profileCard}>
      <Image source={{ uri: profileData.avatar }} style={styles.avatar} />
      <Text style={styles.name}>{profileData.name}</Text>
    </View>
  </View>
  <Text style={styles.ordersTitle}>Recent Orders</Text>
  <FlatList
    data={ordersData}
    keyExtractor={({item}) => item.id}
    renderItem={({ item }) => (
      <View style={styles.orderItem}>
        <View style={styles.imageRow}>
          {item.images.map((img, index) => (
            <OrderImage key={index} source={img} />
          ))}
        </View>
        <Text style={styles.orderTitle}>{item.title}</Text>
        <Text style={styles.orderDate}>{item.date}</Text>
        <Text style={styles.orderPrice}>{item.price}</Text>
      </View>
    )}
  />
</View>
</ScreenWrapper>
```

```
);  
}  
  
// App Component  
export default function App() {  
  return (  
    <Provider store={store}>  
      <NavigationContainer>  
        <Stack.Navigator initialRouteName="Signup">  
          <Stack.Screen name="Signup" component={SignupScreen} />  
          <Stack.Screen name="Login" component={LoginScreen} />  
          <Stack.Screen name="Profile" component={ProfileScreen} />  
        </Stack.Navigator>  
      </NavigationContainer>  
    </Provider>  
  );  
}  
  
const styles = StyleSheet.create({  
  background: {  
    flex: 1,  
    resizeMode: 'cover',  
  },  
  container: {  
    flex: 1,  
    padding: 20,  
  },  
  title: {
```

```
    fontSize: 25,
    textAlign: 'center',
    marginBottom: 20,
  },
  input: {
    borderWidth: 1,
    borderColor: '#ccc',
    borderRadius: 5,
    padding: 10,
    marginBottom: 10,
  },
  profileTitle: {
    fontSize: 18,
    fontWeight: 'bold',
  },
  profileCard: {
    alignItems: 'center',
    padding: 20,
    backgroundColor: '#fff',
    borderRadius: 10,
  },
  avatar: {
    width: 80,
    height: 80,
    borderRadius: 40,
  },
  ordersTitle: {
```

```
    fontSize: 18,
    fontWeight: 'bold',
    marginBottom: 10,
  },
  orderItem: {
    backgroundColor: '#fff',
    padding: 10,
    borderRadius: 10,
    marginBottom: 10,
  },
  imageRow: {
    flexDirection: 'row',
    marginBottom: 10,
  },
  orderImage: {
    width: 50,
    height: 50,
    borderRadius: 7,
    marginRight: 3,
  },
  orderTitle: {
    fontSize: 19,
    fontWeight: 'bold',
  },
  orderDate: {
    fontSize: 14,
    color: '#888',
```

```
},  
orderPrice: {  
  fontSize: 15,  
  fontWeight: 'bold',  
},  
});
```

Output:

Signup



Signup

Marwa


.....

marwa@gmail.com

+92-321-1234567

SIGNUP

← Login




Login

Marwa

.....

LOGIN



ExpoURL:

<https://snack.expo.dev/@marwa28/madassignment4part1>

Part2:

Store the user data in Firebase when user sign up. And add necessary checks when the user login.

CODE:

```
import React, { useState, useEffect } from 'react';

import {
  View,
  Text,
  TextInput,
  Button,
  Alert,
  AsyncStorage,
  StyleSheet,
  ImageBackground,
} from 'react-native';

import { NavigationContainer } from '@react-navigation/native';
import { createStackNavigator } from '@react-navigation/stack';

const Stack = createStackNavigator();

const firebaseURL = 'https://madproject1-3aa7f-default-rtdb.firebaseio.com/';

const ScreenWrapper = ({ children }) => (
  <ImageBackground
    source={{ uri: 'https://i.imgur.com/qhulaCG.png' }}
    style={styles.background}
  >
    {children}
  </ImageBackground>
);
```

// Signup Screen

```
function SignupScreen({ navigation }) {  
  const [username, setUsername] = useState("");  
  const [password, setPassword] = useState("");  
  const [email, setEmail] = useState("");  
  const [phone, setPhone] = useState("");  
  
  const validateAndSignUp = async () => {  
    const usernameRegex = /^[A-Za-z]+$;/;  
    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$;/;  
    const phoneRegex = /^\+92-3\d{2}-\d{7}$/;  
  
    if (password.length < 8) {  
      Alert.alert('Error', 'Password must be at least 8 characters long.');    } else if (!usernameRegex.test(username)) {  
      Alert.alert('Error', 'Username must contain only alphabets.');    } else if (!emailRegex.test(email)) {  
      Alert.alert('Error', 'Invalid email format.');    } else if (!phoneRegex.test(phone)) {  
      Alert.alert('Error', 'Phone number must match +92-3xx-xxxxxxx format.');    } else {  
      try {  
        const response = await fetch(`${firebaseURL}users.json`, {  
          method: 'POST',  
          headers: {  
            'Content-Type': 'application/json',  
          },  
        },
```

```
body: JSON.stringify({
  username,
  email,
  phone,
  password,
}),
});

if (response.ok) {
  Alert.alert('Success', 'Account created successfully!');
  navigation.navigate('Login');
} else {
  Alert.alert('Error', 'Failed to create account.');
}
} catch (error) {
  Alert.alert('Error', 'Network error occurred.');
}
};

return (
  <ScreenWrapper>
    <View style={styles.container}>
      <Text style={styles.title}>Signup</Text>
      <TextInput
        style={styles.input}
        placeholder="Username"
```

```
        onChangeText={setUsername}
        value={username}
      />
      <TextInput
        style={styles.input}
        placeholder="Password"
        secureTextEntry
        onChangeText={setPassword}
        value={password}
      />
      <TextInput
        style={styles.input}
        placeholder="Email"
        keyboardType="email-address"
        onChangeText={setEmail}
        value={email}
      />
      <TextInput
        style={styles.input}
        placeholder="Phone (+92-3xx-xxxxxxx)"
        keyboardType="phone-pad"
        onChangeText={setPhone}
        value={phone}
      />
      <Button title="Signup" onPress={validateAndSignUp} />
    </View>
  </ScreenWrapper>
```

```
);  
}
```

// Login Screen

```
function LoginScreen({ navigation }) {  
  const [username, setUsername] = useState("");  
  const [password, setPassword] = useState("");  
  
  const handleLogin = async () => {  
    try {  
      const response = await fetch(`${firebaseURL}users.json`);  
      const users = await response.json();  
  
      const user = Object.values(users || []).find(  
        (u) => u.username === username && u.password === password  
      );  
  
      if (user) {  
        await AsyncStorage.setItem('loggedInUser', JSON.stringify(user));  
        navigation.navigate('Profile');  
      } else {  
        Alert.alert('Error', 'Invalid username or password.');      }  
    } catch (error) {  
      Alert.alert('Error', 'Network error occurred.');    }  
  };  
};
```

```
return (  
  <ScreenWrapper>  
    <View style={styles.container}>  
      <Text style={styles.title}>Login</Text>  
      <TextInput  
        style={styles.input}  
        placeholder="Username"  
        onChangeText={setUsername}  
        value={username}  
      />  
      <TextInput  
        style={styles.input}  
        placeholder="Password"  
        secureTextEntry  
        onChangeText={setPassword}  
        value={password}  
      />  
      <Button title="Login" onPress={handleLogin} />  
    </View>  
  </ScreenWrapper>  
);  
}
```

// Profile Screen

```
function ProfileScreen() {  
  const [user, setUser] = useState(null);
```

```
useEffect(() => {
  const fetchUserData = async () => {
    const loggedInUser = await AsyncStorage.getItem('loggedInUser');
    setUser(JSON.parse(loggedInUser));
  };

  fetchUserData();
}, []);

return (
  <ScreenWrapper>
    <View style={styles.container}>
      {user && (
        <View>
          <Text style={styles.title}>Profile</Text>
          <Text style={styles.profileText}>Username: {user.username}</Text>
          <Text style={styles.profileText}>Email: {user.email}</Text>
          <Text style={styles.profileText}>Phone: {user.phone}</Text>
        </View>
      )}
    </View>
  </ScreenWrapper>
);
}
```

// App Component

```
export default function App() {  
  return (  
    <NavigationContainer>  
      <Stack.Navigator initialRouteName="Signup">  
        <Stack.Screen name="Signup" component={SignupScreen} />  
        <Stack.Screen name="Login" component={LoginScreen} />  
        <Stack.Screen name="Profile" component={ProfileScreen} />  
      </Stack.Navigator>  
    </NavigationContainer>  
  );  
}  
  
const styles = StyleSheet.create({  
  background: { flex: 1, resizeMode: 'cover' },  
  container: { flex: 1, padding: 20 },  
  title: { fontSize: 25, textAlign: 'center', marginBottom: 20 },  
  input: { borderWidth: 1, borderColor: '#ccc', borderRadius: 5, padding: 10, marginBottom: 10 },  
  profileText: { fontSize: 18, marginBottom: 10 },  
});
```

Output:

Signup




Signup

Marwa

Marwa@gmail.com

+92-321-1234567

SIGNUP



Part3:

Fetch the user location when they login and store that location in the AsyncStorage. Also display it in a component.

CODE:

```
import React, { useState, useEffect } from 'react';  
import {
```

```
View,
Text,
TextInput,
Button,
Alert,
Image,
FlatList,
ImageBackground,
StyleSheet,
} from 'react-native';
import { NavigationContainer } from '@react-navigation/native';
import { createStackNavigator } from '@react-navigation/stack';
import { Provider, useDispatch, useSelector } from 'react-redux';
import { configureStore, createSlice } from '@reduxjs/toolkit';
import AsyncStorage from '@react-native-async-storage/async-storage';
import Geolocation from 'react-native-geolocation-service';

const Stack = createStackNavigator();

const authSlice = createSlice({
  name: 'auth',
  initialState: {
    username: '',
    password: '',
    email: '',
    phone: '',
  },
```

```
reducers: {
  setUsername: (state, action) => {
    state.username = action.payload;
  },
  setPassword: (state, action) => {
    state.password = action.payload;
  },
  setEmail: (state, action) => {
    state.email = action.payload;
  },
  setPhone: (state, action) => {
    state.phone = action.payload;
  },
  resetAuth: (state) => {
    state.username = "";
    state.password = "";
    state.email = "";
    state.phone = "";
  },
},
});

const { setUsername, setPassword, setEmail, setPhone } = authSlice.actions;

const store = configureStore({
  reducer: {
    auth: authSlice.reducer,
```

```
    },  
  });  
  
  const ScreenWrapper = ({ children }) => (  
    <ImageBackground  
      source={{ uri: 'https://i.imgur.com/qhulaCG.png' }}  
      style={styles.background}  
    >  
      {children}  
    </ImageBackground>  
  );
```

// Signup Screen

```
function SignupScreen({ navigation }) {  
  const dispatch = useDispatch();  
  const { username, password, email, phone } = useSelector((state) => state.auth);  
  
  const validateAndNavigate = () => {  
    const usernameRegex = /^[A-Za-z]+$;/;  
    const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$;/;  
    const phoneRegex = /^\+92-3\d{2}-\d{7}$/;  
  
    if (password.length < 8) {  
      Alert.alert('Error', 'Password must be at least 8 characters long.');    } else if (!usernameRegex.test(username)) {  
      Alert.alert('Error', 'Username must contain only alphabets.');    } else if (!emailRegex.test(email)) {  
      Alert.alert('Error', 'Invalid email format.');    }  
  }  
}
```

```
} else if (!phoneRegex.test(phone)) {  
  Alert.alert('Error', 'Phone number must match +92-3xx-xxxxxxx format.');
```



```
} else {  
  navigation.navigate('Login');  
}  
};
```

```
return (  
  <ScreenWrapper>  
    <View style={styles.container}>  
      <Text style={styles.title}>Signup</Text>  
      <TextInput  
        style={styles.input}  
        placeholder="Username"  
        onChangeText={({text) => dispatch(setUsername(text))}  
        value={username}  
      />  
      <TextInput  
        style={styles.input}  
        placeholder="Password"  
        secureTextEntry  
        onChangeText={({text) => dispatch(setPassword(text))}  
        value={password}  
      />  
      <TextInput  
        style={styles.input}  
        placeholder="Email"
```

```

        keyboardType="email-address"
        onChangeText={({text) => dispatch(setEmail(text))}
        value={email}
    />
    <TextInput
        style={styles.input}
        placeholder="Phone (+92-3xx-xxxxxxx)"
        keyboardType="phone-pad"
        onChangeText={({text) => dispatch(setPhone(text))}
        value={phone}
    />
    <Button title="Signup" onPress={validateAndNavigate} />
</View>
</ScreenWrapper>
);
}

// Login Screen
function LoginScreen({ navigation }) {
    const dispatch = useDispatch();
    const { username, password } = useSelector((state) => state.auth);

    const handleLogin = async () => {
        if (username && password) {
            // Fetch and store the location
            Geolocation.getCurrentPosition(
                async (position) => {

```

```
const location = {
  latitude: position.coords.latitude,
  longitude: position.coords.longitude,
};
await AsyncStorage.setItem('userLocation', JSON.stringify(location));
navigation.navigate('Profile');
},
(error) => {
  Alert.alert('Location Error', error.message);
  navigation.navigate('Profile'); // Allow login even if location fails
},
{
  enableHighAccuracy: true,
  timeout: 15000,
  maximumAge: 10000,
}
);
} else {
  Alert.alert('Error', 'Please enter both username and password.');
```



```
}
};

return (
  <ScreenWrapper>
    <View style={styles.container}>
      <Text style={styles.title}>Login</Text>
      <TextInput
```

```

        style={styles.input}
        placeholder="Username"
        onChangeText={({text) => dispatch(setUsername(text))}
        value={username}
    />
    <TextInput
        style={styles.input}
        placeholder="Password"
        secureTextEntry
        onChangeText={({text) => dispatch(setPassword(text))}
        value={password}
    />
    <Button title="Login" onPress={handleLogin} />
</View>
</ScreenWrapper>
);
}

// Profile Screen
function ProfileScreen() {
    const [location, setLocation] = useState(null);

    useEffect(() => {
        const fetchLocation = async () => {
            const storedLocation = await AsyncStorage.getItem('userLocation');
            if (storedLocation) {
                setLocation(JSON.parse(storedLocation));
            }
        };
    });
}

```

```
    }  
  };  
  fetchLocation();  
}, []);
```

```
const profileData = {  
  name: 'Marwa',  
  avatar: 'https://i.imgur.com/56WrMzH.jpeg',  
  productSells: '14.850',  
  earnings: '50bil+',  
};
```

```
const ordersData = [  
  {  
    id: '1',  
    title: 'Beef Burger, Ice Cream, Berries',  
    date: '21 Thu 10.00',  
    price: '$38.15',  
    images: [  
      'https://i.imgur.com/Ntwlus3.png',  
      'https://i.imgur.com/7p0d7ZP.png',  
      'https://i.imgur.com/dJOohu2.png',  
    ],  
  },  
  {  
    id: '2',  
    title: 'Beef Burger, Pepperoni Moo, Cheese Bust',
```

```
date: '15 Fri 18.00',
price: '$38.15',
images: [
  'https://i.imgur.com/o6cPGYi.png',
  'https://i.imgur.com/9srqTxP.png',
  'https://i.imgur.com/mpnL9Ot.png',
],
},
{
id: '3',
title: 'Beef Burger, Ketchup, French Fries',
date: '18 Mon 10.00',
price: '$30.50',
images: [
  'https://i.imgur.com/o6cPGYi.png',
  'https://i.imgur.com/4CeAMnp.png',
  'https://i.imgur.com/trd0N3k.png',
],
},
];
```

```
return (
  <ScreenWrapper>
    <View style={styles.container}>
      <View style={styles.profileContainer}>
        <Text style={styles.profileTitle}>My Profile</Text>
        <View style={styles.profileCard}>
```

```
<Image source={{ uri: profileData.avatar }} style={styles.avatar} />
<Text style={styles.name}>{profileData.name}</Text>
</View>
</View>
{location && (
  <View style={styles.locationContainer}>
    <Text style={styles.locationTitle}>Current Location</Text>
    <Text style={styles.locationText}>
      Latitude: {location.latitude}
    </Text>
    <Text style={styles.locationText}>
      Longitude: {location.longitude}
    </Text>
  </View>
)}
<Text style={styles.ordersTitle}>Recent Orders</Text>
<FlatList
  data={ordersData}
  keyExtractor={({item}) => item.id}
  renderItem={({ item }) => (
    <View style={styles.orderItem}>
      <Text style={styles.orderTitle}>{item.title}</Text>
      <Text style={styles.orderDate}>{item.date}</Text>
      <Text style={styles.orderPrice}>{item.price}</Text>
    </View>
  )}
/>
```

```

    </View>
  </ScreenWrapper>
);
}

export default function App() {
  return (
    <Provider store={store}>
      <NavigationContainer>
        <Stack.Navigator initialRouteName="Signup">
          <Stack.Screen name="Signup" component={SignupScreen} />
          <Stack.Screen name="Login" component={LoginScreen} />
          <Stack.Screen name="Profile" component={ProfileScreen} />
        </Stack.Navigator>
      </NavigationContainer>
    </Provider>
  );
}

const styles = StyleSheet.create({
  background: { flex: 1, resizeMode: 'cover' },
  container: { flex: 1, padding: 20 },
  title: { fontSize: 25, textAlign: 'center', marginBottom: 20 },
  input: { borderWidth: 1, borderColor: '#ccc', borderRadius: 5, padding: 10, marginBottom: 10 },
  profileTitle: { fontSize: 18, fontWeight: 'bold' },
  profileCard: { alignItems: 'center', padding: 20, backgroundColor: '#fff', borderRadius: 10 },
  avatar: { width: 80, height: 80, borderRadius: 40 },
  locationContainer: { padding: 10, backgroundColor: '#f5f5f5', borderRadius: 10, marginVertical:
10 },

```

```
locationTitle: { fontSize: 16, fontWeight: 'bold' },
locationText: { fontSize: 14, color: '#555' },
ordersTitle: { fontSize: 18, fontWeight: 'bold', marginBottom: 10 },
orderItem: { backgroundColor: '#fff', padding: 10, borderRadius: 10, marginBottom: 10 },
});
```

Output:



snack.expo.dev wants to



Know your location

Allow while visiting the site

Allow this time

Never allow

```
15 import { Provider, useDispatch, useSelector } from 'react-redux';
16 import { configureStore, createSlice } from '@reduxjs/toolkit';
17 import AsyncStorage from '@react-native-async-storage/async-storage';
18 import Geolocation from 'react-native-geolocation-service';
19
20 const Stack = createStackNavigator();
21
22 const authSlice = createSlice({
23   name: 'auth',
24   initialState: {
25     username: '',
```

← Profile

My Profile



Marwa

Current Location

Latitude: 33.7802238

Longitude: 72.351743

Recent Orders

Beef Burger, Ice Cream, Berries

21 Thu 10.00

\$38.15

Beef Burger, Pepperoni Moo, Cheese Bust

15 Fri 18.00

\$38.15

Beef Burger, Ketchup, French Fries

18 Mon 10.00

\$30.50

ExpoURL:

<https://snack.expo.dev/@marwa28/madassignmentpart3>