

Task1

✓ Showing rows 0 - 0 (1 total, Query took 0.0010 seconds.)

```
SELECT location_id, street_address, city, state_province, country_name FROM location NATURAL JOIN countries;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 ▾ | Filter rows:

+ Options

location_id	street_address	city	state_province	country_name
1800	147 spadina ave	toronto	ontario	Canada

☐ Show all | Number of rows: 25 ▾ | Filter rows:

Task2

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0002 seconds.)

```
SELECT first_name, last_name, department_id, department_name FROM employees JOIN departments USING (department_id);
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

first_name	last_name	department_id	department_name
------------	-----------	---------------	-----------------

Task3

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0005 seconds.)

```
SELECT e.first_name, e.last_name, e.job_id, e.department_id, d.department_name FROM employees e JOIN departments d ON (e.department_id = d.department_id) JOIN location l ON (d.location_id = l.location_id) WHERE LOWER(l.city) = 'toronto';
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

rst_name	last_name	job_id	department_id	department_name
----------	-----------	--------	---------------	-----------------

Task4

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0132 seconds.)

```
ALTER TABLE countries RENAME TO country_new;
```

[[Edit inline](#)] [[Edit](#)] [[Create PHP code](#)]

Task5

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0110 seconds.)

```
ALTER TABLE location ADD COLUMN region_id VARCHAR(50) AFTER state_province;
```

[[Edit inline](#)] [[Edit](#)] [[Create PHP code](#)]


Task6

The screenshot shows the phpMyAdmin web interface. The top navigation bar includes links for Structure, SQL, Search, Query, Export, and Import. The left sidebar displays a tree view of databases and tables, with 'wednesday11-5' selected. The main panel shows a SQL query editor with the following query:

```
1 ALTER TABLE location
2 ADD PRIMARY KEY (location_id);
```

Below the query editor are buttons for 'Clear', 'Format', and 'Get auto-saved query'. A status bar at the top indicates 'Server: 127.0.0.1 » Database: wednesday11-5'.

Task7



Task8

