Edit & Submit

Hide

Problem G

MEMORY LIMIT
1024 MB

CPU TIME LIMIT
1 second

DIFFICULTY
Not Available

LINKS
No links available

DOWNLOADS
Sample data files

SOURCE & LICENSE
ICPC North America Regional Contests
2019-11-09



...e a node in common. If the first edge in the pair is of a different color than the second edge, then that is a "color change."

After Alice colors the graph, Bob chooses a path that begins at node 1 and ends at node N. He can choose any path on the graph, but he wants to minimize the number of color changes in the path. Alice wants to choose an edge coloring to maximize the number of color changes Bob must make. What is the maximum number of color changes she can force Bob to make, regardless of which path he chooses?

Input

The first line contains two integer values N and M with $2 \leq N \leq 100\,000$ and $1 \leq M \leq 100\,000$. The next M lines contain two integers a_i and b_i indicating an undirected edge between nodes a_i and b_i ($1 \leq a_i, b_i \leq N$, $a_i \neq b_i$).

All edges in the graph are unique.

Output

Output the maximum number of color changes Alice can force Bob to make on his route from node 1 to node N.

Sample Input 1

```
3 3
1 3
1 2
2 3
```

Sample Output 1

```
0
```

Sample Input 2

```
7 8
1 2
1 3
2 4
3 4
4 5
4 6
5 7
6 7
```

Sample Output 2

```
3
```