



**THE
UNIVERSITY OF
LAHORE**


Assignment no 4-Lab

Maryam Saleem 70147892

Section: S

Subject: Operating System


Example no 1:



The screenshot shows a terminal window titled "ubuntu@ubuntu: ~/Desktop/Maryam Saleem 70147892" with a timestamp of "May 21 15:54". The window displays the GNU nano 7.2 editor editing a file named "create_dir.sh". The script content is as follows:

```
#!/bin/bash
echo "Enter directory name:"
read dirname
echo "Enter destination path:"
read destpath
mkdir -p "$destpath/$dirname"
echo "Directory created sucessfully!"
echo "List of directories only:"
ls -d "$destpath"/*/
```


The bottom of the terminal shows the nano editor's command palette with various shortcuts like ^O (Write Out), ^R (Read File), ^W (Where Is), ^K (Cut), ^T (Execute), ^C (Location), ^U (Undo), ^M (Set Mark), ^X (Exit), ^F (Find), ^P (Previous), ^N (Next), ^G (Go To Line), ^E (Redo), and ^B (Copy).




The screenshot shows the same terminal window at "May 21 16:00". The user has executed the script "create_dir.sh" and provided the following input:

```
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ nano create_dir.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ chmod +x create_dir.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ ./create_dir.sh
Enter directory name:
maryam
Enter destination path:
4567
Directory created sucessfully!
List of directories only:
4567/maryam/
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$
```

Example no 2:




```
ubuntu@ubuntu: ~/Desktop/Maryam Saleem 70147892
GNU nano 7.2 copy_files.sh *
#!/bin/bash
echo "Enter source file path:"
read source
echo "Enter destination path:"
read destination
cp "$source" "$destination"
echo "Files copied sucessfully!"
echo "List of directories only:"
ls -d "$destination"/*/
```



```
ubuntu@ubuntu: ~/Desktop/Maryam Saleem 70147892
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ nano create_dir.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ chmod +x create_dir.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ ./create_dir.sh
Enter directory name:
maryam
Enter destination path:
4567
Directory created sucessfully!
List of directories only:
4567/maryam/
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ nano copy_files
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ nano copy_files.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ chmod +x copy_files.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ ./copy_files.sh
Enter source file path:
4567
Enter destination path:
3456
cp: -r not specified; omitting directory '4567'
Files copied sucessfully!
List of directories only:
ls: cannot access '3456/*/': No such file or directory
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$
```

Example no 3:



```
May 21 16:31
ubuntu@ubuntu: ~/Desktop/Maryam Saleem 70147892
GNU nano 7.2 search_string.sh *
#!/bin/bash


echo "Enter file path:"
read filepath

echo "Enter search string:"
read str

echo "Matching lines are:"
grep "$str" "$filepath"
```

ls: cannot access '3456/*/*': No such file or directory
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892\$
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892\$
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892\$ nano search_string.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892\$ chmod +x search_string.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892\$./search_string.sh
Enter file path:
456
Enter search string:
78
Matching lines are:
grep: 456: No such file or directory
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892\$ ss

Example no 4:



```
GNU nano 7.2 merge_files.sh *
#!/bin/bash
echo "ENTER text files names seprated by space:"
read files
echo "ENTER output file names:"
read output
cat $files > "$output"
echo "Files merged sucessfully!"
echo "Displayed contents using less:"
less "$output"
```

33: Command not found

```
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ nano merge_files.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ chmod +x merge_files.sh
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ ./merge_files.sh
ENTER text files names seprated by space:
34
ENTER output file names:
maryam
cat: 34: No such file or directory
Files merged sucessfully!
Displayed contents using less:
ubuntu@ubuntu:~/Desktop/Maryam Saleem 70147892$ S
```