

Analytics Assistant Report

****Document ID:**** analytics-assistant-report-v1

****Date:**** 2026-08-31

1. Overview

This report documents the natural-language analytics assistant service built for the clinical assess

2. Architecture

2.1 Service Components

2.2 Authorization Model

Authorization is enforced ****below the model**** through scoped database connections, not through promp

3. Test Questions

3.1 Question Categories

3.2 Rejected Questions

The following questions were identified as unauthorized:

4. Authorization Tests

4.1 Test Results

4.2 Authorization Violations

****Target:**** Zero violations

****Achieved:**** Zero (on tested questions)

The zero count means no restricted sentinel crossed the physical boundary in testing. It does not pr

5. Model Provider

5.1 Provider Types

5.2 Provider Selection

The service runs with the deterministic test provider when no external provider is configured. This

6. Metrics

6.1 Tracked Metrics

6.2 Test Results

The service demonstrates:

- Refusal precision tracking
- Refusal recall tracking
- Cost measurement
- Latency tracking
- Zero authorization violations

7. Adversarial Scenarios Tested

7.1 Prompt Injection

7.2 Authorization Bypass

7.3 Resource Exhaustion

8. Limitations

8.1 Known Limitations

1. ****Test provider:**** Deterministic templates only, no LLM
2. ****Limited question coverage:**** Template-based, not generative
3. ****No reference answers:**** questions.csv has no ground truth
4. ****Authorization model:**** Candidate-created, not the supplied JSON

8.2 Unverified Limitations

1. Sealed authorization behavior
2. Full question coverage
3. Production provider integration

9. Verification

9.1 Tests Run

9.2 p99 Latency

The deterministic provider achieves p99 < 1000ms at concurrency up to 8.

10. Conclusion

The analytics assistant demonstrates:

- Below-model authorization enforcement
- Prompt injection detection
- SQL safety validation
- Refusal metrics tracking
- Zero authorization violations on tested questions

The service is ready for development-mode use with the disclosed test provider limitation.

See services-note.md for the service specification and docker-compose.yml for startup commands.