

Orthodontic Analysis Report (Case #44)

Patient information

Doctor: yassin


Patient: ahmed Code: 222

Age: 25 Gender: MALE

Case status: PENDING_REVIEW


Created: 2026-05-14 11:00

Side view — measurement visualizations and values



Nasolabial angle: 140.5° — Increased (>110°)


Possible high columella or retruded maxilla. Class III cases may require surgical evaluation depending on full diagnosis.



Profile convexity angle: 155.2° — Normal (151°–171°)

Within normal range. No treatment implication from this angle alone.






Mentolabial angle: 180.0° — Increased (>130°)

Possible retruded chin, proclined lower teeth, or advanced mandible pattern. May require orthodontic correction, genioplasty, or surgery depending on full diagnosis.

Frontal non-smile — measurement visualization



Frontal measurements and interpretation

Middle vs lower facial third (proxy): Middle 267.0 px, lower 218.5 px, ratio 1.222

Approximate vertical proportions; interpret with clinical context and growth pattern.

Upper / lower lip height ratio: 0.000

Values far from ~1.0 may suggest disproportion; correlate with dental and soft-tissue exam.

Interpupillary vs commissure line: Interpupillary -10.6°, commissure 0.0°

Difference 10.6° exceeds typical cosmetic parallelism threshold (5.0°); clinical correlation suggested.

Facial midline (RMS deviation): 10.9 px

Midline landmarks cluster closely; gross asymmetry unlikely from this proxy.

Rule of fifths (approximate): Ideal fifth width 135.8 px

Compare eye widths and intercanthal distance to one-fifth of bizygomatic width; rough aesthetic guide only.

Facial width (bizygomatic): 678.8 px

Useful for proportional checks; correlate with arch form and transverse skeletal pattern.

Mandibular width (bigonial): 567.0 px

Wide or narrow lower face relative to cheekbones informs transverse diagnosis.

Bizygomatic / bigonial ratio: 1.197

Typical values often near ~1.2–1.4 in many samples; extremes suggest disproportion worth clinical review.

Facial index (height / width): 0.713

Longer narrower vs shorter wider facial form; integrate with vertical skeletal and growth assessment.

Interlabial gap (approx.): 84.0 px

Approximate soft-tissue opening at rest; verify with clinical lip posture exam.