

# Orthodontic Analysis Report (Case #48)

## Patient information

Doctor: yassin


Patient: hhhhhj Code: 1

Age: 25 Gender: MALE

Case status: PENDING\_REVIEW


Created: 2026-05-21 17:52

## Side view — measurement visualizations and values




**Nasolabial angle: 121.4° — Increased (>110°)**


Possible high columella or retruded maxilla. Class III cases may require surgical evaluation depending on full diagnosis.



**Profile convexity angle: 161.3° — Normal (151°–171°)**

Within normal range. No treatment implication from this angle alone.






**Mentolabial angle: 125.3° — Normal (110°–130°)**

Within normal range. No treatment implication from this angle alone.

## Frontal non-smile — measurement visualization



## Frontal measurements and interpretation

**Middle vs lower facial third (proxy): Middle 202.7 px, lower 250.2 px, ratio 0.810**

Approximate vertical proportions; interpret with clinical context and growth pattern.

Upper / lower lip height ratio: 0.000

Values far from ~1.0 may suggest disproportion; correlate with dental and soft-tissue exam.

**Interpupillary vs commissure line: Interpupillary 0.0°, commissure 0.0°**

Parallel within  $5.0^\circ$  (lines appear level).

**Facial midline (RMS deviation): 15.5 px**

Midline landmarks cluster closely; gross asymmetry unlikely from this proxy.

**Rule of fifths (approximate): Ideal fifth width 133.2 px**

Compare eye widths and intercanthal distance to one-fifth of bizygomatic width; rough aesthetic guide only.

**Facial width (bizygomatic): 666.0 px**

Useful for proportional checks; correlate with arch form and transverse skeletal pattern.

**Mandibular width (bigonial): 522.2 px**

Wide or narrow lower face relative to cheekbones informs transverse diagnosis.

**Bizygomatic / bigonial ratio: 1.275**

Typical values often near ~1.2–1.4 in many samples; extremes suggest disproportion worth clinical review.

**Facial index (height / width): 0.679**

Longer narrower vs shorter wider facial form; integrate with vertical skeletal and growth assessment.

**Interlabial gap (approx.): 117.0 px**

Approximate soft-tissue opening at rest; verify with clinical lip posture exam.