PROCOM 2019 Source Code List

Title: AResume: A web-based portfolio resume generator with augmented reality

Country: Malaysia University/Institute:

University Malaysia of Computer

Science and Engineering (UNIMY)

Members: Mary Chew Jia Yi

Quek Siang Yee

Lim Yeu Jie

Mentor: Dr. Ong Huey Fang

Source code list

```
Components/header.php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, user-scalable=no, minimum-scale=1.0, maxi</pre>
mum-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstra</pre>
p.min.css" integrity="sha384-gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T" c
rossorigin="anonymous">
    <script src="https://aframe.io/releases/0.9.2/aframe.min.js"></script>
   <script src="https://raw.githack.com/jeromeetienne/AR.js/2.0.5/aframe/build/aframe-ar.js">
script>
    <title>AResume</title>
    <link rel="stylesheet" href="css/navbar.css" />
    <link rel="stylesheet" href="css/landing-page.css" />
    <link rel="stylesheet" href="css/dashboard.css" />
</head>
Navbar.php
<?php session_start();?>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
  <a class="navbar-brand" href="dashboard.php">
      <img src="images/resumelogo.png" alt="aresume logo" width="100px" height="50px"/>
  </a>
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSuppor</pre>
tedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navi
gation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```
<?php if(!empty($_SESSION['username'])) { ?>
     <a class="nav-link" href="#"><?php echo $_SESSION['username'];?></a>
     <a class="nav-link" href="signout.php">Sign out</a>
     <?php } ?>
   </div>
</nav>
Landing-page.php
<?php require("components/header.php"); ?>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
 <a class="navbar-brand" href="dashboard.php">
     <img src="images/resumelogo.png" alt="aresume logo" width="100px" height="50px"/>
 </a>
</nav>
<div class="jumbotron jumbotron-fluid">
 <div class="container">
   <div class="row">
     <div class="col">
      <h1 class="display-4">AResume</h1>
      Build your very own augmented resume today
      <div class="btn btn-primary" data-toggle="modal" data-target="#exampleModal">Sign up to
create</div>
     </div>
     <div class="col"></div>
   </div>
 </div>
```

```
</div>
<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-labelledby="exampleMo</pre>
dalLabel" aria-hidden="true">
 <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">AResume</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <nav>
      <div class="nav nav-tabs" id="nav-tab" role="tablist" style="margin: 20px">
        <a class="nav-item nav-link active" id="nav-signup-tab" data-toggle="tab" href="#nav-sig</pre>
nup" role="tab" aria-controls="nav-signup" aria-selected="true">Sign Up</a>
        <a class="nav-item nav-link" id="nav-signin-tab" data-toggle="tab" href="#nav-signin" ro</pre>
le="tab" aria-controls="nav-signin" aria-selected="false">Sign In</a>
      </div>
      </nav>
      <div class="tab-content" id="nav-tabContent" >
        <div class="tab-pane fade show active" id="nav-signup" role="tabpane1" aria-labelledby="</pre>
nav-signup-tab">
          <div class="alert alert-primary" id="signup-notification" role="alert" style="display:</pre>
none"></div>
          <form method="post" action="signup.php" id="signup">
          <div class="modal-body">
            <div class="form-group">
              <label for="exampleInputEmail1">Username</label>
              <input type="text" class="form-control" id="username" name="username" aria-describ</pre>
edby="emailHelp" placeholder="Enter your username">
            </div>
            <div class="form-group">
              <label for="exampleInputEmail1">Email address</label>
```

```
<input type="email" class="form-control" id="email" name="email" aria-describedby=</pre>
"emailHelp" placeholder="Enter your email">
            </div>
            <div class="form-group">
              <label for="exampleInputPassword1">Password</label>
              <input type="password" class="form-control" id="password" name="password" placehol</pre>
der="Your Password">
            </div>
            <div class="form-group">
              <label for="exampleInputPassword1">Confirm Password</label>
              <input type="password" class="form-control" id="confirm" name="confirm" placeholde</pre>
r="Confirm Password">
            </div>
          </div>
          <div class="modal-footer">
            <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
            <input type="submit" class="btn btn-primary" value="Submit"/>
          </div>
          </form>
        </div>
        <div class="tab-pane fade" id="nav-signin" role="tabpanel" aria-labelledby="nav-signin-t</pre>
ab">
          <div class="alert alert-primary" id="signin-notification" role="alert" style="display:</pre>
none"></div>
          <form method="post" action="signin.php" id="signin">
          <div class="modal-body">
            <div class="form-group">
              <label for="exampleInputEmail1">Email address</label>
              <input type="email" class="form-control" id="email" name="email" aria-describedby=</pre>
"emailHelp" placeholder="Enter your email">
            </div>
            <div class="form-group">
              <label for="exampleInputPassword1">Password</label>
              <input type="password" class="form-control" id="password" name="password" placehol</pre>
der="Your Password">
            </div>
```

```
</div>
          <div class="modal-footer">
            <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
            <input type="submit" class="btn btn-primary" value="Submit"/>
          </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
<?php require("footer.php"); ?>
Signup.php
<?php
   require('config/db.php');
   if(isset($_POST)){
        $username = $_POST['username'];
        $email = $_POST['email'];
        $password = $_POST['password'];
        $confirm = $_POST['confirm'];
        $sql = "INSERT INTO user (username, email, password)
                VALUES ('$username', '$email', '$password')";
        $result = mysqli_query($conn, $sql);
        if($result){
            echo "Please sign in before redirecting to dashboard";
       }
   }
?>
```

```
<?php
   require('config/db.php');
    session_start();
   if(isset($_POST)){
        $email = $_POST['email'];
        $password = $ POST['password'];
        $sql = "SELECT * FROM user WHERE email='$email' AND password='$password'";
        $result = mysqli_query($conn, $sql);
        $row = mysqli_fetch_assoc($result);
        if($row['password'] === $password && $row['email'] === $email){
           echo "Signed in successfully! Redirecting to your dashboard...";
           $_SESSION['username'] = $row['username'];
           $_SESSION['id'] = $row['id'];
        } elseif(empty($email) && empty($password)){
           echo "Please enter your email and password";
        } elseif(empty($email) && !empty($password)){
           echo "Please enter your username";
        } elseif(empty($password) && !empty($email)){
           echo "Please enter your password";
        } elseif($row['email'] !== $email || $row['password'] === $password){
           echo "Email or password does not exist";
        }
   }
?>
Template.php
<?php require('components/header.php'); ?>
<?php require('navbar.php'); ?>
<?php require('config/db.php'); ?>
<div class="card card-collection" style="border-color:#2b303a;">
  <div class="card-header" style="background-color: #2b303a; color: #fff">
    <h5 style="text-align: center;">Choose a template</h5>
  </div>
```

```
<div class="card-body" style="padding: 10px;margin:0px">
      <div class="container">
          <div class="row">
          <?php
            $user_id = $_SESSION['id'];
            $sql = "SELECT * FROM template";
            $result = mysqli_query($conn, $sql);
            $rowcount = mysqli_num_rows($result);
            if($rowcount > 0){
                while($row = mysqli_fetch_assoc($result)){
              <div class="col col-md-3">
              <div class="card mb-3">
              <img src="images/<?php echo $row['template'];?>" alt="<?php echo $row['template'];</pre>
 ?>" class="card-img-top" style="width: 100%"/>
              <div class="card-body" style="background-color: #2B303A">
                <button style="margin: 0px auto; display: block; background-color: #2B303A; bord</pre>
er: none; color:#fff; cursor: pointer" class="btn btn-primary" type="submit"><a href="profile.ph"
p" style="color: #fff">Choose</a></button>
              </div>
                </div>
              </div>
              <?php
            }
        }
    ?>
          </div>
      </div>
  </div>
</div>
<?php require('footer.php'); ?>
```

```
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965Dz00rT</pre>
7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js" integrit</pre>
y="sha384-U02eT0CpHqdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwrnQq4sF86dIHNDz0W1" crossorigin="anonymo
us"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="</pre>
sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM" crossorigin="anonymous"
></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jspdf/1.5.3/jspdf.debug.js" integrity="sha38</pre>
4-NaWTHo/8YCBYJ59830LTz/P4aQZK1sS0Sne0gAvhsIl3zBu8r9RevNg5lHCHAuQ/" crossorigin="anonymous"></sc
<script src="https://use.fontawesome.com/aad19734f2.js"></script>
<script src="https://code.jquery.com/jquery-3.4.1.js"></script>
<script>
   $('#signup').on('submit', function (e) {
        e.preventDefault();
        var username = $('#username').val();
        var email = $('#email').val();
        var password = $('#password').val();
        var confirm = $('#confirm').val();
        var formData = $('#signup').serialize();
        console.log(formData)
        $('#signup-notification').hide();
        $.ajax({
            type: 'post',
            url: 'signup.php',
            data: formData,
            success: function (data) {
                console.log(data);
                $('#signup-notification').append(''+data+'').css("display", "block");
                $('#username').val('');
                $('#email').val('');
                $('#password').val('');
                $('#confirm').val('');
```

```
}
   });
});
$('#signin').on('submit', function (e) {
    e.preventDefault();
    var email = $('#email').val();
    var password = $('#password').val();
    var formData = $('#signin').serialize();
    console.log(formData)
    $.ajax({
        type: 'post',
        url: 'signin.php',
        data: formData,
        success: function (data) {
            console.log(data);
            $('#signin-notification').append(''+data+'').css("display", "block");
            window.location.href="dashboard.php"
            $('#email').val('');
            $('#password').val('');
        }
   });
});
$('#profile-upload').on('change', function(){
    var filename = $(this).val();
    $(this).next('.custom-file-label').html(filename);
});
$('#profile-section-btn').on('click', function(e){
    e.preventDefault();
    var name = $('#name').val();
    var job = $('#job').val();
    var email = $('#email').val();
```

```
var location = $('#location').val();
        var summary = $('#summary').val();
        var website = $('#website').val();
        var linkedin = $('#linkedin').val();
        var github = $('#github').val();
        var facebook = $('#facebook').val();
        var institution = $('#institution').val();
        var studyarea = $('#studyarea').val();
        var edulevel = $('#edulevel').val();
        var country = $('#country').val();
        var city = $('#city').val();
        var startdate = $('#startdate').val();
        var enddate = $('#enddate').val();
        var gpa = $('#gpa').val();
        var company = $('#company').val();
        var position = $('#position').val();
        var country = $('#work_country').val();
        var city = $('#work_city').val();
        var startdate = $('#work_startdate').val();
        var enddate = $('#work_enddate').val();
        var formData = $('#create-profile').serialize();
        console.log(formData)
        $.ajax({
            type: 'post',
            url: 'create-profile.php',
            data: formData,
            success: function (data) {
                console.log(data);
                $('html, body').animate({scrollTop:0}, 'fast');
                $('#progress-bar').append('<div class="progress-bar progress-bar-striped bg-dang</pre>
er progress-bar-animated" role="progressbar" style="width: 25%" aria-valuenow="10" aria-valuemin
="0" aria-valuemax="100">Profile  <i class="fa fa-check-circle" aria-hidden="true"></i></idi
v>')
            }
        })
```

var phone = \$('#phone').val();

```
})
   $('#photo-input').on('change', function(){
       $('#image-upload-form').submit();
   });
   $('#image-upload-form').on('submit', function(e){
       var formData = new FormData(this);
        e.preventDefault();
       $.ajax({
           type: 'post',
           url: 'image-upload.php',
           data: formData,
           dataType: "json",
           contentType: false,
           processData: false,
           success: function (data) {
                $('#success-upload-photo').css('display', 'block')
                // console.log(data[0].image);
                $('#addPhotos').append("<img src='uploads/images/"+data.image+"' alt='"+data.id+</pre>
"' style='width:150px; height:150px;display: block; margin: auto;'/><br/><button class='btn btn-
danger btn-delete' data-toggle='modal' data-target='#exampleModal'>Delete</button>");
       })
   });
   $('#image-upload-btn').on('click', function(e){
       $('html, body').animate({scrollTop:0}, 'fast');
       $('#progress-bar').append('<div class="progress-bar progress-bar-striped bg-success prog</pre>
ress-bar-animated" role="progressbar" style="width: 25%" aria-valuenow="10" aria-valuemin="0" ar
ia-valuemax="100">Images <i class="fa fa-check-circle" aria-hidden="true"></i></i></rr>
   });
   $('#doc-upload-btn').on('click', function(e){
       $('html, body').animate({scrollTop:0}, 'fast');
```

```
$('#progress-bar').append('<div class="progress-bar progress-bar-striped progress-bar-an</pre>
imated" role="progressbar" style="width: 25%" aria-valuenow="10" aria-valuemin="0" aria-valuemax
="100">Documents <i class="fa fa-check-circle" aria-hidden="true"></i></i></
   });
   $('#video-upload-btn').on('click', function(e){
       $('html, body').animate({scrollTop:0}, 'fast');
       $('#progress-bar').append('<div class="progress-bar progress-bar-striped bg-warning prog</pre>
ress-bar-animated" role="progressbar" style="width: 25%" aria-valuenow="10" aria-valuemin="0" ar
ia-valuemax="100">Videos <i class="fa fa-check-circle" aria-hidden="true"></i></div>')
   });
   $('#document-input').on('change', function(){
       $('#document-upload-form').submit();
   });
   $('#document-upload-form').on('submit', function(e){
       var formData = new FormData(this);
       e.preventDefault();
       $.ajax({
           type: 'post',
           url: 'document-upload.php',
           data: formData,
           dataType: "json",
           contentType: false,
           processData: false,
           success: function (data) {
               console.log('success');
               $('#success-upload-document').css('display', 'block')
               $('#addDocuments').append(""+data.document+"");
           }
       })
   });
   $('#video-input').on('change', function(){
        $('#video-upload-form').submit();
```

```
});
    $('#video-upload-form').on('submit', function(e){
        var formData = new FormData(this);
        e.preventDefault();
        $.ajax({
            type: 'post',
            url: 'video-upload-test.php',
            data: formData,
            dataType: "json",
            contentType: false,
            processData: false,
            success: function (data) {
                $('#success-upload-video').css('display', 'block')
                $('#addVideos').append("<video width='300' controls style='display: block; margi</pre>
n: auto;'><source src=uploads/videos/"+data.video+" type='video/mp4'></video>");
            }
        })
    });
    $('.btn-delete').on('click', function(e){
        var id = $(this).attr('id');
        $('#delete-id').val(id);
        formData = new FormData(this);
        e.preventDefault();
        $.ajax({
            type: 'post',
            url: 'delete-image.php',
            data: formData,
            success: function (data) {
                console.log(data);
            }
        })
    });
</script>
```

```
</body>
```

Dashboard.php

```
<?php require("components/header.php"); ?>
<body>
<?php require("navbar.php"); ?>
<?php require('config/db.php'); ?>
<div class="card card-collection" style="border-color:#2b303a;">
 <div class="card-header" style="background-color: #2b303a; color: #fff">
   <h5>My Resume Collection</h5>
 </div>
 <div class="card-body">
   <div class="resume-list" style="padding: 20px">
    <?php
      $id = $_SESSION['id'];
      $sql = "SELECT * FROM resume WHERE user_id = $id";
      $result = mysqli_query($conn, $sql);
      $rowcount = mysqli_num_rows($result);
      if($rowcount == 0){
      No resumes created yet.
     <?php
      } else{
        ?>
        <thead>
           Resume
             Scanner URL
             View
           </thead>
         <?php
        while($row = mysqli_fetch_assoc($result)){
```

```
?>
             Resume <?php echo $row['resume_id']; ?>
               <a href="scanner.php?id=<?php echo $row['resume_id'];?>">Resume <?php echo $
row['resume_id']; ?> scanner URL<a>
               <a href="generate.php?id=<?php echo $row['resume_id'];?>"><i class="fa fa-ey"</pre>
e" aria-hidden="true"></i>&nbsp;&nbsp;View<a>
             <?php
         }
         ?>
         <?php
       }
     ?>
   </div>
   <hr/>
   <div class="card-subsection">
     <h5 class="card-title">Create your resume here</h5>
     <a href="template.php" class="btn btn-primary btn-create">Create</a>
   </div>
 </div>
</div>
<?php require("footer.php"); ?>
Profile.php
<?php require("components/header.php"); ?>
<body>
<?php require("navbar.php"); ?>
<?php require("config/db.php"); ?>
<div class="container-fluid form-content">
   <h6>My Resume Completion</h6>
   <div class="progress" style="height: 30px" id="progress-bar">
   </div>
```

```
<div class="tab-container">
   <a class="nav-link active" id="home-tab" data-toggle="tab" href="#home" role="tab" a</pre>
ria-controls="home" aria-selected="true">Home</a>
      <a class="nav-link" id="education-tab" data-toggle="tab" href="#education" role="tab</pre>
" aria-controls="education" aria-selected="false">Education</a>
      <a class="nav-link" id="work-tab" data-toggle="tab" href="#work" role="tab" aria-con</pre>
trols="work" aria-selected="false">Work</a>
      <a class="nav-link" id="image-tab" data-toggle="tab" href="#image" role="tab" aria-c</pre>
ontrols="image" aria-selected="false">Image</a>
      <a class="nav-link" id="document-tab" data-toggle="tab" href="#document" role="tab"</pre>
aria-controls="document" aria-selected="false">Document</a>
      <a class="nav-link" id="video-tab" data-toggle="tab" href="#video" role="tab" aria-c</pre>
ontrols="video" aria-selected="false">Video</a>
      <a class="nav-link" id="finish-tab" data-toggle="tab" href="#finish" role="tab" aria</pre>
-controls="finish" aria-selected="false">Finish</a>
      <div class="tab-content" id="myTabContent">
      <div class="tab-pane fade show active" id="home" role="tabpanel" aria-labelledby="home-t</pre>
ab">
          <div style="margin-top: 50px">
```

```
<form method="POST" action="create-profile.php" id="create-profile">
                    <i class="fa fa-user" aria-hidden="true" style="font-size: 30px; display: bl</pre>
ock; margin: auto; text-align: center; margin-bottom: 10px; color: #fff"></i>
                    <h6 style="text-align: center; color: #fff; margin-bottom: 50px">My Personal
 Information</h6>
                    <div class="container-fluid">
                    <div class="row">
                        <div class="col col-sm-6">
                             <div class="form-group">
                                 <label for="exampleInputEmail1">Name</label>
                                 <input type="text" class="form-control" name="name" id="name" ar</pre>
ia-describedby="emailHelp" placeholder="Your name">
                             </div>
                        </div>
                        <div class="col col-sm-6">
                             <div class="form-group">
                                 <label for="exampleInputPassword1">Current Job</label>
                                 <input type="text" class="form-control" name="job" id="job" plac</pre>
eholder="What do you do?">
                             </div>
                        </div>
                    </div>
                    <div class="row">
                         <div class="col col-sm-6">
                             <div class="form-group">
                                 <label for="exampleInputEmail1">Email address</label>
                                 <input type="email" class="form-control" name="email" id="email"</pre>
 aria-describedby="emailHelp" placeholder="Your email">
                             </div>
                        </div>
                        <div class="col col-sm-6">
                             <div class="form-group">
                                 <label for="exampleInputPassword1">Phone</label>
                                 <input type="text" class="form-control" name="phone" id="phone"</pre>
placeholder="Your contact number">
                             </div>
```

```
</div>
                    </div>
                    <div class="form-group">
                         <label for="exampleInputEmail1">Location</label>
                        <input type="text" class="form-control" name="location" id="location" ar</pre>
ia-describedby="emailHelp" placeholder="Where do you live?">
                    </div>
                    <div class="form-group">
                         <label for="exampleFormControlTextarea1">Summary</label>
                        <textarea class="form-control" name="summary" id="summary" rows="3" plac
eholder="Tell us about yourself"></textarea>
                    </div>
                    <h6 style="text-align: center; margin-top: 100px">Social medias</h6>
                    <small class="form-text text-muted" style="text-align: center">Provide links
 for any social media that you have</small>
                    <div class="container-fluid" style="margin-top: 50px">
                        <div class="row">
                             <div class="col col-sm-3">
                                 <div class="form-group">
                                     <label for="exampleInputEmail1"><i class="fa fa-globe" aria-</pre>
hidden="true"></i>&nbsp;&nbsp;Website</label>
                                     <input type="text" class="form-control" name="website" id="w</pre>
ebsite" aria-describedby="emailHelp" placeholder="Your website link">
                                 </div>
                             </div>
                             <div class="col col-sm-3">
                                 <div class="form-group">
                                     <label for="exampleInputPassword1"><i class="fa fa-linkedin-</pre>
square" aria-hidden="true"></i>&nbsp;&nbsp;LinkedIn</label>
                                     <input type="text" class="form-control" name="linkedin" id="</pre>
linkedin" placeholder="Your LinkedIn profile link">
                                 </div>
                             </div>
                             <div class="col col-sm-3">
                                 <div class="form-group">
```

```
<label for="exampleInputPassword1"><i class="fa fa-github" a</pre>
ria-hidden="true"></i>&nbsp;&nbsp;GitHub</label>
                                     <input type="text" class="form-control" name="github" id="gi</pre>
thub" placeholder="Your GitHub profile link">
                                 </div>
                             </div>
                             <div class="col col-sm-3">
                                 <div class="form-group">
                                     <label for="exampleInputPassword1"><i class="fa fa-facebook-</pre>
square" aria-hidden="true"></i>&nbsp;&nbsp;Facebook</label>
                                     <input type="text" class="form-control" name="facebook" id="</pre>
facebook" placeholder="Your Facebook profile link">
                                 </div>
                             </div>
                        </div>
                    </div>
                    <div style="margin-top: 100px;">
                        <i class="fa fa-graduation-cap" aria-hidden="true" style="font-size: 30p</pre>
x; display: block; margin: auto; text-align: center; margin-bottom: 10px; color: #fff"></i>
                        <h6 style="text-align: center; color: #fff; margin-bottom: 100px;">My Ed
ucation Background</h6>
                        <div id="addEducationSection">
                             <div class="container-fluid">
                                 <div class="row">
                                     <div class="col col-sm-4">
                                         <div class="form-group">
                                             <label for="exampleInputEmail1">Institution</label>
                                             <input type="text" class="form-control" name="instit</pre>
ution" id="institution" aria-describedby="emailHelp" placeholder="Which institution do/did you s
tudy?">
                                         </div>
                                     </div>
                                     <div class="col col-sm-4">
                                         <div class="form-group">
                                             <label for="exampleInputPassword1">Area of study</la</pre>
```

```
<input type="text" class="form-control" name="studya</pre>
rea" id="studyarea" placeholder="What do you study?">
                                         </div>
                                     </div>
                                     <div class="col col-sm-4">
                                         <div class="form-group">
                                             <label for="exampleInputPassword1">Your highest educ
ation level</label>
                                             <select class="custom-select" name="edulevel" id="ed</pre>
ulevel">
                                                 <option value="Some High School">Some High Schoo
1</option>
                                                 <option value="High School Diploma">High School
Diploma
                                                 <option value="Some College">Some College</optio</pre>
n>
                                                 <option value="Associate Degree">Associate Degre
e</option>
                                                 <option value="Bachelor's Degree">Bachelor's Deg
ree</option>
                                                 <option value="Master's Degree or Higher">Master
's Degree or Higher</option>
                                             </select>
                                         </div>
                                     </div>
                                 </div>
                                 <div class="row">
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputEmail1">Country</label>
                                             <input type="text" class="form-control" name="countr</pre>
y" id="country" aria-describedby="emailHelp" placeholder="Which country do you study?">
                                         </div>
                                     </div>
                                     <div class="col col-sm-3">
                                         <div class="form-group">
```

```
<label for="exampleInputPassword1">City</label>
                                             <input type="text" class="form-control" name="city"</pre>
id="city" placeholder="Which city do you study?">
                                         </div>
                                     </div>
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputEmail1">Start Date</label>
                                             <input type="date" class="form-control" name="startd</pre>
ate" id="startdate" aria-describedby="emailHelp" placeholder="The starting date of your study">
                                         </div>
                                     </div>
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputPassword1">End Date</label>
                                             <input type="date" class="form-control" name="enddat</pre>
e" id="enddate" placeholder="The ending date of your study">
                                             <div class="custom-control custom-checkbox">
                                                  <input type="checkbox" class="custom-control-inp</pre>
ut" id="customCheck1">
                                                  <label class="custom-control-label" for="customC</pre>
heck1">Present</label>
                                             </div>
                                         </div>
                                     </div>
                                     <div class="col col-sm-3">
                                     <div class="form-group">
                                         <label for="exampleInputEmail1">GPA</label>
                                         <input type="text" class="form-control" name="gpa" id="g</pre>
pa" aria-describedby="emailHelp" placeholder="Your GPA">
                                     </div>
                                     </div>
                                 </div>
                             </div>
                         </div>
```

```
</div>
                    <div style="margin-top: 50px;">
                         <i class="fa fa-briefcase" aria-hidden="true" style="font-size: 30px; di</pre>
splay: block; margin: auto; text-align: center; margin-bottom: 10px; color: #fff"></i>
                         <h6 style="text-align: center; color: #fff; margin-bottom: 80px;">My Wor
k History</h6>
                         <div class="container-fluid">
                                 <div class="row">
                                     <div class="col col-sm-6">
                                         <div class="form-group">
                                             <label for="exampleInputEmail1">Company</label>
                                             <input type="text" class="form-control" name="compan</pre>
y" id="company" aria-describedby="emailHelp" placeholder="Which company did/do you work?">
                                         </div>
                                     </div>
                                     <div class="col col-sm-6">
                                         <div class="form-group">
                                             <label for="exampleInputPassword1">Position</label>
                                             <input type="text" class="form-control" name="positi</pre>
on" id="position" placeholder="What did/do you do?">
                                         </div>
                                     </div>
                                 </div>
                                 <div class="row">
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputEmail1">Country</label>
                                             <input type="text" class="form-control" name="work_c</pre>
ountry" id="work_country" aria-describedby="emailHelp" placeholder="Which country do you work?">
                                         </div>
                                     </div>
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputPassword1">City</label>
                                             <input type="text" class="form-control" name="work_c</pre>
ity" id="work_city" placeholder="Which city do you work?">
```

```
</div>
                                     </div>
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputEmail1">Start Date</label>
                                             <input type="date" class="form-control" name="work_s</pre>
tartdate" id="work_startdate" aria-describedby="emailHelp" placeholder="The starting date of you
r job">
                                         </div>
                                     </div>
                                     <div class="col col-sm-3">
                                         <div class="form-group">
                                             <label for="exampleInputPassword1">End Date</label>
                                             <input type="date" class="form-control" name="work_e</pre>
nddate" id="work_enddate" placeholder="The ending date of your job">
                                             <div class="custom-control custom-checkbox">
                                                 <input type="checkbox" class="custom-control-inp</pre>
ut" id="customCheck1">
                                                 <label class="custom-control-label" for="customC</pre>
heck1">Present</label>
                                             </div>
                                         </div>
                                     </div>
                                 </div>
                        </div>
                    </div>
                    <button class="btn btn-primary btn-file" id="profile-section-btn" data-toggl</pre>
e="tab" href="#image" role="tab" aria-controls="image" aria-selected="false"><i class="fa fa-arr
ow-right" aria-hidden="true"></i>&nbsp;&nbsp;Next</button>
                </form>
                </div>
            </div>
        </div>
        <div class="tab-pane fade" id="image" role="tabpanel" aria-labelledby="image-tab">
            <div style="margin-top: 50px">
```

```
<i class="fa fa-picture-o" aria-hidden="true" style="font-size: 30px; display: b</pre>
lock; margin: auto; text-align: center; margin-bottom: 10px; color: #D64933"></i>
                <h6 style="text-align: center; color: #D64933">Augmented Photos</h6>
                <form method="POST" action="image-upload.php" enctype="multipart/form-data" id="</pre>
image-upload-form">
                    <h4 style="text-align:center">Upload your photos</h4>
                    <span class="btn btn-primary btn-file" style="border: 1px solid white; curso</pre>
r: pointer"><i class="fa fa-cloud-upload" aria-hidden="true"></i>&nbsp;&nbsp;Add and upload <inp
ut type="file" name="file" id="photo-input"/></span>
                    <br/>
                    <div id="success-upload-photo" style="display: none; text-align: center">
                        Photo uploaded successfully!
                    </div>
                <!-- <div id="addPhoto"></div> -->
                    <div id="gallery" class="container">
                        <div class="row" style="padding-top:10px">
                             <?php
                                 $user_id = $_SESSION['id'];
                                 $sql = "SELECT * FROM images WHERE user_id = $user_id";
                                 $result = mysqli_query($conn, $sql);
                                 $rowcount = mysqli num rows($result);
                                 if($rowcount > 0){
                                     while($row = mysqli_fetch_assoc($result)){
                                         $id = $row['id'];
                                         $image = $row['image'];
                             ?>
                             <div class="col col-sm-3" id="addPhotos">
                                 <img src="uploads/images/<?php echo $image; ?>" alt="<?php echo</pre>
$id;?>" style="width:150px; height:150px; display: block; margin: auto;"/>
                                 <br/>
                                 <button class="btn btn-danger btn-delete" data-toggle="modal" da</pre>
ta-target="#exampleModal" id=<?php echo $id; ?>>Delete</button>
                             </div>
```

```
<?php
                                    }
                                }
                            2.5
                        </div>
                    </div>
                    <button class="btn btn-primary btn-file" id="image-upload-btn" data-toggle="</pre>
tab" href="#document" role="tab" aria-controls="document" aria-selected="false"><i class="fa fa-
arrow-right" aria-hidden="true"></i>&nbsp;&nbsp;Next</button>
                </form>
            </div>
        </div>
        <div class="tab-pane fade" id="document" role="tabpanel" aria-labelledby="document-tab">
            <div style="margin-top: 50px">
                <i class="fa fa-file" aria-hidden="true" style="font-size: 30px; display: block;</pre>
margin: auto; text-align: center; margin-bottom: 10px; color: #D64933"></i>
                <h6 style="text-align: center; color: #D64933">Augmented Documents</h6>
                <form method="POST" action="document-upload.php" enctype="multipart/form-data" i</pre>
d="document-upload-form">
                    <h4 style="text-align:center">Upload your documents</h4>
                    <span class="btn btn-primary btn-file" style="border: 1px solid white; curso</pre>
r: pointer"><i class="fa fa-cloud-upload" aria-hidden="true"></i>&nbsp;&nbsp;Add and upload <inp
ut type="file" name="file" id="document-input"/></span>
                    <hr/>
                    <div id="success-upload-document" style="display: none; text-align: center">
                        Document uploaded successfully!
                    </div>
                    <div id="document-gallery" class="container">
                        <div class="row" style="padding-top:10px">
                            <u1>
                            <?php
                                 $user_id = $_SESSION['id'];
                                $sql = "SELECT * FROM documents WHERE user_id = $user_id";
                                $result = mysqli_query($conn, $sql);
```

```
$rowcount = mysqli_num_rows($result);
                                if($rowcount > 0){
                                    while($row = mysqli_fetch_assoc($result)){
                                        $id = $row['id'];
                                        $document = $row['document'];
                            ?>
                            <div id="addDocuments">
                                <?php echo $document; ?>
                                <!-- <img src="uploads/images/<?php //echo $image; ?>" alt="<?ph
p //echo $id;?>" style="width:150px; height:150px; display: block; margin: auto;"/> -->
                                <br/>
                                <!-- <button class="btn btn-danger btn-delete" data-toggle="moda
1" data-target="#exampleModal" id=<?php //echo $id; ?>>Delete</button> -->
                            </div>
                            <?php
                                    }
                                }
                            27
                            </div>
                    </div>
                    <button class="btn btn-primary btn-file" id="doc-upload-btn" data-toggle="ta"</pre>
b" href="#video" role="tab" aria-controls="video" aria-selected="false"><i class="fa fa-arrow-ri
ght" aria-hidden="true"></i>&nbsp;&nbsp;Next</button>
                </form>
            </div>
        </div>
        <div class="tab-pane fade" id="video" role="tabpanel" aria-labelledby="video-tab">
            <div style="margin-top: 50px">
                <i class="fa fa-video-camera" aria-hidden="true" style="font-size: 30px; display:</pre>
 block; margin: auto; text-align: center; margin-bottom: 10px; color: #D64933"></i>
                <h6 style="text-align: center; color: #D64933">Augmented Videos</h6>
                <form method="POST" action="video-upload-test.php" enctype="multipart/form-data"</pre>
 id="video-upload-form">
                    <h4 style="text-align:center">Upload your videos</h4>
```

```
<span class="btn btn-primary btn-file" style="border: 1px solid white; curso</pre>
r: pointer"><i class="fa fa-cloud-upload" aria-hidden="true"></i>&nbsp;&nbsp;Add and upload <inp
ut type="file" name="file" id="video-input"/></span>
                    <hr/>
                    <div id="success-upload-video" style="display: none; text-align: center">
                        Video uploaded successfully!
                    </div>
                <!-- <div id="addPhoto"></div> -->
                    <div id="gallery-video" class="container">
                        <div class="row" style="padding-top:10px">
                            <?php
                                $user_id = $_SESSION['id'];
                                $sql = "SELECT * FROM videos WHERE user_id = $user_id";
                                $result = mysqli_query($conn, $sql);
                                $rowcount = mysqli_num_rows($result);
                                if($rowcount > 0){
                                    while($row = mysqli_fetch_assoc($result)){
                                        $id = $row['id'];
                                        $video = $row['video'];
                            ?>
                            <div class="col col-sm-3" id="addVideos">
                                <!-- <img src="uploads/videos/<?php //echo $image; ?>" alt="<?ph
p //echo $id;?>" style="width:150px; height:150px; display: block; margin: auto;"/> -->
                                <video width="300" controls style="margin-left: 10px; display: b</pre>
lock; margin: auto;"><source src="uploads/videos/<?php echo $video; ?>" type="video/mp4"></video
                                <br/>
                                <!-- <button class="btn btn-danger btn-delete" data-toggle="moda
l" data-target="#exampleModal" id=<?php //echo $id; ?>>Delete</button> -->
                            </div>
                            <?php
                                    }
                                }
                            ?>
```

```
</div>
                    </div>
                    <button class="btn btn-primary btn-file" id="video-upload-btn" data-toggle="</pre>
tab" href="#finish" role="tab" aria-controls="finish" aria-selected="false"><i class="fa fa-arro
w-right" aria-hidden="true"></i>&nbsp;&nbsp;Next</button>
                </form>
            </div>
        </div>
        <div class="tab-pane fade" id="finish" role="tabpanel" aria-labelledby="finish-tab">
            <div style="margin-top: 50px">
                <div id="finish-form">
                    <i class="fa fa-smile-o" aria-hidden="true" style="font-size: 50px; display:</pre>
 block; margin: auto; text-align: center; margin-bottom: 10px;"></i>
                    <h4 style="text-align: center;">Yay! You have created your own resume!</h4>
                    <h6 style="text-align: center; color: rgb(184, 184, 184)">Click Finish butto
n to return to dashboard</h6>
                    <a class="btn btn-primary btn-file" href="dashboard.php"><i class="fa fa-che"</pre>
ck" aria-hidden="true"></i>&nbsp;&nbsp;Finish</a>
                </div>
            </div>
        </div>
    </div>
    </div>
</div>
            </div>
        </div></div>
    </div>
    </div>
    <!-- Delete Modal -->
    <div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-labelledby="examp</pre>
leModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
```

```
<div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Delete image?</h5>
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <form method="post" action="delete-image.php" >
                <div class="modal-body">
                    Are you sure you want to delete this image?
                    <input type="hidden" id="delete-id" name="id"/>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-secondary" data-dismiss="modal">Close/
button>
                    <button type="submit" class="btn btn-danger">Delete</button>
                </div>
            </form>
            </div>
        </div>
    </div>
</div>
<?php require("footer.php"); ?>
Image-upload.php
<?php
    include "config/db.php";
    session_start();
   if(isset($_POST)){
                    = $_FILES['file']['name'];
        $name
        $temp_name = $_FILES['file']['tmp_name'];
        $user_id = $_SESSION['id'];
        if(isset($name)){
            if(!empty($name)){
              $folder = "uploads/images/";
              move_uploaded_file($temp_name, $folder.$name);
```

```
$sql = "INSERT INTO images (image, user_id)
                     VALUE ('$name', $user_id)";
             $result = mysqli_query($conn, $sql);
             $sql2 = "SELECT * FROM images WHERE user_id = $user_id";
             $result2 = mysqli_query($conn, $sql2);
             $json_array = array();
             while($row = mysqli_fetch_assoc($result2)){
                   $json_array = $row;
             echo json_encode($json_array);
           }
       } else {
           echo 'You should select a file to upload !!';
       }
   }
?>
Document-upload.php
<?php
   include "config/db.php";
   session_start();
   if(isset($_POST)){
                  = $_FILES['file']['name'];
        $name
        $temp_name = $_FILES['file']['tmp_name'];
        $user_id = $_SESSION['id'];
        if(isset($name)){
           if(!empty($name)){
             $folder = "uploads/documents/";
             move_uploaded_file($temp_name, $folder.$name);
             $sql = "INSERT INTO documents (document, user_id)
                     VALUE ('$name', $user_id)";
```

```
$result = mysqli_query($conn, $sql);
              $sq12 = "SELECT * FROM documents WHERE user_id = $user_id";
              $result2 = mysqli_query($conn, $sql2);
              $json_array = array();
              while($row = mysqli_fetch_assoc($result2)){
                    $json_array = $row;
              echo json_encode($json_array);
            }
       } else {
            echo 'You should select a file to upload !!';
       }
   }
?>
Video-upload-test.php
<?php
   include "config/db.php";
   session_start();
   if(isset($_POST)){
        $maxsize = 5242880; // 5MB
        $name = $_FILES['file']['name'];
        $target_dir = "uploads/videos/";
        $target_file = $target_dir . $_FILES["file"]["name"];
        $user_id = $_SESSION['id'];
        // Select file type
        $videoFileType = strtolower(pathinfo($target_file,PATHINFO_EXTENSION));
        // Valid file extensions
        $extensions_arr = array("mp4","avi","3gp","mov","mpeg");
```

```
// Check extension
        if( in_array($videoFileType,$extensions_arr) ){
             if(move_uploaded_file($_FILES['file']['tmp_name'],$target_file)){
               // Insert record
               $query = "INSERT INTO videos(video,user_id) VALUES('".$name."',$user_id)";
               $query = mysqli_query($conn,$query);
               if($query)
               echo "Upload successfully.";
               }
             }
       }else{
           echo "Invalid file extension.";
       }
      }
?>
Generate.php
<?php require('components/header.php');?>
<?php require('config/db.php'); ?>
<?php
   $resume_id = $_GET['id'];
   $sql = "SELECT * FROM resume WHERE resume_id = $resume_id";
   $result = mysqli_query($conn, $sql);
   while($row = mysqli_fetch_assoc($result)){
        $name = $row['name'];
        $job = $row['job'];
        $email = $row['email'];
        $phone = $row['phone'];
        $location = $row['location'];
        $summary = $row['summary'];
        $website = preg_replace('#(^https?:\/\/(w{3}\.)?)|(\/$)#', '', $row['website']);
```

```
$linkedin = preg_replace('#(^https?:\/\/(w{3}\.)?)|(\/$)#', '', $row['linkedin']);
        \phi = preg_replace('#(^https?:\/\/(w{3}\.)?)|(\/$)#', '', $row['github']);
        facebook = preg_replace('#(^https?:\/\/(w{3}\.)?)|(\/$)#', '', $row['facebook']);
        $institution = $row['institution'];
        $studyarea = $row['studyarea'];
        $edulevel = $row['edulevel'];
        $country = $row['country'];
        $city = $row['city'];
        $startdate = $row['startdate'];
        $enddate = $row['enddate'];
        $gpa = $row['gpa'];
        $company = $row['company'];
        $position = $row['position'];
        $work_country = $row['work_country'];
        $work_city = $row['work_city'];
        $work_startdate = $row['work_startdate'];
        $work_enddate = $row['work_enddate'];
        ?>
        <div style="background-image:url('images/aresume-template-background.png')" class="page"</pre>
>
            <div class="container-fluid">
                <div class="row">
                    <div class="col col-md-4 column">
                        <?php
                            if(!empty($name)){
                                <h4 style="color: #fff; text-align: center"><?php echo $name;?><</pre>
/h4>
                                <?php
                            }
                        ?>
                        <?php
                            if(!empty($job)){
                                ?>
```

```
<h4 style="color: #fff; text-align: center; margin-top: 20px;"><?</pre>
php echo $job;?></h4>
                           <?php
                        }
                    <div style="margin-top: 30px">
                        if(!empty($location)){
                           ?>
                           <i style="color: #e1ce7a"class="fa fa-hom</pre>
e" aria-hidden="true"></i>&nbsp;&nbsp;
                           <?php
                        }
                    ?>
                    <?php
                        if(!empty($phone)){
                           <i style="color: #e1ce7a" class="fa fa-ph</pre>
one" aria-hidden="true"></i>&nbsp;&nbsp;&nbsp;<?php echo $phone;?>
                           <?php
                        }
                    ?>
                    <?php
                        if(!empty($job)){
                           ?>
                           <i style="color: #e1ce7a" class="fa fa-en</pre>
velope" aria-hidden="true"></i>&nbsp;&nbsp;&nbsp;
                           <?php
                        }
                    ?>
                    <?php
                        if(!empty($website)){
                           <i style="color: #e1ce7a" class="fa fa-gl</pre>
obe" aria-hidden="true"></i>&nbsp;&nbsp;&nbsp;<?php echo $website;?>
                           <?php
```

```
}
                      ?>
                      <?php
                         if(!empty($linkedin)){
                             ?>
                             <i style="color: #e1ce7a" class="fa fa-li</pre>
nkedin-square" aria-hidden="true"></i>&nbsp;&nbsp;&nbsp;<?php echo $linkedin;?>
                             <?php
                         }
                      ?>
                      <?php
                         if(!empty($github)){
                             ?>
                             <i style="color: #e1ce7a" class="fa fa-gi</pre>
thub" aria-hidden="true"></i>&nbsp;&nbsp;&nbsp;<?php echo $github;?>
                             <?php
                         }
                      ?>
                      <?php
                         if(!empty($facebook)){
                             <i style="color: #e1ce7a" class="fa fa-fa</pre>
cebook-square" aria-hidden="true"></i>&nbsp;&nbsp;cebook;
                             <?php
                         }
                      ?>
                         <div class="marker">
                             Scan here for AR experience
                             <img src="https://api.qrserver.com/v1/create-qr-code/?size=100x1</pre>
00&data=https://aresumefyp.000webhostapp.com/scanner.php?id=<?php echo $resume_id;?>" style="dis
play: inline-block; margin: auto; margin-right: 10px" alt="qr code" title="" />
                             <img src="images/hiro-marker.png" style="display: inline-block;</pre>
margin: auto;float:right" alt="hiro ar marker" width="100px" height="100px"/>
                         </div>
                      </div>
                  </div>
```

```
<!-- <div class="col col-md-1"></div> -->
                  <div class="col col-md-8" style="padding-left: 30px">
                     <?php
                         if(!empty($summary)){
                                <div style="background-color: #424b54; padding: 10px 10px 10</pre>
px 40px; color: #fff;"><h4><i class="fa fa-user" aria-hidden="true"></i>&nbsp;&nbsp;&neer Objec
tive</h4></div>
                                <div style="padding: 10px 10px 10px 40px; color:#424b54; fon</pre>
t-weight: bold">
                                    <?php echo $summary;?>
                                </div>
                             <?php
                         }
                     ?>
                     <?php
                         if(!empty($institution)){
                            ?>
                                <div style="background-color: #424b54; padding: 10px 10px 10</pre>
px 40px; color: #fff; margin-top: 20px"><h4><i class="fa fa-graduation-cap" aria-hidden="true"><
/i>  Education</h4></div>
                                <div style="padding: 10px 10px 10px 40px; color: #424b54;; f</pre>
ont-weight: bold">
                                    <h5 style="margin-bottom:10px;"><?php echo $institution;?</pre>
></h5>
                                    <?php echo $studyarea;?>
(<?php echo $edulevel;?>)
                                    <?php e</pre>
cho $city;?>, <?php echo $country;?>
                                    <?php</pre>
echo $startdate;?> - <?php echo $enddate;?>
                                    <?php if(!empty($gpa)) { ?>
                                       GPA: <?php echo $gpa;?>
                                    <?php } ?>
                                </div>
                             <?php
```

```
}
                    ?>
                    <?php
                        if(!empty($company)){
                            ?>
                               <div style="background-color: #424b54; padding: 10px 10px 10</pre>
px 40px; color: #fff; margin-top: 20px"><h4><i class="fa fa-briefcase" aria-hidden="true"></i>&n
bsp; Work History</h4></div>
                               <div style="padding: 10px 10px 10px 40px; color: #424b54;; f</pre>
ont-weight: bold">
                                  <h5 style="margin-bottom:10px;"><?php echo $position;?><
/h5>
                                  <?php echo $company;?></p</pre>
                                  <?php e</pre>
cho $work_city;?>, <?php echo $work_country;?>
                                  <?php</pre>
echo $work_startdate;?> - <?php echo $work_enddate;?>
                               </div>
                           <?php
                        }
                    ?>
                 </div>
             </div>
          </div>
      </div>
      <?php
   }
?>
<?php require('footer.php');?>
Scanner.php
<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<title>AResume</title>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstra</pre>
p.min.css" integrity="sha384-gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T" c
rossorigin="anonymous">
    <link rel="stylesheet" href="css/navbar.css" />
    <script src="https://aframe.io/releases/0.9.2/aframe.min.js"></script>
    <script src="https://raw.githack.com/jeromeetienne/AR.js/2.0.5/aframe/build/aframe-ar.js"></</pre>
script>
</head>
<?php
  require('config/db.php');
?>
  <body style='margin : 0px; overflow: hidden;'>
  <div style='position: fixed; top: 10px; left: 50px; width:100%; text-align: center; z-index: 1;</pre>
  <?php
            $sql = "SELECT * FROM images";
            $result = mysqli_query($conn, $sql);
            $rowcount = mysqli_num_rows($result);
            if($rowcount > 0){
      <a href="load-images.php" class="btn btn-primary" style="left: 50px;">My Gallery</a>
  <?php
            }
  ?>
  <?php
            $sql = "SELECT * FROM documents";
            $result = mysqli_query($conn, $sql);
            $rowcount = mysqli_num_rows($result);
            if($rowcount > 0){
      <a href="load-documents.php" class="btn btn-primary" style="left: 50px;">My Documents</a>
  <?php
            }
  ?>
```

```
</div>
  <div style='position: fixed; top: 60px; left: 50px; width:100%; text-align: center; z-index: 1;</pre>
'>
  <?php
            $sql = "SELECT * FROM resume";
            $result = mysqli_query($conn, $sql);
            $row = mysqli_fetch_assoc($result);
            $website = $row['website'];
            $facebook = $row['facebook'];
            $github = $row['github'];
            $linkedin = $row['linkedin'];
          <?php
            if(!empty($website)){
              ?>
              <a href="<?php echo $website; ?>" style="left: 50px;"><img src="images/website.png</pre>
" style="width: 50px; height: 50px"/></a>
              <?php
            }
          ?>
          <?php
            if(!empty($linkedin)){
              ?>
              <a href="<?php echo $linkedin; ?>" style="left: 50px;"><img src="images/linkedin.p"</pre>
ng" style="width: 50px; height: 50px"/></a>
              <?php
            }
          ?>
          <?php
            if(!empty($github)){
              <a href="<?php echo $github; ?>" style="left: 50px;"><img src="images/github.png"</pre>
style="width: 50px; height: 50px"/></a>
              <?php
            }
          ?>
```

```
<?php
            if(!empty($facebook)){
              ?>
              <a href="<?php echo $facebook; ?>" style="left: 50px;"><img src="images/facebook.p</pre>
ng" style="width: 50px; height: 50px"/></a>
              <?php
            }
          ?>
  </div>
    <a-scene embedded arjs>
      <a-marker preset="hiro">
          <a-text value="Hello, welcome to my profile!" color="gray" width="10" z-offset="0.1" r</pre>
otation="-90 0 0" position="-0.5 0 -2"></a-text>
          <?php
            $sql = "SELECT * FROM videos";
            $result = mysqli_query($conn, $sql);
            $rowcount = mysqli_num_rows($result);
            if($rowcount == 1){
              while($row = mysqli_fetch_assoc($result)){
                $video = $row['video'];
                echo "<script>console.log('$video')</script>";
          ?>
            <a-video src="uploads/videos/<?php echo $video; ?>" width="3" height="3" rotation="-
90 0 0"></a-video>
          <?php
            }
          }
          ?>
          <?php
            $sql = "SELECT * FROM images";
            $result = mysqli_query($conn, $sql);
            $row = mysqli_fetch_assoc($result);
                $image = $row['image'];
          ?>
          <a-plane width="3" height="3" src="uploads/images/<?php echo $image; ?>" rotation="-90
 0 0" position="4 0 0"></a-plane>
```

```
</a-marker>
      <a-entity camera></a-entity>
    </a-scene>
    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965Dz</pre>
O@rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js" inte</pre>
grity="sha384-U02eT0CpHqdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwrnQq4sF86dIHNDz0W1" crossorigin="ano
nymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integri</pre>
ty="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM" crossorigin="anonym
ous"></script>
    <script src="https://code.jquery.com/jquery-3.4.1.js"></script>
    </body>
  </html>
Load-images.php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, user-scalable=no, minimum-scale=1.0, maxi</pre>
mum-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstra</pre>
p.min.css" integrity="sha384-gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T" c
rossorigin="anonymous">
    <script src="https://aframe.io/releases/0.9.2/aframe.min.js"></script>
    <script src="https://raw.githack.com/jeromeetienne/AR.js/2.0.5/aframe/build/aframe-ar.js">
script>
    <title>AResume</title>
</heads
<div class="container-fluid">
  <div class="row">
<?php
    require('config/db.php');
```

```
$sql = "SELECT * FROM images";
            $result = mysqli_query($conn, $sql);
            $rowcount = mysqli_num_rows($result);
            if($rowcount > 0){
              while($rowcount = mysqli_fetch_assoc($result)){
                $image = $rowcount['image'];
                $id = $rowcount['id'];
?>
<div class="col col-sm-3" style="padding:0;">
<div class="card" style="width: 10rem; border:0">
  <a href="#"><img src="uploads/images/<?php echo $image;?>" class="card-img-top" alt="image<?ph
p echo $id;?>"></a>
</div>
</div>
<?php
              }
            }
?>
</div>
</div>
<?php
            require('footer.php');
?>
Load-documents.php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, user-scalable=no, minimum-scale=1.0, maxi</pre>
mum-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
```

```
<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstra</pre>
p.min.css" integrity="sha384-gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T" c
rossorigin="anonymous">
    <script src="https://aframe.io/releases/0.9.2/aframe.min.js"></script>
   <script src="https://raw.githack.com/jeromeetienne/AR.js/2.0.5/aframe/build/aframe-ar.js">//
script>
    <title>AResume</title>
</head>
<?php
   require('config/db.php');
   $sql = "SELECT * FROM documents";
            $result = mysqli_query($conn, $sql);
            $rowcount = mysqli_num_rows($result);
            if($rowcount > 0){
              while($row = mysqli_fetch_assoc($result)){
                $document = $row['document'];
                $id = $row['id'];
?>
<a href="uploads/documents/<?php echo $document;?>"><?php echo $document;?></a>
<br/>
<?php
              }
            }
?>
<?php
            require('footer.php');
?>
Css/dashboard.css
.card-collection button{
   display: block;
   margin: auto;
   margin-top: 50%;
   margin-bottom: 50%;
```

```
}
.card-collection{
    margin: 50px;
}
.card-subsection{
   text-align: center;
}
.form-content{
   padding: 50px;
}
.form-content .btn{
   color: #fff;
    text-decoration: none;
   font-weight: bold;
}
.form-content .card-header{
    background-color: #D64933;
}
.form-card{
    margin-top: 50px;
}
.form-card .card{
   border: none;
}
.custom-file{
    margin-top:20px;
   margin-bottom:20px;
}
```

```
.btn-create{
    background-color: #2B303A;
   border: none;
}
.btn-file{
   background-color: #2B303A;
    border: 2px solid #fff;
   display: block;
   margin: auto;
   position: relative;
   overflow: hidden;
    width: 20%;
   margin-top: 40px;
}
@media (max-width: 500px){
    .btn-file{
        width: 100%;
    }
}
.btn-file input[type=file] {
   position: absolute;
   top: 0;
    right: 0;
   min-width: 100%;
   min-height: 100%;
    font-size: 100px;
    text-align: right;
    filter: alpha(opacity=0);
    opacity: 0;
    outline: none;
    cursor: inherit;
    display: block;
```

```
}
/* .btn-add{
    background-color: #D64933;
   border: 2px solid #2B303A;
}
.btn-add:hover{
    background-color: #D64933;
    border: 2px solid #2B303A;
   box-shadow: 2px 2px 5px #2B303A;
} */
.btn-file:hover, .btn-create:hover{
    background: #2B303A;
   border: 2px solid #fff;
   box-shadow: 3px 3px #000;
}
.btn-delete{
   display: block;
   margin: auto;
}
.tab-container{
   margin-top: 50px;
}
.left-container, .right-container{
   color: #fff;
}
.left-container img{
   width: 50%;
   height: 80%;
    display: block;
```

```
margin: auto;
    margin-top: 20px;
}
.right-container{
    padding: 20px;
    background-color: #D64933;
    box-shadow: 2px 2px 10px rgb(87, 87, 87);
}
#create-profile, #create-institution, #create-work, #image-upload-form, #video-upload-form, #doc
ument-upload-form{
   padding: 50px;
    /* box-shadow: -4px 10px 8px rgb(87, 87, 87); */
    margin-top: 50px;
    background-color: #2B303A;
    color: #fff;
    font-weight: bold;
}
#finish-form{
    padding: 100px;
    margin-top: 50px;
    background-color: #2B303A;
    color: #fff;
    font-weight: bold;
}
#create-profile input, #create-institution input, #create-work input{
    border-radius: 0px;
    background-color: transparent;
    border-top: 0px;
    border-left: 0px;
    border-right: 0px;
    color: #fff;
}
```

```
#create-profile textarea, #create-institution textarea{
    border-radius: 0px;
    background-color: transparent;
    color: #fff;
}
@media (max-width: 600px){
    #create-profile{
        width: 100%;
    }
}
.page{
    width: 21cm;
    min-height: 29.7cm;
    padding: 1cm;
    margin: 1cm auto;
    border: 1px #D3D3D3 solid;
    border-radius: 5px;
    background: white;
    box-shadow: 0 0 5px rgba(0, 0, 0, 0.1);
    background-size: cover;
    background-position: center center;
}
@page {
    size: A4;
    margin: 0;
}
.column{
    position:relative;
}
.marker{
```

```
position: absolute;
    bottom:0;
}
Css/landing-page.css
.jumbotron{
   height: 80vh;
}
.container .row{
    padding-top:10%;
    padding-bottom:10%;
}
#signup-notification, #signin-notification{
    margin-right: 20px;
    margin-left: 20px;
}
Css/navbar.css
.navbar .navbar-nav{
    float: right;
}
Config/db.php
<?php
   $username = 'id11594828_aresumefyp';
   $password = 'aresumefyp';
   $database = 'id11594828_aresumefyptest';
   $conn = mysqli_connect($server, $username, $password, $database);
   if(!$conn){
       die("Connection failed " . mysqli_connect_error());
   }
?>
```

The copyright of this source code belongs to the author under the terms of the copyright Act 1987 as qualified by the Intellectual Property Policy of University Malaysia of Computer Science and Engineering (UNIMY). Due acknowledgement shall always be made of the use of any material contained in, or derived from, this source code.

 $\ \, {\mathbb C}$ 2019, Mary Chew Jia Yi. All rights reserved.