

# RWorksheet\_lauron#3b.Rmd

Mary Ghale C. Lauron

2025-10-13

*#Create a data frame*

```
survey <- data.frame(Respondents = c(1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20),
Sex = c(2, 2, 1, 2, 2, 2, 2, 2, 2, 2, 1, 2, 2, 2, 2, 2, 2, 1, 2),
Fathers_Occupation = c(1, 3, 3, 3, 3, 1, 2, 3, 1, 1, 1, 3, 2, 1, 3, 3, 1, 3, 1, 2, 1),
Persons_at_Home = c(5, 7, 3, 8, 5, 9, 6, 7, 8, 4, 7, 5, 4, 7, 8, 8, 3, 11, 7, 6),
Siblings_at_School = c(6, 4, 4, 1, 2, 1, 5, 3, 1, 2, 3, 2, 5, 5, 2, 1, 2, 5, 3, 2),
Types_of_Houses = c(1, 2, 3, 1, 1, 3, 3, 1, 2, 3, 2, 3, 2, 2, 3, 3, 3, 3, 3, 2)
)
```

```
survey
```

##	Respondents	Sex	Fathers_Occupation	Persons_at_Home	Siblings_at_School
## 1	1	2	1	5	6
## 2	2	2	3	7	4
## 3	3	1	3	3	4
## 4	4	2	3	8	1
## 5	5	2	1	5	2
## 6	6	2	2	9	1
## 7	7	2	3	6	5
## 8	8	2	1	7	3
## 9	9	2	1	8	1
## 10	10	2	1	4	2
## 11	11	1	3	7	3
## 12	12	2	2	5	2
## 13	13	2	1	4	5
## 14	14	2	3	7	5
## 15	15	2	3	8	2
## 16	16	2	1	8	1
## 17	17	2	3	3	2
## 18	18	2	1	11	5
## 19	19	1	2	7	3
## 20	20	2	1	6	2
##	Types_of_Houses				
## 1	1				
## 2	2				
## 3	3				
## 4	1				
## 5	1				
## 6	3				
## 7	3				
## 8	1				
## 9	2				
## 10	3				

```
## 11          2
## 12          3
## 13          2
## 14          2
## 15          3
## 16          3
## 17          3
## 18          3
## 19          3
## 20          2
```

```
#b
str(survey)
```

```
## 'data.frame':  20 obs. of  6 variables:
## $ Respondents      : num  1 2 3 4 5 6 7 8 9 10 ...
## $ Sex              : num  2 2 1 2 2 2 2 2 2 2 ...
## $ Fathers_Occupation: num  1 3 3 3 1 2 3 1 1 1 ...
## $ Persons_at_Home   : num  5 7 3 8 5 9 6 7 8 4 ...
## $ Siblings_at_School: num  6 4 4 1 2 1 5 3 1 2 ...
## $ Types_of_Houses   : num  1 2 3 1 1 3 3 1 2 3 ...
```

```
## 'data.frame':  20 obs. of  6 variables:
# $ Respondents      : int  1 2 3 4 5 6 7 8 9 10 ...
# $ Sex              : num  2 2 1 2 2 2 2 2 2 2 ...
# $ Fathers_Occupation: num  1 3 3 3 1 2 3 1 1 1 ...
# $ Persons_at_Home   : num  5 7 3 8 5 9 6 7 8 4 ...
# $ Siblings_at_School: num  6 4 4 1 2 1 5 3 1 2 ...
# $ Types_of_Houses   : num  1 2 3 1 1 3 3 1 2 3 ...
```

```
summary(survey)
```

```
## Respondents      Sex      Fathers_Occupation Persons_at_Home
## Min.   : 1.00    Min.   :1.00    Min.   :1.00    Min.   : 3.0
## 1st Qu.: 5.75    1st Qu.:2.00    1st Qu.:1.00    1st Qu.: 5.0
## Median :10.50    Median :2.00    Median :2.00    Median : 7.0
## Mean   :10.50    Mean   :1.85    Mean   :1.95    Mean   : 6.4
## 3rd Qu.:15.25    3rd Qu.:2.00    3rd Qu.:3.00    3rd Qu.: 8.0
## Max.   :20.00    Max.   :2.00    Max.   :3.00    Max.   :11.0
## Siblings_at_School Types_of_Houses
## Min.   :1.00    Min.   :1.0
## 1st Qu.:2.00    1st Qu.:2.0
## Median :2.50    Median :2.5
## Mean   :2.95    Mean   :2.3
## 3rd Qu.:4.25    3rd Qu.:3.0
## Max.   :6.00    Max.   :3.0
```

```
#Respondents      Sex      Fathers_Occupation Persons_at_Home Siblings_at_School
# Min.   : 1.00    Min.   :1.00    Min.   :1.00    Min.   : 3.0    Min.   :1.00
# 1st Qu.: 5.75    1st Qu.:2.00    1st Qu.:1.00    1st Qu.: 5.0    1st Qu.:2.00
# Median :10.50    Median :2.00    Median :2.00    Median : 7.0    Median :2.50
# Mean   :10.50    Mean   :1.85    Mean   :1.95    Mean   : 6.4    Mean   :2.95
# 3rd Qu.:15.25    3rd Qu.:2.00    3rd Qu.:3.00    3rd Qu.: 8.0    3rd Qu.:4.25
# Max.   :20.00    Max.   :2.00    Max.   :3.00    Max.   :11.0    Max.   :6.00
# Types_of_Houses
# Min.   :1.0
```

```
# 1st Qu.:2.0
# Median :2.5
# Mean   :2.3
# 3rd Qu.:3.0
# Max.   :3.0
```

```
#c
mean_siblings <- mean(survey$Siblings_at_School)
mean_siblings
```

```
## [1] 2.95
```

```
#[1] 2.95 - no, it is lower than 5
```

```
#d
subset_2rows <- survey[1:2, ]
subset_2rows
```

```
## Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
## 1          1 2              1              5              6
## 2          2 2              3              7              4
## Types_of_Houses
## 1          1
## 2          2
```

```
#Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
#1          1 2              1              5              6
#2          2 2              3              7              4
# Types_of_Houses
#1          1
#2          2
```

```
#e
extract<- survey[c(3,5), c(2,4)]
extract
```

```
## Sex Persons_at_Home
## 3 1              3
## 5 2              5
```

```
#Sex Persons_at_Home
#3 1              3
#5 2              5
```

```
#f
types_houses <- survey$Types_of_Houses
types_houses
```

```
## [1] 1 2 3 1 1 3 3 1 2 3 2 3 2 2 3 3 3 3 3 2
```

```
# [1] 1 2 3 1 1 3 3 1 2 3 2 3 2 2 3 3 3 3 3 2
```

```
#g
malersp_farmer <- subset(survey, Sex == 1 & Fathers_Occupation == 1)
malersp_farmer
```

```
## [1] Respondents Sex Fathers_Occupation Persons_at_Home
## [5] Siblings_at_School Types_of_Houses
```

```
## <0 rows> (or 0-length row.names)
##[1] Respondents      Sex      Fathers_Occupation Persons_at_Home
##[5] Siblings_at_School Types_of_Houses
##<0 rows> (or 0-length row.names)

#h
femaleresp_siblings <- subset(survey, Sex == 2 & Siblings_at_School >= 5)
femaleresp_siblings
```

```
##      Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
## 1             1  2             1             5             6
## 7             7  2             3             6             5
## 13            13  2             1             4             5
## 14            14  2             3             7             5
## 18            18  2             1            11             5
##      Types_of_Houses
## 1             1
## 7             3
## 13            2
## 14            2
## 18            3
```

```
#Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
#1             1  2             1             5             6
#7             7  2             3             6             5
#13            13  2             1             4             5
#14            14  2             3             7             5
#18            18  2             1            11             5
# Types_of_Houses
#1             1
#7             3
#13            2
#14            2
#18            3
```

```
#2
df <- data.frame(
  Ints = integer(),
  Doubles = double(),
  Characters = character(),
  Logicals = logical(),
  Factors = factor(),
  stringsAsFactors = FALSE
)

print("Structure of the empty dataframe:")
```

```
## [1] "Structure of the empty dataframe:"
str(df)
```

```
## 'data.frame': 0 obs. of 5 variables:
## $ Ints : int
## $ Doubles : num
## $ Characters: chr
```

```
## $ Logicals : logi
## $ Factors : Factor w/ 0 levels:

#[1] "Structure of the empty dataframe:"
#'data.frame': 0 obs. of 5 variables:
#$ Ints : int
#$ Doubles : num
# $ Characters: chr
#$ Logicals : logi
#$ Factors : Factor w/ 0 levels:

#3a
household <- data.frame(
  Respondents = 1:10,
  Sex = c("Male", "Female", "Female", "Male", "Male", "Female", "Female", "Male",
  "Female", "Male"),
  Fathers_Occupation = c(1, 2, 3, 3, 1, 2, 2, 3, 1, 3),
  Persons_at_Home = c(5, 7, 3, 8, 5, 4, 4, 2, 11, 6),
  Siblings_at_School = c(2, 3, 0, 5, 2, 4, 4, 2, 6, 6),
  Types_of_Houses = c("Wood", "Concrete", "Concrete", "Wood", "Semi-concrete",
  "Semi-concrete", "Wood", "Semi-concrete", "Semi-concrete", "Concrete")
)
write.csv(household, "HouseholdData.csv", row.names = FALSE)
# Import CSV file
household_data <- read.csv("HouseholdData.csv", stringsAsFactors = FALSE)
household_data
```

```
## Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
## 1 1 Male 1 5 2
## 2 2 Female 2 7 3
## 3 3 Female 3 3 0
## 4 4 Male 3 8 5
## 5 5 Male 1 5 2
## 6 6 Female 2 4 4
## 7 7 Female 2 4 4
## 8 8 Male 3 2 2
## 9 9 Female 1 11 6
## 10 10 Male 3 6 6
## Types_of_Houses
## 1 Wood
## 2 Concrete
## 3 Concrete
## 4 Wood
## 5 Semi-concrete
## 6 Semi-concrete
## 7 Wood
## 8 Semi-concrete
## 9 Semi-concrete
## 10 Concrete
```

```
#Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
#1 1 Male 1 5 2
#2 2 Female 2 7 3
#3 3 Female 3 3 0
#4 4 Male 3 8 5
```

```

#5      5  Male      1      5      2
#6      6 Female    2      4      4
#7      7 Female    2      4      4
#8      8  Male     3      2      2
#9      9 Female    1     11      6
#10     10  Male    3      6      6
#  Types_of_Houses
#1      Wood
#2      Concrete
#3      Concrete
#4      Wood
#5      Semi-concrete
#6      Semi-concrete
#7      Wood
#8      Semi-concrete
#9      Semi-concrete
#310    Concrete

#3b
# Convert Sex into factor
household_data$Sex <- factor(household_data$Sex, levels = c("Male", "Female"),
labels = c(1, 2))
household_data$Sex

```

```

## [1] 1 2 2 1 1 2 2 1 2 1
## Levels: 1 2

```

```

#[1] 1 2 2 1 1 2 2 1 2 1
#Levels: 1 2

```

```

#3c
household_data$Types_of_Houses <- factor(
  household_data$Types_of_Houses,
  levels = c("Wood", "Concrete", "Semi-concrete"),
  labels = c(1, 2, 3)
)
household_data$Types_of_Houses

```

```

## [1] 1 2 2 1 3 3 1 3 3 2
## Levels: 1 2 3

```

```

#[1] 1 2 2 1 3 3 1 3 3 2
#Levels: 1 2 3

```

```

#3d
household_data$Fathers_Occupation <- factor(
  household_data$Fathers_Occupation,
  levels = c(1, 2, 3),
  labels = c("Farmer", "Driver", "Others")
)

household_data$Fathers_Occupation

```

```

## [1] Farmer Driver Others Others Farmer Driver Driver Others Farmer Others
## Levels: Farmer Driver Others

```

```
#[1] Farmer Driver Others Others Farmer Driver Driver Others Farmer Others
#Levels: Farmer Driver Others
#3e
female_driver <- subset(household_data, Sex == "2" & Fathers_Occupation == "Driver")
female_driver
```

```
## Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
## 2 2 2 Driver 7 3
## 6 6 2 Driver 4 4
## 7 7 2 Driver 4 4
## Types_of_Houses
## 2 2
## 6 3
## 7 1
```

```
#Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
#Types_of_Houses
#2 2 2 Driver 7 3 2
#6 6 2 Driver 4 4 3
#7 7 2 Driver 4 4 1
```

```
#3f
respondent_siblings<- subset(household_data, Siblings_at_School >= 5)
respondent_siblings
```

```
## Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
## 4 4 1 Others 8 5
## 9 9 2 Farmer 11 6
## 10 10 1 Others 6 6
## Types_of_Houses
## 4 1
## 9 3
## 10 2
```

```
# Respondents Sex Fathers_Occupation Persons_at_Home Siblings_at_School
#4 4 Male 3 8 5
#9 9 Female 1 11 6
#10 10 Male 3 6 6
# Types_of_Houses
#4 Wood
#9 Semi-concrete
#10 Concrete
```

```
#4 Interpret the graph
#The graph illustrates the count of tweets from July 14 to July 21, 2020,
#categorized by sentiment type (positive, negative, and neutral).
#Based on the visualization, it is evident that negative sentiments dominate across
#all dates. The count of negative tweets started high on July 14 and peaked sharply
#on July 15, reaching approximately 4,000 tweets. Meanwhile, positive sentiment
#consistently rank second as the neutral to last.
```