

Ten. Million. Questions. Let's celebrate all we've done together.

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

Take the 2-minute tour

asked 4 months ago viewed 30 times

active 4 months ago

Neo4jRB: Searching through all associations?

Work on work you love. From home.





Blog

Related

Why Stack Overflow is a Good Workplace for Women

0 Neo4j.rb version 3.0 slow performance RoR, over

1024ms for all queries

2 Neo4J gem associations and creating relationships

0 Neo4j gem - Effecient ways

nodes and relationships

to destroy associated

o return certain fields first in elastic search

> params[:search] in controller and like in the

1 Neo4jRB: replicating

1 Automatic naming of objects based on

associations with other

relationship with non-

persisted nodes. Neo4jRB

accepts_nested_attributes_ for functionality in ActiveNode?

2 Neo4j using

model

models

Gem

1 Unable to create

0





Consider this simple setup:

class Person include Neo4j::ActiveNode property :name, type: String has_many :out, :follows, model_class: Person, rel_class: Friendship has_many :in, :followed_by, model_class: Person, rel_class: Friendship class Friendship include Neo4j::ActiveRel property :key, type: String type 'friendship' from_class Person to_class Person end

How would I search through all Friendship s for those matching a condition? (e.g. Friendship s of a certain key).

In an email, Brian Underwood points me to this snippet:

ModelClass.association_name(:node_var, :rel_var).where("rel_var = 'some_condition'")

I've tried playing around with it, but don't understand. Is ModelClass an ActiveNode or ActiveRel instance? What is :node_var and :rel_var?

ruby neo4j neo4j.rb

share improve this question

edited Apr 14 at 1:57

asked Apr 13 at 23:24 David Chouinard **915** • 1 • 17 • 40

add a comment

1 Answer

active

oldest

votes

3 Neo4j - Why uuid is null for all nodes but the database keeps indexing them and attempts to use them during searches?

0 Neo4jrb - NameError: uninitialized constant Neo4i::ActiveNode::Querv:: QuervProxv::ANSI

Hot Network Questions

Antonym of Overlap?

Weird performance increase in simple benchmark

I added more water to my ciabatta dough by accident

Nhere did the nickname of 'Bones' for McCoy come from?

Did Arnold Rimmer kill the Red Dwarf crew?

If you want to search for every friendship that has a specific key property, you'd do that like this:


2

Person.all.follows.rel_where(key: your_key_var) Person.all.follows(:f, :r).where('r.key = {key}').params(key: your_key_var)



These will both generate MATCH (p:Person)-[r:friends]->(f:Person), more or less, with the first example using auto-defined node identifiers and the second using f for the destination Friend node and r for the relationship, as given by the :f, :r arguments. After that, a to_a will return the friend at the END of the chain or you can call pluck with either :f or :r to return the given objects.

The model_class option always describes the NODE class on the other side of the association. In Brian's example, node_var and rel_var are generic names for the identifiers Cypher will use in the statement that it creates.



Sign up or log in



Post as a guest

Name	
Email	
required, but never shown	

Post Your Answer

By posting your answer, you agree to the privacy policy and terms of service.

Not the answer you're looking for? Browse other questions tagged ruby neo4j neo4j.rb or ask your own question.

a question feed

tour help blog chat data legal privacy policy work here advertising info mobile contact us feedback CULTURE / TECHNOLOGY LIFE / ARTS SCIENCE OTHER RECREATION English Language & Usage Database Administrators Cross Validated (stats) Meta Stack Exchange Super User Ask Different (Apple) SharePoint Mi Yodeya (Judaism) Web Applications WordPress Ask Ubuntu Geographic Information Mathematica Seasoned Advice Webmasters (cookina) Salesforce Argade (gaming) Chemistry Electrical Engineering ExpressionEngine® Personal Finance & Role-playing Games more (5) Money more (13) more (21) more (9)