


Ten. Million. Questions. Let's celebrate [all we've done together](#).

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

Take the 2-minute tour x

Using has_many "both" in neo4j.rb



I'm looking for a way to set up a relationship between `User` s where you can use `in` , `out` , and `both` all at the same time in Neo4j.rb.

Here's what I have so far:

```
class User
  include Neo4j::ActiveNode

  has_many :both, :friends, type: :connection, model_class: User
  has_many :out, :following, type: :connection, model_class: User
  has_many :in, :followers, type: :connection, model_class: User
end
```

The following works:

```
me = User.create
you = User.create

me.followers << you
me.followers.to_a
#=> [you]

you.following.to_a
#=> [me]
```

The opposite of above works as well. But this doesn't seem to work:

```
me.friends << you
you.following.to_a
#=> []
```

Or:

```
me.followers.to_a
#=> []
```

However, this does:

```
me.following.to_a
#=> [you]
```

[ruby](#) [neo4j](#) [neo4j.rb](#)

[share](#) [improve this question](#)

[add a comment](#)

asked Apr 8 at 15:01



[bswinnerton](#)

1,125 ● 4 ● 18 ● 30

1 Answer

[active](#) [oldest](#) [votes](#)



This is expected behavior. Neo4j doesn't allow you to create relationships which don't have a direction. Thus, the `both` association type is only for querying (that is, when querying it specifies the relationship, but not the direction to/from the node).

Since Neo4j relationships always have a direction, when you create relationships with a `both` association it creates them as `out` relationships. See this section in the docs:


asked 4 months ago

viewed 46 times

active 4 months ago

Blog

[Why Stack Overflow is a Good Workplace for Women](#)



Related

- 0 [Neo4j.rb version 3.0 slow performance RoR, over 1024ms for all queries](#)
- 2 [Neo4j gem - Detailed Querying direction with has_many: both](#)
- 1 [Neo4j.rb query in and out separately for both relationship](#)
- 3 [Neo4j.rb create unique relationship](#)
- 1 [neo4j.rb check relation already exists between two nodes](#)
- 1 [Neo4j.rb : transfer all relationships before replacing a node by another](#)
- 0 [Neo4j.rb slow queries](#)
- 3 [Should I use JRuby or Ruby for Rails with Neo4j.rb?](#)
- 2 [Proper way to set up "friends" \(bidirectional relationship\) in Neo4j.rb](#)
- 1 [Neo4j.rb: autoincrement relationship attribute?](#)

Hot Network Questions

[GL](#) [Why are my tomatoes cracking and what can I do?](#)

[JF](#) [Was フリスマスケーキ used metaphorically about women?](#)



https://github.com/neo4jrb/neo4j/wiki/Neo4j-v3-Declared-Relationships#all-has_manyhas_one-method-calls-begin-with-declaration-of-direction

Thinking about it now, I'm wondering if perhaps Neo4j.rb shouldn't let you create relationships using `both` associations. What do you think? I'll create a Github issue as well

share improve this answer

answered Apr 8 at 15:17



Brian Underwood
4,364 ● 4 ● 18

Ah, that makes perfect sense. Digging into it a little bit deeper, it's a feature that I don't think that I would need either way. – [bswinnerton](#) Apr 8 at 15:46

Great :) The other thing I forgot to mention: You should get into the habit of using strings for `model_class` like this: `, model_class: 'User'` – [Brian Underwood](#) Apr 8 at 16:17

Will do! Thanks a ton. – [bswinnerton](#) Apr 8 at 17:17

add a comment

Your Answer

B *I*

Sign up or [log in](#)

Sign up using Google

Sign up using Facebook

Sign up using Stack Exchange

Post as a guest

Name

Email

Post Your Answer

By posting your answer, you agree to the [privacy policy](#) and [terms of service](#).

Not the answer you're looking for? Browse other questions tagged [ruby](#) [neo4j](#) [neo4j.rb](#) or [ask your own question](#).

- A short, brutal riddle
- Is Let us = Let's?
- Seven overlapping circles
- Using `siunitx`, `\ohm` results in an italic Omega
- Where did the nickname of 'Bones' for McCoy come from?
- Funding government by only printing more money
- Words of the Buddha
- How do I remove Candy Crush Saga from Windows 10?
- Is it modest to compliment a woman on her modesty?
- I added more water to my ciabatta dough by accident
- If static methods can't be overridden, how its working here (For Java)?
- Lunch with the CEO
- What can I do when I accidentally gave out an overpowered item?
- Would allowing shorter passwords sometimes be more secure?
- What's the philosophy behind delaying writing data to disk
- Did a Kamikaze ever impact the hull of a ship, as opposed to the deck?
- Justification that 'good exposition' is uniquely defined
- Password strength of random words and brainflayer
- 'cond' with less redundancy
- Is it 'Batmen' or 'Batmans'?
- Proving that all integers are even or odd
- What is aliasing and what causes it?

[question feed](#)

[tour](#) [help](#) [blog](#) [chat](#) [data](#) [legal](#) [privacy policy](#) [work here](#) [advertising info](#) [mobile](#) [contact us](#) [feedback](#)

TECHNOLOGY

- Stack Overflow

Server Fault

Super User

Web Applications

Ask Ubuntu

Webmasters
- Programmers

Unix & Linux

Ask Different (Apple)

WordPress Development

Geographic Information Systems
- Database Administrators

Drupal Answers

SharePoint

User Experience

Mathematica

LIFE / ARTS

- Photography

Science Fiction & Fantasy

Graphic Design

Movies & TV

Seasoned Advice (cooking)

CULTURE / RECREATION

- English Language & Usage

Skeptics

Mi Yodeya (Judaism)

Travel

Christianity

SCIENCE

- Mathematics

Cross Validated (stats)

Theoretical Computer Science

Physics

MathOverflow

OTHER

- Stack Apps

Meta Stack Exchange

Area 51

Stack Overflow Careers

Game Development	Electrical Engineering	Salesforce	Home Improvement	Arqade (gaming)	Chemistry
TeX - LaTeX	Android Enthusiasts	ExpressionEngine® Answers	Personal Finance & Money	Bicycles	Biology
	Information Security	more (13)	Academia	Role-playing Games	more (5)
			more (9)	more (21)	