

Ten. Million. Questions. Let's celebrate all we've done together.

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

### Take the 2-minute tour

## Neo4j query optimization



at Neo4j Graph Academy (http://neo4j.com/graphacademy/online-course/) I read at "(L2) --(Aggregation)" section:

3

Oftentimes you're interested in the top-n results, which result from a count aggregation. This is achieved by counting first and the ordering the results in a DESCending manner and then LIMITing the results by the top n. If we would be interested in the top ten actors, who acted in the most movies, the query would look like this.

MATCH (a:Person)-[:ACTED\_IN]->(m) RETURN a.name, count(m)
ORDER BY count(m) DESC LIMIT 10;

However, I'm wondering if it is clever enough to not calculate multiple times the count(m) there, that is if a syntax similar to the following is better:

MATCH (a:Person)-[:ACTED IN]->(m) RETURN a.name, count(m) AS c ORDER BY c DESC LIMIT 10;

neo4j

share improve this question

asked Apr 7 at 12:00 George Birbilis **528** • 2 • 12

active

oldest

votes

add a comment

#### 1 Answer



The answer is that the query plans are exactly identical, and one is not better than the other.



Using the PR0FILE keyword before the query, you can ask neo4j how it would execute each query. So don't take my word for it, profile both queries and see if the plans are any different. If they're not, then the execution of both will be the same.



Here's what the query profile looks like:

asked 4 months ago

viewed 52 times

active 4 months ago

Blog

Why Stack Overflow is a Good Workplace for Women



## Looking for a job?

Support Engineer to grow into Software Developer Efinancial Bellevue, WA

c# asp.net

**Application Support Specialist** Russell Investments Seattle, WA

sql iss

#### Related

- 1 Optimize Neo4j Cypher query
- o neo4j cypher query optimization
- 2 Optimize this Neo4J Cypher query
- 1 Neo4j cypher query optimization
- 0 Neo4j Performance issues returning all nodes from a path of elements (in a linked-list structure)
- 4 All queries are slow with
- 1 Neo4j query for getting first few nodes with highest degree



I think the <code>count()</code> is happening in <code>EagerAggregation</code>, and it's happening prior to the top operation irrespective of how you express that count.

Cypher query optimization is making progress these days. With version 2.2, there's a new cost basher/stander interest a the cost basher/stander interest and cost basher/stander interest and country of the cost based planner code (actually probably not) but the bigger point here is that if a guery language's planner code (actually probably not) but the bigger point here is that if a guery language's planner code (actually probably not) but the bigger point here is that if a guery language's planner is the control of the contro


Your Answer mprove this answer

answered Apr 7 at 12:34

Frobber Of Bits

8,397 • 7 • 29

### Sign up or log in



# Post as a guest



Post Your Answer

By posting your answer, you agree to the privacy policy and terms of service.

- Nesting cypher queries with a collection
- 2 Neo4j deep hierarchy query
- Neo4j: "does not contain"

#### Hot Network Questions

- Straight line in TikZ with 'continued' marking in the middle
- Which type of drill bit for which jobs?
- How to show pagination "go to page" text box?
- Legacy application unreachable code
- Does Lebanon ban the diary of Anne Frank?
- How do I remove Candy Crush Saga from Windows 10?
- Preventing a Print expression from generating a new cell each time it executed
- How does java.util.EnumSet<E> work?
- What is aliasing and what causes it?
- How do I know when my sauce is reduced enough?
- → Why moving fan seems transparent?
- was クリスマスケーキ used metaphorically about women?
- Shut down list of servers given in a file
- Should you always minimize cognitive load
- Is it possible to automate tests for in progress sprint
- Select polygons one by one and export them using arcpy
- What's the philosophy behind delaying writing data to disk
- For loop formatting
- Did a Kamikaze ever impact the hull of a ship, as opposed to the deck?
- Words of the Buddha
- Important formulas in Combinatorics
- © Can a Glaive be stowed in a Ruby Scabbard?
- Would allowing shorter passwords sometimes be more secure?
- Do companies only pay dividends if they are in profit?



tour help blog chat data legal privacy policy work here advertising info mobile contact us feedback CULTURE / **TECHNOLOGY** LIFE / ARTS SCIENCE OTHER RECREATION Photography English Language & Stack Apps Server Fault Meta Stack Exchange Cross Validated (stats) Ask Different (Apple) SharePoint WordPress Development Movies & TV User Experience Geographic Information Mathematica Salesforce Electrical Engineering ExpressionEngine® Answers Role-playing Games more (5) more (13) more (21) Academia more (9)