Tags

Users

Badges

Inaneworod

Ask Ouestion

Ten. Million. Questions. Let's celebrate all we've done together.

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

Take the 2-minute tour

# Intermittent EntityNotFoundException with Spring Data Neo4j

. .

asked 4 months ago viewed 51 times

active 1 month ago

1

I'm using Neo4j 2.1.6 and Spring Data Neo4j 3.2.1. I've been using Neo4j 2.1.6 the whole time (i.e. haven't migrated from an earlier version of Neo).

I'm running into an intermittent issue where when I try to do a MATCH statement, e.g.

MATCH (p:Profile) WHERE p.username = 'abc123' RETURN p

I'm getting an EntityNotFoundException, saying things like,

Node with id 25393

A couple similar MATCH queries return similar results.

I'm noticing that the ids that aren't found are greater than the max internal node ID in the database.

I'm not exactly sure what's going on as it's intermittent.

Any help on the matter would be greatly appreciated.

Example stack trace follows:

org.neo4j.kernel.impl.core.NodeManager.getNodeById(NodeManager.java:323)  $\verb|org.neo4j.kernel.InternalAbstractGraphDatabase.getNodeById(InternalA$  $org.neo4j.cypher.internal.spi.v2\_1. Transaction Bound Query Context \$Node Operations.get Appendix Ap$  $org.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$\$anonfun\$getNodesBorg.neo4j.cypher.internal.spi.v2\_1.TransactionBoundQueryContext\$$anonfun\$getNodesBorg.neo4j.cypher.gpi.v2\_1.TransactionBoundQueryContext\$$anonfun\$getNodesBorg.neo4j.cypher.gpi.v2\_1.TransactionBoundQueryContext\$$anonfun\$getNodesBorg.neo4j.cypher.gpi.v2\_1.TransactionBoundQueryContext\$$anonfun$$an$ org.neo4j.cypher.internal.helpers.JavaConversionSupport\$\$anon\$2.next(JavaConversio scala.collection.Iterator\$\$anon\$11.next(Iterator.scala:328) scala.collection.Iterator\$\$anon\$13.next(Iterator.scala:372) scala.collection.Iterator\$\$anon\$14.hasNext(Iterator.scala:389) scala.collection.Iterator\$class.foreach(Iterator.scala:727) scala.collection.AbstractIterator.foreach(Iterator.scala:1157) org.neo4j.cypher.internal.compiler.v2\_1.pipes.EagerAggregationPipe.internalCreateR org.neo4j.cypher.internal.compiler.v2\_1.pipes.PipeWithSource.createResults(Pipe.sc org.neo4j.cypher.internal.compiler.v2 1.pipes.PipeWithSource.createResults(Pipe.sc org.neo4j.cypher.internal.compiler.v2\_1.pipes.PipeWithSource.createResults(Pipe.sc org.neo4j.cypher.internal.compiler.v2\_1.pipes.PipeWithSource.createResults(Pipe.sc org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionPlanBuilder\$\$anonfu org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionPlanBuilder\$\$anonfu org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionWorkflowBuilder.run org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionPlanBuilder\$\$anonfu org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionPlanBuilder\$\$anonfu org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionPlanBuilder\$\$anon\$1 org.neo4j.cypher.internal.compiler.v2\_1.executionplan.ExecutionPlanBuilder\$\$anon\$1  $org. neo 4 j. cypher. internal. Execution Plan Wrapper For V2\_1. execute (Cypher Compiler. scalable Cypher Cyphe$ org.neo4j.cypher.ExecutionEngine.execute(ExecutionEngine.scala:76)

org.neo4j.cypher.ExecutionEngine.execute(ExecutionEngine.scala:71)

org.neo4j.cypher.javacompat.ExecutionEngine.execute(ExecutionEngine.java:84)

org.springframework.data.neo4j.support.query.CypherQueryEngineImpl.parseAndExecute org.springframework.data.neo4j.support.query.CypherQueryEngineImpl.query(CypherQue

Blog

Why Stack Overflow is a Good Workplace for Women



# Love this site?

Get the weekly newsletter!

- Top questions and answers
- Important announcements
- · Unanswered questions

Sign up for the newsletter

see an example newsletter

## Related

- O Spring data neo4j and mogodb mixed up
- 3 Spring Data Neo4j -@RelationshipType issues
- neo4j 2.0.0 with spring data
- Neo4j and spring-dataneo4j - importing large datasets
- labels in neo4j 2.0 with spring data neo4j 3.0.0
- Neo4j database not persisting using Spring Data Neo4j
- O Spring Data Neo4j is not creaing a relationship
- O Custom Iterable in Spring Data Neo4j
- spring-data-neo4j: Can't create two relationship properties with same label
- 2 Issues accessing neo4j data with spring data

## **Hot Network Questions**

- Remove a language from the "Preferred language order"
- How to deal with people looking at their mobile phone during my presentation?

org.springframework.data.neo4j.repository.query.GraphRepositoryQuery.dispatchQuery org.springframework.data.neo4j.repository.query.GraphRepositoryQuery\$1.doWithGraph org.springframework.data.neo4j.support.Neo4jTemplate.doExecute(Neo4jTemplate.java: org.springframework.data.neo4j.support.Neo4jTemplate.access\$000(Neo4jTemplate.java org.springframework.data.neo4j.support.Neo4jTemplate\$2.doInTransaction(Neo4jTempla org. spring framework. transaction. support. Transaction Template. execute (Transaction Temorg.springframework.data.neo4j.support.Neo4jTemplate.exec(Neo4jTemplate.java:468)

neo4j spring-data-neo4j

share improve this question

asked Apr 6 at 15:47 BtySgtMajor 900 • 4 • 12

oldest

votes

active

add a comment

### 2 Answers

It seems you have no index on :Profile(username)

0

So Neo (Cypher) has to scan over all : Profile nodes some of which might have been removed concurrently. So Cypher reads the id from the index, after that the node is deleted and only later it tries to load the node with that id for property comparison but it already has gone.

I think it's addressed in a more current version of Neo4j but I'm not sure.

share improve this answer

answered Apr 7 at 22:27



1 I do, though: @Indexed(unique = true, failOnDuplicate = true) private String username; Does this not create a schema inex against username? - BtySgtMajor Apr 8 at 16:59

add a comment







We ran into a similar problem on Neo4j 2.2.3 and Spring Data 3.3.1.



Based on your comment to Michael's answer, it sounds like you have an index on the username property. We verified that we have a schema index against "username" using :schema in the Neo4j browser. It seems the index is somehow corrupted. I verified this by running the same query but with a couple of twists to bypass the index:

MATCH (p:Profile) USING SCAN p:Profile WHERE p.username = 'abc123' RETURN p MATCH (p:Profile) WITH p WHERE p.username = 'abc123' RETURN p

The above queries would work, but the original query you gave failed as described. Sometimes queries would fail by returning no results (when they should have results), and sometimes we saw some Neo4j error about a missing ID. This means the queries only work when not hitting the index.

Then running

DROP INDEX ON :Profile(username) CREATE INDEX ON :Profile(username)

seemed to fix it, confirming that the index is corrupt. However, the whole time Neo4j claimed the username index was ONLINE. This happened multiple times, but we have no steps to reproduce.

This is likely a bug in Neo4j. My recommendation is to avoid (drop all) schema property indexes until it is fixed.

share improve this answer

answered Jul 14 at 18:38 Jonathan Crosmer 325 • 1 • 14

Interesting. I haven't run into this for some time, but I don't think dropping all schema property indices is an option given some of the lookups I have to do. It's just too slow otherwise and the username is the only key I have in to it. Can someone from Neo (maybe Michael?) address/confirm? And thanks for the info, Jonathan. Much appreciated. - BtySgtMajor Jul 14 at 22:38


add a comment

- Did Arnold Rimmer kill the Red Dwarf crew?
- Suggested alternatives for that horrible new noun 'nice-to-have'?
- Sign that word!
- Where did the nickname of 'Bones' for McCoy come from?
- Do companies only pay dividends if they are in profit?
- Why do tenured professors still publish in pay-walled venues?
- When does the designer pay for a
- Funding government by only printing more money
- Why don't decoupling/bypass capacitors need resistors to perform their function, like regular filters?
- Which type of drill bit for which jobs?
- Password strength of random words and brainflave
- 🈰 Carrying a handgun in other countries with a US concealed carry
- Using Emergency Fund to Sell Upside-down Car
- Why does Scala allow nested data structures like List or Array
- The Hiding Rules Contradict Themselves. What Can I Make Of This?
- Is "user-select: none" bad UX?
- Fos Can you open source firmware to closed hardware?
- ES ¿Puede "hopefully" traducirse como oialá"?
- Can a plane fly backward if its
- How to use Piano pedals without using the foot?
- ntegral problem with sin
- Does adult neurogenesis occur only in the olfactory bulb and the hippocampus?

## Your Answer



# Sign up or log in



# Post as a guest



Post Your Answer

By posting your answer, you agree to the privacy policy and terms of service.

Not the answer you're looking for? Browse other questions tagged neo4j spring-data-neo4j or ask your own question.

question feed

