

Ten. Million. Questions. Let's celebrate [all we've done together](#).

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

Take the 2-minute tour x

org.springframework.dao.InvalidDataAccessApiUsageException: Can lookup label based property from legacy index



1 i create a neo4jdb,when i lookup data,it meet proplems,i use spring-data-neo4j:3.2.2.RELEASE'. it seems problem is this"User loginUser = template.lookup(User.class,"login",userName).to(User.class).singleOrNull();" but how to revise it,helpme thanks a lot!! error info:



1



```
org.springframework.dao.InvalidDataAccessApiUsageException: Can lookup label based
```

```
at org.springframework.data.neo4j.support.Neo4jTemplate.getIndex(Neo4jTemplate.java:
at org.springframework.data.neo4j.support.Neo4jTemplate.lookup(Neo4jTemplate.java:
at com.oberon.fm.neo4j.service.DatabasePopulator.loginCheck(DatabasePopulator.java
at com.oberon.fm.neo4j.service.DatabasePopulator$$FastClassBySpringCGLIB$$c9138765
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:204)
at org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.inter
at com.oberon.fm.neo4j.service.DatabasePopulator$$EnhancerBySpringCGLIB$$9a39b11a.
at com.oberon.fm.controller.AuthController.loginCheck(AuthController.java:38)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
at java.lang.reflect.Method.invoke(Method.java:483)
at org.springframework.web.bind.annotation.support.HandlerMethodInvoker.invokeHand
at org.springframework.web.servlet.mvc.annotation.AnnotationMethodHandlerAdapter.i
at org.springframework.web.servlet.mvc.annotation.AnnotationMethodHandlerAdapter.h
at org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.
at org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.j
at org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServle
at org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServlet.java:8
at javax.servlet.http.HttpServlet.service(HttpServlet.java:644)
at org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:
at javax.servlet.http.HttpServlet.service(HttpServlet.java:725)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFil
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain
at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:52)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFil
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain
at org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(Charact
```

asked 4 months ago

viewed 78 times

active 4 months ago

Blog

Why Stack Overflow is a Good Workplace for Women

Looking for a job?

Senior iOS Developer

Smartsheet
Bellevue, WA

ios objective-c

Website Merchandising Manager

MicroK12
Lynnwood, WA

drupal sql

Lead Software Development Engineer

Rhapsody International/Nap...
Seattle, WA

rest ruby-on-rails

web-based application software developer

Function Point Productivit...
Vancouver, BC, Canada

php mysql



Love this site?

Get the **weekly newsletter!**

- Top questions and answers
- Important announcements
- Unanswered questions

Sign up for the newsletter

see an [example newsletter](#)

Related

0 [Indexes from inherited @NodeEntity do not return expected results](#)

1 [lucene index lookup query slower than where clause based query for more data](#)

```

at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:142)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:163)
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:139)
at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:215)
at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:107)
at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:462)
at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:142)

```

my code:

```

public boolean loginCheck(String userName,String password) {
    boolean rtn = false;
    GraphDatabaseService graphDb = template.getGraphDatabaseService();
    System.out.println("0");
    Transaction tx = graphDb.beginTx();
    System.out.println("1");
    try {
        System.out.println("2");
        User loginUser = template.lookup(User.class,"login",userName).to(User.class);
        System.out.println("3");
        String userPassword = loginUser.getPassword();
        System.out.println(userPassword);

        if (new Md5PasswordEncoder().encodePassword(password, User.SALT).equals(userPassword)) {
            rtn = true;
        }
        tx.success();
    } catch (Exception e) {
        // TODO Auto-generated catch block
        e.printStackTrace();
    } finally{
        tx.close();
    }
    return rtn;
}

```

neo4j spring-data-neo4j

share improve this question

add a comment

asked Mar 25 at 11:40

yang
45 ● 8

2 Answers

active oldest votes

▲

1


▼

We're in the process of upgrading to the latest SDN version. Having the same problem when we call repository.findByPropertyValue so I'll just be replacing it with a Cypher query.

share improve this answer
























add a comment

answered Mar 27 at 14:33

 Jonathan Crosmer
325 ● 1 ● 14

- 0 How can I find the Neo4J Index Key's for Indexes created on nodes using Spring Data?
- 1 neo4j and cypher - process nodes in order based on a property value
- 2 Index name for class java.lang.String name rel: false idx: true must differ from the default name (SDN 3.0)
- 0 Implementing NodeEntity base class, implications of the Labels
- 0 Which type of indexing is required in Neo4j for search from many type of Labels in Spring Data Neo4j
- 5 Neo4j 1.9.9 legacy index very slow after deletes
- 0 I use lookup to get value from Neo4jDB, but it return null
- 1 Neo4j: which is faster, indexed node property or relationship property?

Hot Network Questions

-  Remove a language from the "Preferred language order"
-  What are the advantages and disadvantages of an oblique wing over a swing wing
-  Is Let us = Let's?
-  Does developing on ARM Processors from different vendors differ much?
-  Double integral problem with sin
-  How do I know when my sauce is reduced enough?
-  Could an autotrophic civilisation develop, or will evolving life forms always eat each other?
-  Words of the Buddha
-  Using siunitx, \ohm results in an italic Omega
-  What does OWA stand for?
-  Using Emergency Fund to Sell Upside-down Car
-  Weird performance increase in simple benchmark
-  Can a Glaive be stowed in a Ruby Scabbard?
-  'cond' with less redundancy
-  If static methods can't be overridden, how its working here (For Java)?
-  How to ask dumb questions
-  Was クリスマスケーキ used metaphorically about women?
-  Why did Holly decide to simply wait out the radioactivity?
-  Does touching the tent outer wall from the inside make it leak?
-  Could a communication satellite that fails to reach GEO be repurposed?
-  Important formulas in Combinatorics
-  As a professional photographer, how can one handle a wedding photographer being rude or demanding in a way that will compromise overall image quality?
-  How can I grant a non-Super User group permission to force check-in of articles?

work from anywhere

 stackoverflowcareers

more (9)