Ten. Million. Questions. Let's celebrate all we've done together.

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

Take the 2-minute tour

HOW to MERGE in neo4j using JAVA



Launch yourself.





Hi I am trying to insert two properties of a node....I am trying like below.. I am trying to add two properties to CUSTOMER NODE 1.name and 2.TOTAL_CALL_DURATION How can I add two properties



```
try ( Transaction tx = graphDb.beginTx() )
                String queryString = "MERGE (n:CUSTOMER {name:{name},TOTAL_CALL_DURA
                Map<String, Object> callerProperties = new HashMap<>();
                callerProperties.put( "name", callerName );
                callerProperties.put("TOTAL_CALL_DURATION", 120);
              resultIterator_caller = execEngine.execute( queryString, callerPropert
              tx.success();
}
```

The error I am getting like below:

 ${\tt Exception \ in \ thread \ "main" \ org.neo4j.cypher.ParameterNotFoundException: \ Expected \ a}$ at org.neo4j.cypher.internal.compiler.v2_1.pipes.QueryState\$\$anonfun\$getParam\$ at org.neo4j.cypher.internal.compiler.v2_1.pipes.QueryState\$\$anonfun\$getParam\$ at scala.collection.MapLike\$class.getOrElse(MapLike.scala:128) at scala.collection.AbstractMap.getOrElse(Map.scala:58) at org.neo4j.cypher.internal.compiler.v2_1.pipes.QueryState.getParam(QueryStat at org.neo4j.cypher.internal.compiler.v2_1.commands.expressions.ParameterExpre at org.neo4j.cypher.internal.compiler.v2_1.helpers.PropertySupport\$\$anonfun\$fi at org.neo4j.cypher.internal.compiler.v2_1.helpers.PropertySupport\$\$anonfun\$fi at scala.collection.TraversableOnce\$\$anonfun\$collectFirst\$1.apply(TraversableO at scala. collection. Traversable 0 nce \$\$ an on fun\$ collect First \$1. apply (Traversable 0 nce \$\$ an one fun \$5. apply (Traversable 0 nce \$5. apply (Traversaat scala.collection.Iterator\$class.foreach(Iterator.scala:727) at scala.collection.AbstractIterator.foreach(Iterator.scala:1157) at scala.collection.TraversableOnce\$class.collectFirst(TraversableOnce.scala:1 at scala.collection.AbstractTraversable.collectFirst(Traversable.scala:105) at org.neo4j.cypher.internal.compiler.v2_1.helpers.PropertySupport\$.firstNullP at org.neo4j.cypher.internal.compiler.v2_1.mutation.MergeNodeAction.ensureNoNu at org.neo4j.cypher.internal.compiler.v2_1.mutation.MergeNodeAction.exec(Merge at org.neo4j.cypher.internal.compiler.v2_1.pipes.ExecuteUpdateCommandsPipe.org at org.neo4j.cypher.internal.compiler.v2_1.pipes.ExecuteUpdateCommandsPi\$\$\$\$10 at org.neo4j.cypher.internal.compiler.v2_1.pipes.ExecuteUpdateCommandsPi\$\$\$\$10 at scala.collection.Iterator\$\$anon\$13.hasNext(Iterator.scala:371) at scala.collection.Iterator\$\$anon\$13.hasNext(Iterator.scala:371) at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator\$\$anonfun\$hasNext\$1. at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator\$\$anonfun\$hasNext\$1. at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator\$\$anonfun\$hasNext\$1. at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator\$\$anonfun\$failIfThro at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator.decoratedCypherExce

at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator.failIfThrows(Closin at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator.hasNext(ClosingIter asked 4 months ago

viewed 35 times

active 4 months ago

Blog

Why Stack Overflow is a Good Workplace for Women

Related

- 7 How to drop the neo4j embedded database with java?
- 2 UnsupportedOperationExce ption while executing Cypher Query in Java to Neo4i Server
- 2 Error Updating Nodes in Neo4J via Rest
- 17 How to delete labels in neo4j?
- 0 How to return random records in Neo4j using Cypher?
- 4 Neo4j 2 and Java 8
- 2 Neo4j spatial failure when executing Cypher guery
- 0 Performance Issues with neo4i
- 1 Neo4j cannot read certain nodes. Throws NotFoundException. Corrupt database
- 1 neo4j cypher Unable to execute query [400], 'StackOverflowError exception

Hot Network Questions

Is "user-select: none" bad UX?

For loop formatting

Weird performance increase in simple benchmark

Capture output without redirection and leave it on terminal too

Where did the nickname of 'Bones' for McCoy come from?

Compact way of writing (a + b == c or a + c == b or b + c == a)

F How do I calculate approximate equity liquidity?

Suggested alternatives for that horrible new noun 'nice-to-have'?

```
at scala.collection.Iterator$class.foreach(Iterator.scala:727)
at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator.foreach(ClosingIter
at scala.collection.generic.Growable$class.$plus$plus$eq(Growable.scala:48)
at scala.collection.mutable.ListBuffer.$plus$plus$eq(ListBuffer.scala:176)
at scala.collection.mutable.ListBuffer.$plus$plus$eq(ListBuffer.scala:45)
at scala.collection.TraversableOnce$class.to(TraversableOnce.scala:273)
at org.neo4j.cypher.internal.compiler.v2_1.ClosingIterator.to(ClosingIterator.

neo4j

share improve this question

asked Apr 10 at 9:27
```

🛂 Aman

623 • 3 • 18

add a comment

1 Answer

active oldest votes



There's nothing wrong with your code, I've converted it into a self-contained groovy script running fine without any errors.

Try to provide a minimal viable testcase showing the error you're observing

For reference, here's the script:



share improve this answer



Thanks Stefan.....I found the issue......appreciate your help.. - Aman Apr 10 at 10:39


add a comment

Your Answer

- Mo Important formulas in Combinatorics
- & Noun form of "extant"?
- If static methods can't be overriden, how its working here (For Java)?
- Did Arnold Rimmer kill the Red
- Scraping High-Res image tiles from the MoMA website
- im `cond` with less redundancy
- Why do we still use keys to start cars? why not passwords?
- Does developing on ARM Processors from different vendors differ much?
- What are the advantages and disadvantages of an oblique wing over a swing wing
- Which type of drill bit for which iobs?
- Shut down list of servers given in a file
- & Antonym of Overlap?
- The Hiding Rules Contradict
 Themselves. What Can I Make Of
 This?
- Justification that 'good exposition' is uniquely defined
- Select polygons one by one and export them using arcpy
- Does adult neurogenesis occur only in the olfactory bulb and the hippocampus?



Sign up or log in



Post as a guest



Post Your Answer

By posting your answer, you agree to the privacy policy and terms of service.

Not the answer you're looking for? Browse other questions tagged neo4j or ask your own question.

a question feed

