Tags

Users

Badges

Inanswered

Ask Ouestion

Ten. Million. Questions. Let's celebrate all we've done together.

Stack Overflow is a question and answer site for professional and enthusiast programmers. It's 100% free.

Take the 2-minute tour

## How to abort query on demand using Neo4j drivers



1

I am making a search engine application using Node.js and Neo4j that allows users to submit a graph traversal query via a web-based user interface. I want to give users the option to cancel a query after it has been submitted (i.e. if a user decides to change the query parameters). Thus, I need a way to abort a query using either a command from a Node.js-to-Neo4j driver or via Cypher query.

 $\star$ 

After a few hours of searching, I haven't been able to find a way to do this using any of the Node.js-to-Neo4j drivers. I also can't seem to find a cypher query that allows killing of a query. Am I overlooking something, or is this not possible with Neo4j? I am currently using Neo4j 2.0.4, but I am willing to upgrade to a newer version of Neo4j if it has query killing capabilities.

node.js neo4j cypher node-neo4j
share improve this question

asked Apr 14 at 18:50

Shrey Gupta
2,444 • 1 • 21 • 53

oldest

active

add a comment

## 1 Answer

Starting from Neo4j version 2.2.0, it's possible to kill queries from the UI and via the REST interface. I don't know if existing nodejs drivers support this feature, but if not you can still achieve the same functionality by making HTTP request to the REST interface.



If you run a query in the browser in version 2.2.x or later, you will notice that there is an (X) close link at the top-right corner of the area where the queries are executed and displayed.



You can achieve the same results by wrapping your queries in transactions and rolling them back.

In fact, I just opened the web inspector to see how the browser UI was canceling the running queries.

I think this would be the recommended approach:

- Begin a transaction with the Cypher query you want to run. The transaction will be assigned an identifier, i.e. request POST http://localhost:7474/db/data/transaction and response with Location: http://localhost:7474/db/data/transaction/7
- If you want to cancel the query, delete the transaction using the identifier you got in step 1,
   i.e. DELETE http://localhost:7474/db/data/transaction/7

You will find more info about the Transactional Cypher HTTP Endpoint and examples in the official docs.

Update: node-neo4j seems to support transaction handling, including rollback. See docs.

share improve this answer

edited Apr 14 at 19:25



Will using the approach of wrapping the query in a transaction work with 2.0.x versions of neo4j, or is this a new feature of 2.2.x? – Shrey Gupta | Apr 14 at 19:22

AFAIK it will not. It's possible to begin, commit and rollback transactions but I don't think it's possible to cancel the query execution. – albertoperdomo Apr 14 at 19:36

Okay, it looks like I'll be upgrading my Neo4j instance to 2.2.x then. Thank you! - Shrey Gupta Apr 14 at

viewed 36 times

asked 4 months ago

active 4 months ago

Blog

Why Stack Overflow is a Good Workplace for Women



## Related

- 1 Does neo4j have all the proper apis and support for all the mentioned drivers?
- O How do I retrieve non blank objects from a Cypher Query in Node.js
- 1 Correct way to provide the 'query' parameter to Neo4j within Cypher REST API in node.js
- Finding all reachable nodes with neo4j
- What is the cypher Query for creating multiple relationship using label and its property value in Neo4j?
- How to get distinct node on condition Cypher-Neo4j
- neo4j: how to query subgraph
- Are neo4j's cypher transactions broken?
- Neo4j write performance improvement
- Why is Node-Neo4j not properly setting data?

## **Hot Network Questions**

Could a communication satellite that fails to reach GEO be repurposed?

19:40			How does java.util.EnumSet <e> work?</e>
add a comment		99	
Your Answer			Can a plane fly backward if its prop's in reverse?
			Why do tenured professors still publish in pay-walled venues?
B I ∅ 66 () ■ □ □ □ □ □ □ □			How to deal with people looking at their mobile phone during my presentation?
		8	Has any Star Trek character appeared in all three division uniform colors?
		•	Preventing a Print expression from generating a new cell each time it executed
		0	Draw horizontal lines like open and close brackets
			Dullness vs. going overboard: Should I be calling people 'enfants terribles' in an academic paper?
		······	Why are carpenter's pencils flat?
		······································	If static methods can't be overriden, how its working here (For Java)?
Sign up or log in	Post as a guest	€	If a stock doesn't pay dividends, then why is the stock worth anything?
Sign up using Google  Sign up using Facebook	Name	<b>3</b>	Aerofoil that gives reasonably good lift for both flow directions: forward and backward
Sign up using Facebook	Email		more hot questions
Sign up using Stack Exchange	required, but never shown		
Post Your Answer			
By posting your answer, you agree to the privacy police	y and terms of service.		

Not the answer you're looking for? Browse other questions tagged node.js neo4j cypher

node-neo4j or ask your own question.

a question feed

