



W Watch 238

Star

Labels None yet

Milestone

Assignee

No one assigned

2 participants

No milestone

New issue

▼ Fork

W

Ж

W

M

Batch: Illegal character in path

Closed armatys opened this issue Apr 21, 2015 · 1 comment



armatys commented Apr 21, 2015

Tested with 2.2.0 and 2.3.0-M01

Executing the following Cypher query, e.g. in browser console fails : POST /db/data/batch [{"body":null,"id":1,"method":"POST","to":"/node"}, {"body":null, "id":1, "method":"GET","to":"{1}"}, {"body":null, "id":3, "method":"GET", "to":"{2}/properties"}]

From the console.log:

2015-04-21 14:03:48.116 WARN Error executing batch request Illegal character in path at java.lang.IllegalArgumentException: Illegal character in path at index 2: ./{2}/properties at java.net.URI.create(URI.java:859) at java.net.URI.resolve(URI.java:1043) at org.neo4j.server.rest.batch.BatchOperations.calculateTargetUri(BatchOperations.java at org.neo4j.server.rest.batch.BatchOperations.performRequest(BatchOperations.java:197 at org.neo4j.server.rest.batch.BatchOperations.parseAndPerform(BatchOperations.java:17 at org.neo4j.server.rest.web.StreamingBatchOperations.readAndExecuteOperations(Streami

 $\verb|at org.neo4j.server.rest.web.BatchOperationService \verb|s1.write|| BatchOperationService.java: \\$ at com.sun.jersey.core.impl.provider.entity.StreamingOutputProvider.writeTo(StreamingO at com.sun.jersey.core.impl.provider.entity.StreamingOutputProvider.writeTo(StreamingO at com.sun.jersey.spi.container.ContainerResponse.write(ContainerResponse.java:302) $\verb|at com.sun.jersey.server.impl.application.WebApplicationImpl._handleRequest(WebApplicationImpl._handleRe$ at com.sun.jersey.server.impl.application.WebApplicationImpl.handleRequest(WebApplicat $\verb|at com.sun.jersey.server.impl.application.WebApplicationImpl.handleRequest(WebApplicationImpl.h$

at com.sun.jersey.spi.container.servlet.WebComponent.service(WebComponent.java:409) $\verb|at com.sun.jersey.spi.container.servlet.ServletContainer.service(ServletContainer.java)| \\$ at com.sun.jersey.spi.container.servlet.ServletContainer.service(ServletContainer.java

at javax.servlet.http.HttpServlet.service(HttpServlet.java:790) at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:800)

 $\verb|at org.eclipse.jetty.servlet.ServletHandler: CachedChain.doFilter(ServletHandler.java: 1.000) | CachedCh$

at org.eclipse.jetty.servlet.ServletHandler\$CachedChain.doFilter(ServletHandler.java:1 at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:585)

at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:221) at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1125)

at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515) $\verb|at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)| \\$

at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1059) at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)

at org.eclipse.jettv.server.handler.HandlerList.handle(HandlerList.java:52) at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)

at org.eclipse.jetty.server.Server.handle(Server.java:497) at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)

at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:248) at org.eclipse.jetty.io.AbstractConnection\$2.run(AbstractConnection.java:540)

at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:620) at org.eclipse.jetty.util.thread.QueuedThreadPool\$3.run(QueuedThreadPool.java:540)

at java.lang.Thread.run(Thread.java:745)

Caused by: java.net.URISyntaxException: Illegal character in path at index 2: ./{2}/proper at java.net.URI\$Parser.fail(URI.java:2829)

at java.net.URI\$Parser.checkChars(URI.java:3002)

at iava.net.URI\$Parser.parseHierarchical(URI.iava:3086)

at java.net.URI\$Parser.parse(URI.java:3044)

at java.net.URI.<init>(URI.java:595)

at java.net.URI.create(URI.java:857)

... 36 more



jexp commented Apr 22, 2015

Collaborator

- You have twice id: "1"
- · You can only refer to nodes that were created from an operation that creates data, i.e. sets a Location

Header

• you don't need your second command at all

```
[{"body":null,"id":1,"method":"POST","to":"/node"},
{"body":null, "id":3, "method":"GET", "to":"{1}/properties"}]
```



jexp closed this Apr 22, 2015

Sign up for free

to join this conversation on GitHub. Already have an account? Sign in to comment

© 2015 GitHub,

Terms Privacy Security Contact

W

Status API Training Shop Blog About Help