



Lab Number : 01
Lab Title: GitHub Identity, Student Portal Registration, and Ubuntu Server Installation
Name: Maryum Nasim
Registration no: FA24B1-SE-082
Course code: SE-665
Section: B
GitHub username: maryumnasim

Task 1: Create and Configure Your GitHub Account

Screenshot 1:



Maryum Nasim
maryumnasim

GitHub profile showing my profile name and username

Screenshot 2:



Maryum Nasim (maryumnasim)
Your personal account

- Public profile**
- Account
- Appearance
- Accessibility
- ⋮

Public profile

Name

Maryum Nasim

Your name may appear around GitHub where you contribute or are mentioned. You can remove it at any time.

GitHub Public Profile showing my complete actual name

Task 2: Register in the Student Marks Portal

Screenshot 1:



Student Marks Portal

Sign up or sign in securely with your GitHub account.

Continue with GitHub

Student Marks Portal login page

Screenshot 2:



Complete registration

Enter your registration number, course and section.
The enrollment requires approval.

Registration number

2024-BSE-82

Allowed: 2024-BSE-01 to 2024-BSE-99.

Course

SE-665 — Cloud Computing



Section

Section B




Submit enrollment

Sign out


GitHub profile information displayed inside the Student Marks Portal

Screenshot 3:



Task 3: Download VMware Workstation Pro and Ubuntu

Screenshot 1:



Vmware workstation pro running successfully.

Screenshot 2:

ubuntu-26.04.1-live-server-amd64 9/14/2026 11:48 PM Disc Image File 2,859,240 KB

Downloaded Ubuntu Server ISO filename.

Screenshot 3:




Available storage showing at least 20 GB free space

Task 4: Create the Ubuntu Server Virtual Machine


Screenshot 1:

New VM Wizard:




VMware New Virtual Machine Wizard.

1. Typical configuration:




Typical virtual machine configuration selected.

2. Ubuntu ISO selected:



Ubuntu Server ISO selected in VMware.

3. VM configuration summary:




Final Ubuntu Server virtual machine configuration.

4. Ubuntu boot screen:

```
[ OK ] Mounted snap-hwctl-123.mount - Mount unit for hwctl, revision 123.
[ OK ] Mounted snap-snapd-27710.mount - Mount unit for snapd, revision 27710.
[ OK ] Reached target snapd.mounts.target - Mounted snaps.
[ OK ] Reached target local-fs.target - Local File Systems.
[ OK ] Listening on systemd-sysext.socket. System Extension Image Management.
Starting apparmor.service - Load AppArmor profiles...
Starting console-setup.service - Set console font and keymap...
Starting finalrd.service - Create .time dir for shutdown pivot root...
Starting kdump-tools.service - Kernel crash dump capture service...
Starting netplan-configure.service - Netplan Backend Configuration...
Starting plymouth-read-write.service - Plymouth To Write Out Runtime Data...
Starting systemd-binfmt.service - Set Up Additional Binary Formats...
Starting systemd-tmpfiles-setup.service - Create System Files and Directories...
Starting ufw.service - Uncomplicated firewall...
[ OK ] Finished console-setup.service - Set console font and keymap.
[ OK ] Finished finalrd.service - Create .untime dir for shutdown pivot root.
[ OK ] Finished ufw.service - Uncomplicated firewall.
[ OK ] Finished plymouth-read-write.service - Plymouth To Write Out Runtime Data.
[ OK ] Finished systemd-tmpfiles-setup.service - Create System Files and Directories.
[ OK ] Finished kdump-tools.service - Kernel crash dump capture service.
[ OK ] Finished netplan-configure.service - Netplan Backend Configuration.
[ OK ] Reached target network-pre.target - Preparation for Network.
[ OK ] Listening on systemd-networkd-resolve.socket. Network Management Resolve Hook Socket.
Starting systemd-networkd.service - Network Management...
```


Ubuntu Server installer boot screen.

Task 5: Choose the Installation Language:




Selected Ubuntu Server installation language.

Task 6: Configure the Keyboard Layout:



Selected keyboard layout.


Screenshot 2:



Selected keyboard variant.

Task 7: Choose the Ubuntu Server Installation Type


Screenshot 1:




Normal Ubuntu Server installation option selected.

Task 8: Configure the Network

Screenshot 1:




Screenshot 2:



Ubuntu Server network interface showing assigned IP address.


Task 9: Configure Storage


Screenshot 1:



Guided storage option selected.

Screenshot 2:





Ubuntu Server storage configuration.

Task 10: Select the Installation Disk

Screenshot 1:

DEVICE	TYPE	SIZE
[/dev/sda	local disk	20.000G ▶]

Selected VMware virtual disk.

Screenshot 2:

USED DEVICES

DEVICE	TYPE	SIZE
[/dev/sda	local disk	20.000G ▶]
partition 1	new, BIOS grub spacer	1.000M ▶
partition 2	new, to be formatted as ext4, mounted at /	19.997G ▶

Ubuntu virtual disk name and size.

Task 11: Review the Partitions

Screenshot 1:


Proposed Ubuntu partition layout



Proposed Ubuntu partition layout.

Task 12: Confirm the Storage Changes

Screenshot 1:



Final storage warning.

Screenshot 2:


Storage changes confirmation



Task 13: Configure the Ubuntu Profile


Screenshot 1:

Ubuntu profile showing complete actual name




Ubuntu profile showing complete actual name.

Screenshot 2:



Ubuntu server name set to ubuntu

Screenshot 3:



Ubuntu username matching GitHub username

Screenshot 4:

Home x Ubuntu 64-bit x

Profile configuration [Help]

Enter the username and password you will use to log in to the system. You can configure SSH access on a later screen, but a password is still needed for sudo.

Your name: Maryum Nasim

Your servers name: ubuntu
The name it uses when it talks to other computers.

Pick a username: maryumnasim

Choose a password: *****

Confirm your password: *****

Completed Ubuntu profile setup.

Task 14: Complete the Software Installation

Screenshot 1:

Installing system [Help]


```
executing curtin install partitioning step
curtin command install
configuring storage
running 'curtin block-meta simple'
curtin command block-meta
removing previous storage devices
configuring disk: disk-sda
configuring partition: partition-0
configuring partition: partition-1
configuring format: format-0
configuring mount: mount-0
executing curtin install extract step
curtin command install
writing install sources to disk
running 'curtin extract'
curtin command extract
acquiring and extracting image from cp:///tmp/tmp74_ink1/mount
configuring keyboard
curtin command in-target
executing curtin install curthooks step
curtin command install
configuring installed system
running 'curtin curthooks'
curtin command curthooks
configuring apt
installing missing packages
configuring iscsi service
configuring raid (mdadm) service
configuring NVMe over TCP
installing kernel
setting up swap
apply networking config
writing etc/fstab
configuring multipath
updating packages on target system
configuring pollinate user-agent on target
configuring kernel crash dumps settings
final kernel configuration
configuring target system bootloader
installing grub to target devices
copying metadata from /cdrom
final system configuration |
```

[View full log]

Ubuntu Server software installation progress.

Task 15: Reboot and Verify the Ubuntu Identity

Screenshot 1:




```
Installation complete! [ Help ]

running 'curtin extract'
curtin command extract
acquiring and extracting image from cp:///tmp/tmpe74_1nk1/mount
configuring keyboard
curtin command in-target
executing curtin install curthooks step
curtin command install
configuring installed system
running 'curtin curthooks'
curtin command curthooks
configuring apt configuring apt
installing missing packages
configuring iscsi service
configuring raid (mdadm) service
configuring NVMe over TCP
installing kernel
setting up swap
apply networking config
writing etc/fstab
configuring multipath
updating packages on target system
configuring pollinate user-agent on target
configuring kernel crash dumps settings
final kernel configuration
configuring target system bootloader
installing grub to target devices
copying metadata from /cdrom
final system configuration
calculating extra packages to install
installing openssh-server
retrieving openssh-server
curtin command system-install
unpacking openssh-server
curtin command system-install
configuring cloud-init
downloading and installing security updates
curtin command in-target
restoring apt configuration
curtin command in-target
subiquity/Late/run_builtins:
subiquity/Late/run_user_supplied:
```

[View full log]
[Reboot Now]

Ubuntu installation complete screen.

Screenshot 2:



```
ubuntu login: maryumnasim
Password:
```

Ubuntu login screen.

Screenshot 3:

```
Welcome to Ubuntu 26.04.1 LTS (GNU/Linux 7.0.0-30-generic x86_64)

* Documentation:  https://docs.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/pro

System information as of Thu Sep 17 07:25:44 AM UTC 2026

System load:  0.46      Processes:            240
Usage of /:   27.1% of 19.51GB   Users logged in:    0
Memory usage: 15%      IPv4 address for ens33: 192.168.187.129
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

maryumnasim@ubuntu:~$ _
```

Screenshot 4:

```
maryumnasim@ubuntu:~$ _
```

Ubuntu terminal showing <github-username>@ubuntu prompt

Task 16: Find the Ubuntu server IP address

Screenshot 1:

```
maryumnasim@ubuntu:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP group default qlen 1000
    link/ether 00:0c:29:7a:66:fa brd ff:ff:ff:ff:ff:ff
    altname enp2s1
    altname enx000c297a66fa
    inet 192.168.187.129/24 metric 100 brd 192.168.187.255 scope global dynamic ens33
        valid_lft 1598sec preferred_lft 1598sec
    inet6 fe80::20c:29ff:fe7a:66fa/64 scope link proto kernel_ll
        valid_lft forever preferred_lft forever
maryumnasim@ubuntu:~$
```

Screenshot 2:

```
inet 192.168.187.129/24 metric 100 brd 192.168.187.255 scope global dynamic ens33
```

Task 17: Connect to Ubuntu Server from Windows

Screenshot 1:

```
C:\Users\DELL>ssh maryumnasim@192.168.187.129
The authenticity of host '192.168.187.129 (192.168.187.129)' can't be established.
ED25519 key fingerprint is SHA256:+jwDxy+v+kXa8eIzkTW0uPdd5gPvh1BiKaVKGG0ObzA.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
```

SSH command entered in Windows Command Prompt/PowerShell.

Screenshot 2: Accepted SSH server fingerprint

```
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.187.129' (ED25519) to the list of known hosts.
```

Accepted SSH server fingerprint.

Screenshot 3:

```
maryumnasim@192.168.187.129's password:
Welcome to Ubuntu 26.04.1 LTS (GNU/Linux 7.0.0-30-generic x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu Sep 17 07:29:56 AM UTC 2026

System load:  0.0               Processes:            211
Usage of /:   27.1% of 19.51GB  Users logged in:     0
Memory usage: 15%              IPv4 address for ens33: 192.168.187.129
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

maryumnasim@ubuntu:~$
```

Successful SSH session from Windows.

Screenshot 4:

```
maryumnasim@ubuntu:~$
```

Remote SSH prompt showing <github-username>@ubuntu.