



TABLE OF CONTENTS

1. TUBII GLOBAL VIEW	13. CNTRL REGISTER
2. POWERS	14. PORTS2
3. MICROZED CONNECTIONS	14A. LATCHED EXT TRIG
4. BASELINE MONITORING	14B. TUBII TRIGGERS
5. ECAL CONTROL	14C. ELLIE
6. CLOCKS	14D. ELLIE TALK
6A TUBII TIME	15. TUBII SPEAKER
6B TUBII CLOCKS	
7. GT DELAYS	
7A. SELECT LOCKOUT SOURCE	
7B ASYNC DELAY	
8 LED PULSE	
9. CAEN	
9A. CAEN CHAT	
9B. CAEN COMS	
9C. CAEN BUFFER	
10. COMPARATORS	
10A. FAST COMP	
10B TUNE COMP	
11. GENERIC UTILITIES	
11A. GENERIC PULSE	
11B. GENERIC DELAYS	
11C. PULSE INVERTER	
11D. RIBBON DELAY	
11E. PULSE SCALER	
12. PORTS	
12A. NIM-ECL	
12B. LVDS-ECL	
12C. ECL-LVDS	
12D. ECL-NIM	
12E. TTL-ECL	
12F. ECL-TTL	
12G. CAEN PORTS	
12H. COMPARATOR PORTS	
12I. GENERIC UTILITIES PORTS	
12J. GT DELAYS PORTS	





UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	DATE:
ENGINEER:	PAGE:








POWERS



	UNIVERSITY OF PENNSYLVANIA HIGH ENERGY PHYSICS	
	TITLE: POWERS	DATE:
	ENGINEER:	PAGE: 2

MICROZED CONNECTION





	UNIVERSITY OF PENNSYLVANIA HIGH ENERGY PHYSICS	
	DRAWING MICROZED_MOD	DATE:
	TITLE MICROZED_CONNECTION	PAGE: 3

LAST MODIFIED: Wed Oct 08 18:25:04 2014

BASELINE MONITORING

SIMPLY MAKES SURE THERE
IS A BUFFER BETWEEN THE MTCD
AND BACKPLANE.
TO PREVENT NOISE PROPAGATION



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:
BASELINE MONITORING


DATE:
9/8/14


ENGINEER:
ERIC M

PAGE: 4

ECAL CONTROL


WHEN PERFORMING ECALS GTRIG FEEDS INTO THE EXT_PED
ON THE MTCD. OTHERWISE THE MTCD'S EXT_PED COMES FROM
TUBII'S EXT_PED



	UNIVERSITY OF PENNSYLVANIA HIGH ENERGY PHYSICS	
	TITLE: ECAL CONTROL	DATE: 9/19/14
	ENGINEER: ERIC M	PAGE: 5

CLOCKS



ALL THINGS CLOCK RELATED



```

TAKES TWO CLOCKS AND OUTPUTS ONE OF THEM
OUTPUTS_DEFAULT_CLK UNLESS IT MISSES N CLOCK TICKS
(N IS SET BY MZ)
IN WHICH CASE BCKP_CLK IS USED.
A SIGNAL IS SENT OUT TO MZ SAYING BCKP_CLK IS IN USE

```

UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS



TITLE:	TUBII_TIME
--------	------------

DATE:

ENGINEER:



PAGE:

DECIDES WHICH CLOCK (TUB OR FOX) IS
THE DEFAULT CLOCK AND WHICH IS THE BACKUP



TITLE: TUBII CLOCKS	DATE: 9/15/14
ENGINEER: ERIC M	PAGE: 6B

CIRCUITRY DEALING WITH CREATING DGT AND DDGT FROM GT
AND ALSO DECIDES WHAT THE SOURCE OF LO* IS

UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	GT_DELAYS
--------	-----------



DATE:
10/3/14

ENGINEER: ERIC M

PAGE: 7

IN THIS BRAVE NEW TUBII WORLD LO* WILL JUST BE DDGT IN GENERAL
BUT PERHAPS PEOPLE WILL WANT TO USE THE MTCD'S LO*

THIS BLOCK PROVIDES USERS WITH THE ABILITY TO SELECT WHERE
THEIR LOG COMES FROM,

UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:
SELECT LOCKOUT SOURCE

DATE:
9/11/14

ENGINEER: ERIC M

PAGE: 7A

ASYNCHRONOUS DELAY



0 - 127.5 NS DELAY

IN 0.5NS STEPS

AND 0 - 1275 NS DELAY

IN 5 NS STEPS

THE TWO DELAYS ARE DAISY CHAINED TOGETHER
SO THEY'RE PROGRAMMED LIKE ONE 16 BIT REGISTER





UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	ASYNCH DELAY	DATE:
ENGINEER:		PAGE: 7B

LED PULSE

TAKES AN INPUT PULSE
STRETCHES IT AND FLASHES AN LED




		UNIVERSITY OF PENNSYLVANIA HIGH ENERGY PHYSICS	
TITLE: LED PULSE		DATE: 10/7/14	
ENGINEER: ERIC M		PAGE: B	

CAEN

HANDLES COMMUNICATION WITH THE CAEN DIGITSER
DECIDES WHICH ANALOG SIGNALS GET SENT TO CAEN
AND SENDS SYNC/SYNC24 /GT TO CAEN

HERE IS WHERE A VARIETY OF
ANALOG SIGNALS ARE CHOSEN
TO GO TO THE CAEN





UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	CAEN	DATE:	9/25/14
ENGINEER:	ERIC M	PAGE:	9

CAEN CHAT

SENDS DIGITAL SIGNALS TO CAEN
AFTER TRANSLATING THEM APPROPRIATELY





UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: CAEN_CHAT	DATE:
ENGINEER:	PAGE: 9A

CAEN_COMS



SENDS ANALOG SIGNALS TO CAEN
HERE IS THE LOGIC (PROGRAMMED BY MZ)
TO DECIDE WHICH INPUT SIGNALS GET SENT TO IT



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: CAEN_COMS	DATE: 9/4/14
ENGINEER: ERIC M	PAGE: 9B

THE CAEN IS A PICKY BEAST
THIS CIRCUIT CLIPS A SIGNAL SO THAT IT CAN BE USED BY THE CAEN
AND BUFFERS IT FOR GOING TO THE SCOPE





DATE: 8/18/14

PAGE: 9C

COMPARATORS

THERE ARE TWO COMPARATORS WHICH AN ANALOG SIGNAL CAN BE COMPARED TO A TUNEABLE THRESHOLD. THE DIFFERENCE BETWEEN THE TWO IS ONE IS FASTER AND IT'S THRESHOLD IS SET BY A POT. THE OTHER IS SET BY A DAC



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: COMPARATORS



DATE: 9/25/14

ENGINEER: ERIC M

PAGE: 10

GENERIC UTILITIES

PART OF TUBII'S MISSION IS TO PROVIDE
HELPFUL FUNCTIONALITY TO IT'S USERS.
HERE IS THE HOUSING FOR ALL CIRCUITRY DESIGNED
WITH NO PURPOSE IN MIND EXCEPT FOR THAT
SOMEBODY SOMEDAY MIGHT WANT TO DO SOMETHING





UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	DATE:
ENGINEER:	PAGE: 11

GENERIC PULSE



A PULSE COMES FROM THE MZ AT SOME RATE.
THIS CIRCUIT OFF SETS THAT RATE BY SOME SMALL
ASYNCHRONOUS AMOUNT.



	UNIVERSITY OF PENNSYLVANIA HIGH ENERGY PHYSICS	
	TITLE: GENERIC PULSE	DATE:
	ENGINEER:	PAGE: 11A

GENERIC DELAYS

SIMPLY DELAYS AN INCOMING
PULSE BY SOME TUNEABLE
ASYNCHRONOUSE AMOUNT



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS


TITLE: GENERIC DELAYS

DATE: 9/24/14

ENGINEER: ERIC M


PAGE: 11B


PULSE INVERTER











UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: PULSE_INVERTER		DATE: 9/8/14
ENGINEER: ERIC M		PAGE: 11C







PORTS PORTS IN/OUT OF TUBII




TRANSLATORS



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: TRANSLATORS	DATE: 10/9/14
ENGINEER: ERIC M	PAGE:

ECL-TTL







DATE:

PAGE: 12B



ECL-LVDS



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	ECL-LVDS CONVERSION	DATE:
ENGINEER:		PAGE: 12C


NIM-ECL



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE:	NIM-ECL CONVERSION	DATE:
ENGINEER:		PAGE: 12A

ECL-NIM



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS



TITLE: FCI -NIM CONVERSION

DATE:

ENGINEER:

PAGE: 12D

TTL-ECL

UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: TTL-ECL CONVERSION


DATE:


ENGINEER:


PAGE: 12E

CAEN PORTS

OUTPUTS THAT GO TO THE CAEN BOARD



	UNIVERSITY OF PENNSYLVANIA HIGH ENERGY PHYSICS	
	TITLE: CAEN_PORTS	DATE: 10/9/14
	ENGINEER: ERIC M	PAGE: 12G





UNIVERSITY OF PENNSYLVANIA

HIGH ENERGY PHYSICS

TITLE:

COMPARATOR PORTS

ENGINEER:

ERIC M



DATE:

10/9/14



PAGE:

12H

GENERIC UTILITIES PORTS PORTS TO/FROM THE TUBII THAT ARE FOR GENERIC PURPOSES



GT_DELAYS_PORTS
PORTS TO/FROM TUBII THAT ARE USED BY
THE GT DELAYS SYSTEM



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: GT DELAYS PORTS



ENGINEER: ERIC M

DATE: 10/9/14

PAGE 12J

CNTRL REGISTER

ANY SET-IT-AND-FORGET-IT TYPE SIGNALS
GET LOADED INTO A SHIFT REGISTER WHICH
SENDS THEM OUT TO THE APPROPRIATE PLACE



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS




TITLE:
CNTRL_REGISTER


DATE:
9/30/14

ENGINEER
ERIC M



PAGE:
13

		I22
	ELLIE	
TELLIE_PULSE_OUT\I	SMELLIE_PULSE_OUT	SMELLIE_PULSE_OUT\I
TELLIE_DELAY_OUT\I	SMELLIE_DELAY_OUT	SMELLIE_DELAY_OUT\I
TELLIE_DELAY_IN\I	SMELLIE_DELAY_IN	SMELLIE_DELAY_IN\I







TUBII TRIGGERS INPUTS AND OUTPUTS TO/FROM MICRO ZED



ELLIE

PORTS FOR COMMUNICATING WITH TELLIE/SMELLIE




UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS



TITLE: ELLIE	DATE: 9/24/14
ENGINEER: ERIC M	PAGE: 14C

ELLIE TALK

COMMUNICATIONS TO/FROM ELLIE



TUBII SPEAKER



UNIVERSITY OF PENNSYLVANIA
HIGH ENERGY PHYSICS

TITLE: TUBII_SPKR	DATE: 10/2/14
ENGINEER: ERIC M	PAGE: 15