

Slenenarde of Heisule Hironaka and Gresha Professors
Hilbert space with Thurston conjugate theorem
Complex manifold discribed with Gut Theory
Impossible discatastrophed into meta data in Gauss surface

Masaaki Yamaguchi

Gravity of general relativity theory describe with Cutting of space in being discatastrophed from Global differential and integral manifold of scaled levetivity in plank scal and the other vector of universe scale, these two scale inspectivity of Gamma and Beta function escorted with these manifold experted in result of Differentail geometry of quantum level manifold equal with Euler product and continue parameter, moreover this product is relativity of Hironaka theorem in Four assembled integral of Euler equation.

Gravity equation is

$$\square = -\frac{16\pi G}{c^4}T^{\mu\nu}$$

This equation quated with being logment of formula, and this formula divided with universe of number in prime zone, therefore, this dicided with varint equation is monotonicity of being composited with Weil's theorem united for Gamma function.

$$\not\square = \frac{8\pi G}{c^4}T^{\mu\nu}/\log x$$

$$\begin{aligned} & {}^t\mathop{\mathrm{f}}\!\mathop{\mathrm{f}}\!\mathop{\mathrm{f}}\!\mathop{\mathrm{f}}\!\int\mathrm{cohom}D_{\chi}[\mathrm{I}_m] \\ &= \oint (px^n+qx+r)^{\nabla l} \end{aligned}$$

$$\frac{d}{dl}L(x,y)=2\int ||\sin 2x||^2d\tau$$

$$\frac{d}{d\gamma}\Gamma$$

This function esterminate with acasic record of global differential manifolds.

$$=[i\pi(\chi,x),f(x)]$$

And this manifold from fundemental group esterminate with also this manifold estimate relativity of acasic record.

$$\frac{d}{d\gamma}\Gamma=\int Cdx_m=\int(\int\frac{1}{x^s}dx-\log x)\mathrm{dvol}$$

More also this record tupled with lake of Euler product.

$$\bigoplus (i\hbar \nabla)^{\oplus L}$$

$$x^{\frac{1}{2}+iy} = e^{x \log x}$$

Therefore, this product also constructed with differential geometry of quantum level equation and zeta function.

$$= C$$

And this function of Euler product respectrum of focus with Heisuke Hironaka manifold in four assembled of integral Euler equation..

$$C = b_0 + \frac{c_1}{b_1 + \frac{c_2}{b_2 + \frac{c_3}{b_3 + \frac{c_4}{b_4 + \dots}}}}$$

This equation demanded with continued number of step function.

$$\begin{aligned} \frac{d}{df} F(v_{ij}, h) &= \int e^f dV [-\Delta v + \nabla_i \nabla_j v_{ij} - R_{ij} v_{ij} - v_{ij} \nabla_i \nabla_j + 2 \langle \nabla f, nabla h \rangle + (R + \nabla f^2) (\frac{v}{2} - h)] \\ &= \frac{d}{df} F = \frac{2 \int (R + \nabla_i \nabla_j f)^2}{-(R + \Delta f)} dm \end{aligned}$$

These equation are eight differential geometry of dimension calyement. And these calyement equation excluded into pair of dimension surface. This surface of Gauss function are global differential manifold, and differential geometry of quantum level.

$$F \geq \frac{d}{df} \int \int \frac{1}{(x \log x)^2} dx_m + \frac{d}{df} \int \int \frac{1}{(y \log y)^{\frac{1}{2}}} dy_m$$

Differential geometry of quantum level constructed with Euler product and Gamma function being discatastrophed from continued fraction style. Gravity equation lend with varint of monotonicity of level expressed from gravity of letter varient formula. These equation escourted into Global differential manifold and fundemental equation. Weil's theorem is imported from this equation in gravity of letters. Beta function and Gamma function are excluded with these formulas. These equation comontius from Heisuke Hironaga of complex manifold and Gresha professor of Perelman manifold. These two professors are one of abstract theorem and the other of visual manifold theorem.