

A
Per-animal FVB allele fraction in F1 hybrids
FVB allele fraction
(per-animal mean over filtered sites)
0.53
0.52
0.51
0.50
0.49
0.48
0.47
0.46
***
0.511
***
0.514
expected 0.50
***
0.480
***
0.481
Naive
WASP
Naive
WASP
GSE293440
cerebral cortex,
n = 8
GSE200632
keratinocytes,
n = 4
B
Site level, one GSE293440 animal
(SRR32903348; median site count
of the dataset)
n = 32,067 sites (both arms)
naive mean 0.482
WASP mean 0.511
FVB allele fraction, WASP
FVB allele fraction, naive
0.0
0.2
0.4
0.6
0.8
1.0
C
Per-site distribution, GSE293440
(8 animals pooled, 257,514 site × animal)
naive
(mean 0.483)
WASP
(mean 0.511)
Density
FVB allele fraction per site
0
1
2
3
4
5
0.0
0.2
0.4
0.6
0.8
1.0
D
Sites inside the 138 catalog genes
vs the other evaluated sites
FVB allele fraction (per-animal mean)
expected 0.50
paired t-test *
0.512
0.497
0.482
0.357
paired t-test ***
0.50
0.45
0.40
0.35
0.30
other
sites
catalog
genes
other
sites
catalog
genes
Naive
WASP