




ARMATURNI NACRT ZIDOVA PODRUMA_3.....M 1:50



Presjek 1 - 1.....M 1:50





Vezani nacrti:
ARM_01-01-001
ARM_01-01-002
ARM_01-01-004

Figure 1 shows four experimental conditions arranged in a 2x2 grid. Each condition is represented by a diagram of a 2x2 grid of blocks. The conditions are labeled as follows:

- 23'Q 503** (top-left): The top-left block contains the number 1 in a square and 280215 below it. The top-right block contains the number 2 in a square and 280130 below it. The bottom-left block contains the number 1 in a square and 280215 below it. The bottom-right block contains the number 2 in a square and 280130 below it.
- 1'Q 503** (top-right): The top-left block contains the number 2 in a square and 280130 below it. The top-right block contains the number 3 in a square and 270215 below it. The bottom-left block contains the number 2 in a square and 280130 below it. The bottom-right block contains the number 3 in a square and 270215 below it.
- 18'Q 257** (bottom-left): The top-left block contains the number 3 in a square and 270215 below it. The top-right block contains the number 4 in a square and 270/87.5 below it. The bottom-left block contains the number 3 in a square and 270215 below it. The bottom-right block contains the number 4 in a square and 270/87.5 below it.
- 1'Q 257** (bottom-right): The top-left block contains the number 4 in a square and 270/87.5 below it. The top-right block contains the number 4 in a square and 270/87.5 below it. The bottom-left block contains the number 4 in a square and 270/87.5 below it. The bottom-right block contains the number 4 in a square and 270/87.5 below it.

Skica rezanja mreža




OBRADA RADNIH REŠKI:

1. PRIJE POSTAVLJANJA SVJEŽEG BETONA NA RADNOJ REŠKI UKLONITI POVRŠINSKI SLOJ BETONA.
2. PJEŠKARENJEM ILI DRUGIM METODAMA OBRADITI RADNU REŠKU DO POJAVE ČISTOG AGREGATA.
3. SVE RADNE REŠKE NEPOSREDNO PRIJE BETONIRANJA ISPRATI VODOM I OSTAVITI DA SE OSUŠI.
4. POVRŠINA BETONA NA RADNOJ REŠKI MORA OSTATI GRUBO OBRADENA.
5. PRIJE BETONIRANJA RADNU REŠKU ŽALITI CEMENTNIM MLJEKOM.
6. PREDUZETI MJERE IZBJEGAVANJA SEGREGACIJE, OSOBITO KOD HORIZONTALNIH RADNIH REŠKI.


NAPOMENE:

- Sve dimenzije prekontrolirati na gradilištu.
- Armatura zidova: horizontalna armatura montira se s vanjske strane.
- Prikazani prekidi betoniranja (radna reška) nisu obvezujući.
- Nacrtni je valjan samo uz odgovarajući izvedbeni arhitektonski i oplatni nacrt.
- Temeljnu ploču polagati na minimalno 5 cm izravnavajućeg sloja mršavog betona.


ZID H 2 U OSI B, C25/30, $c_{nom} = 3,0 \text{ cm}$




Presjek 4 - 4.....M 1:50



Presjek 5 - 5.....M 1:50



Presjek 6 - 6.....M 1:50



Lista mreža

Poz.	Komad	Oznaka mreže.	Dužina [m]	Širina [m]	Težina [kg]
1	46	Q 503	2.800	2.150	2213,21
2	2	Q 503	2.800	1.300	58,18
3	36	Q 257	2.700	2.150	861,84
4	4	Q 257	2.700	0.880	38,97

Širina [m]	
2.150	


Lista šipki sa savijanjem

Poz.	Kom.	a	Jedinična dužina	Mjere savijanja (van mjerila)
		[mm]	[mm]	
1	16	14	3,75	375
2	54	8	1,50	54
3	217	8	1,50	67
4	67	10	1,88	83
5	84	8	1,25	56
6	92	8	1,25	54
7	70	14	3,00	260
8	156	14	2,00	260
9	84	8	1,20	120
10	40	8	2,70	120
11	418	8	0,40	18

Lista šipki sa savijanjem

poz.	Kom.	a	Jedinična dubina [m]	Mjere savijanja (van mjerila)
12	8	14	2.25	
13	16	16	2.85	
14	8	14	1.60	
15	128	8	1.50	
16	8	12	2.85	
17	14	8	1.75	
18	4	12	2.00	
19	12	8	2.00	
20	4	12	2.50	
21	214	8	1.50	
22	372	8	0.36	
23	4	12	1.50	

Ukupna težina škol:	15
---------------------	----



SHEMA.....M 1:200

KVALITETA BETONA			DIN EN 1992-1	
ELEMENT		KLASA (UZLOŽENOST)	KLASA BETONA	ZASTITNI SLOJ BETONA
Subštita	obozarano	XC1	C25/30	30 mm
Grede	obozarano	XC1	C25/30	25 mm
Vertikalni i horizontalni sekalčki	gore/dole	XC1	C25/30	25 mm
	obozarano	XC1	C25/30	25 mm
Zidovi iznad do 2 kata	obozarano	XC1	C25/30	25 mm
Stupnje ploče	gore	XC1	C25/30	25 mm
	doje	XC1	C25/30	25 mm
Ustrojnice iznad potkrova	obozarano	XC3	C25/30	30 mm
Vanjski zidovi podruma	van	XC2	C30/37	35 mm
	unutra	XC3	C30/37	35 mm
Temeľna ploča	gore	XD30/XD1	C30/37	40 mm
	doje	XC2	C30/37	40 mm
Temeľne trake	gore	XD30/XD1	C30/37	40 mm
	doje	XC2	C30/37	40 mm

a	21.03.2022.	Početna verzija	
Verzija:	Datum:	VRSTA PROMJENE	
Naziv građevina:			Investitor:

Sadržaj
nacrta:

**ARMATURNI NACRT ZIDOVA
PODRUMA_3**
ZIDOWI H_1 I H_2

datum	21.03.2022
-------	------------

Objekt: 01 - Glavna zgrada		Faza: Izvedbeni projekt		Vrsta projekta: Građevinski	
Izradio: MM	Odobrio: TM	Vrsta nacrta: Armaturni nacrt		Vrsta nacrta Objekt Etaza Br. priloga Ver: ARM_01-01-003_a	