1. **What is the result of the following code**

```
console.log(typeof null);
console.log(typeof 151);
```

   a. Object & Number
   b. Null & Number
   c. Undefined & Number
   d. String & Number

2. **What's the result of the two console.log below?**

```
const student = {
  name: 'Immanuel',
  address: 'Kab. Tangerang'
}

console.log(student.name)
console.log(student.status)
```

   a. Immanuel & `ReferenceError: properties status is not defined`
   b. Immanuel & Undefined
   c. Immanuel & Null
   d. Immanuel & `TypeError: status is not a properties of an Object user`

3. **The code, when executed, turns out to be an error. What caused this error?**

```
let temp: string[] = "javascript is awesome".split(" ");
for (let i = 0; i < temp.length; i += 1) {
  temp.push(temp[i]);
}
```

   a. Incorrect syntax in the for loop
   b. An infinite loop occurs because of `temp.push(temp[i])`
   c. The condition step in the for loop cannot be `i += 1`
   d. The string in the variable `str` cannot be directly given the `.split(' ')` method

4. **The main difference between creating a variable using `let` and `const` in javascript is:**
   a. The value of a variable using `const` syntax will be fixed and cannot be changed, whereas value of a variable `let` syntax can still be changed
   b. `let` has a weakness in terms of scope, whereas `const` does not
   c. The value of a variable using `let` syntax will be fixed and cannot be changed, whereas value of a variable `const` syntax can still be changed
   d. We can create a variable with the same name using the `let` keyword, whereas `const` does not allow us to create a variable with the same name

5. **What is the result of the return inside the function?**

```
findDouble(2)

function findDouble(num){
  return num * num
}
```

   a. 4
   b. 2
   c. Undefined
   d. Error, because the function is called before it is declared

6. What is the result of the return inside the function?

```
findDouble(2)

const findDouble = (num) => {
  return num * num
}
```

a. 4
b. 2
c. Undefined
d. Error, because the function is called before it is declared

7. What is the final result of `clubs` array?

```
const clubs = ['Persib', 'Persija', 'Persebaya', 'Dewa United']
clubs.splice(2, 0, 'Bali United', 'PSM Makasar')
clubs.shift()
console.log(clubs)
```

a. [Persib, Persija, Persebaya, Bali United, PSM Makasar]
b. [Persija, Persebaya, Bali United, PSM Makasar, Dewa United]
c. [Persib, Persija, Bali United, PSM Makasar, Persebaya]
d. [Persija, Bali United, PSM Makasar, Persebaya, Dewa United]

8. The correct way to write the name and declaration value of variables is:

a. let password = @-3987_1
b. const nama_sekolah = 'Purwadhika'
c. const Object = 12
d. let nama-depan = "andika"

9. **How do you access the value of the `result` property in the object inside the `data` array?**

```
const data = [
  'number',
  10000,
  {name: 'David', address: 'Bandung'},
  () => [{result: 'callback function'}]
]
```

   a. data[4]()[0].result
   b. data[3][0][‘result’]
   c. data[4][0].result
   d. data[3]()[0][‘result’]

10. **Final Result of variable `angka` is?**

```
const angka = '1'
angka += '2'
angka *= 2
angka--
console.log(angka)
```

   a. 5
   b. 23
   c. 11
   d. NaN

11. Result of the both console.log is?

```
const pwd = ['BSD', 'JKT', 'BDG']
pwd[50] = 'SBY'
console.log(pwd.length)
console.log(pwd.indexOf('SBY'))
```

a. 50 & 49
b. 49 & 50
c. 51 & 50
d. TypeError: Assignment to Constant Variable

12. Which one the correct syntax of ternary operator?

a. 3 >= 0? console.log('Ok') : console.log('Not Ok')
b. 100 < 0? true : false
c. 10 = 10? console.log('Yes') : console.log('No')
d. 'abc' =! 'ABC'? console.log(true) : console.log(false)

13. Observe the code below! What is the result of the both console?

```
let random = '90D'
random = parseInt(random)
console.log(parseInt)
random = String(random)
console.log(typeof random)
```

a. NaN & String
b. NaN & Object
c. 90 & String
d. 90 & Number

14. Observe the code below! What is the result of the both console?

```
let random = '90D'
random = Number(random)
console.log(parseInt)
random = String(random)
console.log(typeof random)
```

a. NaN & String
b. NaN & Object
c. 90 & String
d. 90 & Number

15. The following is the syntax for looping an array, except?

a. for in
b. for of
c. forEach
d. map