



ALTRES PUBLICACIONS OTRAS PUBLICACIONES OTHER PUBLICATIONS

- Gil V, Parsons SP, Gallego D, Huizinga JD, Jimenez M. Effects of hydrogen sulphide on motility patterns in the rat colon. Br J Pharmacol. **2013**
- Gallego, D; Espin, F; Mikulka, J; et al. In vitro motor patterns and electrophysiological changes in patients with colonic diverticular disease.

International Journal of Colorectal Disease Volume: 28 Issue: 10 Pages: 1413-1422,2013

• Gil V, Martínez-Cutillas M, Mañé N, Martín MT, Jiménez M, Gallego D. *P2Y(1) knockout mice lack purinergic neuromuscular transmission in the antrum and cecum.*

Neurogastroenterol Motil. 2013;25(3):e170-82.

• Gil, V.; Jimenez, M.; Gallego, D.

Absence of purinergic neuromuscular transmission in the antrum and caecum of P2Y1 knocked out mice.

Neurogastroenterology and Motility Volume: 24 Pages: 81-82,2012

• Gil V, Gallego D, Moha Ou Maati H, Peyronnet R, Martínez-Cutillas M, Heurteaux C, Borsotto M, Jiménez M.

Relative contribution of SKCa and TREK1 channels in purinergic and nitrergic neuromuscular transmission in the rat colon.

Am J Physiol Gastrointest Liver Physiol. 2012;303(3):G412-23.

• Jimenez M.

Role of peg and socket junctions in stretch coupling in intestinal smooth muscle. Anat Rec . **2011** Jun;294(6):929-30.

• Gil V, Gallego D, Jiménez M.

Effects of inhibitors of hydrogen sulphide synthesis on rat colonic motility. Br J Pharmacol. **2011**;164(2b):485-98.

• Gallego D, Gil V, Aleu J, Martinez-Cutillas M, Clavé P, Jimenez M. Pharmacological characterization of purinergic inhibitory neuromuscular transmission in the human colon.

Neurogastroenterol Motil. 2011;23(8):792-e338.





• Huizinga JD, Martz S, Gil V, Wang XY, Jimenez M, Parsons S. Two independent networks of interstitial cells of cajal work cooperatively with the enteric nervous system to create colonic motor patterns. Front Neurosci. **2011**;5:93.

• Farré R, Blondeau K, Clement D, Vicario M, Cardozo L, Vieth M, Mertens V, Pauwels A, Silny J, Jimenez M, Tack J, Sifrim D. Evaluation of oesophageal mucosa integrity by the intraluminal impedance technique Gut. **2011** Jul;60(7):885-92.

- Lecea B, Gallego D, Farré R, Opazo A, Aulí M, Jiménez M, Clavé P. Regional functional specialization and inhibitory nitrergic and nonnitrergic coneurotransmission in the human esophagus Am J Physiol Gastrointest Liver Physiol. **2011**;300(5):G782-94.
- Opazo A, Lecea B, Gil V, Jiménez M, Clavé P, Gallego D. Specific and complementary roles for nitric oxide and ATP in the inhibitory motor pathways to rat internal anal sphincter Neurogastroenterol Motil. **2011**;23(1):e11-25.
- Gallego D, Aulí M, Aleu J, Martínez E, Rofes L, Martí-Ragué J, Jiménez M, Clavé P. *Effect of otilonium bromide on in vitro motor patterns in the human sigmoid colon.* Neurogastroenterol Motil. **2010**;22(6):e180-91.
- Gil V, Gallego D, Grasa L, Martín MT, Jiménez M. Purinergic and nitrergic neuromuscular transmission mediates spontaneous neuronal activity in the rat colon. Am J Physiol Gastrointest Liver Physiol. **2010**;299(1):G158-69.
- Jimenez M. Hydrogen sulfide as a signaling molecule in the enteric nervous system . Neurogastroenterol Motil. **2010**;22(11):1149-53.
- Wang XY, Albertí E, White EJ, Mikkelsen HB, Larsen JO, Jiménez M, Huizinga JD. Igf1R+/CD34+ immature ICC are putative adult progenitor cells, identified ultrastructurally as fibroblast-like ICC in Ws/Ws rat colon. J Cell Mol Med. **2009**;13(9B):3528-40.





- Grasa L, Gil V, Gallego D, Martín MT, Jiménez M. P2Y1 receptors mediate inhibitory neuromuscular transmission in the rat colon. Br J Pharmacol. **2009**;158(6):1641-52.
- Opazo A, Lecea B, Admella C, Fantova MJ, Jiménez M, Martí-Ragué J, Clavé P. A comparative study of structure and function of the longitudinal muscle of the anal canal and the internal anal sphincter in pigs

 Dis Colon Rectum. 2009;52(11):1902-11.
- Gallego D, Vanden Berghe P, Farré R, Tack J, Jiménez M. P2Y1 receptors mediate inhibitory neuromuscular transmission and enteric neuronal activation in small intestine. Neurogastroenterol Motil. **2008**;20(2):159-68.
- Gallego D, Gil V, Aleu J, Aulí M, Clavé P, Jiménez M.
 Purinergic and nitrergic junction potencial in the human colon.
 Am J Physiol Gastrointest Liver Physiol. 2008 Sep;295(3):G522-33. Impact factor 3.522
- Gallego D, Clavé P, Donovan J, Rahmati R, Grundy D, Jiménez M, Beyak MJ. The gaseous mediator, hydrogen sulphide, inhibits in vitro motor patterns in th human rat and mouse colon and jejunum

 Neurogastroenterol Motil. **2008**;20(12):1306-16.
- Aulí M, Martínez E, Gallego D, Opazo A, Espín F, Martí-Gallostra M, Jiménez M, Clavé P. Effects of excitatory and inhibitory neurotransmission on motor patterns of human sigmoid colon in vitro.

Br J Pharmacol. 2008;155(7):1043-55.

- Porras M, Martin MT, Teran E, Mourelle M, Vergara P.
 The NO-donor LA-419 prevents intestinal dismotility, bacterial traslocation and inflammation in a rat model of enteritis.
 J Pharmacol Exp Ther. 2007
- Gallego D, Vanden BP, Farre R, Tack J, Jimenez M. P2Y(1) receptors mediate inhibitory neuromuscular transmission and enteric neuronal activation in small intestine. Neurogastroenterol Motil. **2007**
- Alberti E, Mikkelsen HB, Wang XY, Diaz M, Larsen JO, Huizinga JD, Jimenez M. *Pacemaker activity and inhibitory neurotransmission in the colon of Ws/Ws mutant rats.* American J. Physiology. Gastrointestinal and Liver Physiology 292; 1499-1510, **2007.**





• Farre R, Wang XY, Vidal E, Domenech A, Pumarola M, Clave P, Huizinga JD, Jimenez M. Interstitial cells of Cajal and neuromuscular transmission in the rat lower oesophageal sphincter.

Neurogastroenterology and Motility.19; 484-496. 2007

• Gallego D, Hernandez P, Clave P and Jimenez M. P2Y1 receptors mediate inhibitory purinergic neuromuscular transmission in the human colon.

Am J Physiol Gastrointest Liver Physiol 291; G584-G594, 2006.

- Porras M, Martin MT, Torres R and Vergara P. Cyclical upregulated iNOS and long-term downregulated nNOS are the bases for relapse and quiescent phases in a rat model of IBD. Am J Physiol Gastrointest Liver Physiol 290: G423-G430, **2006.**
- Porras M, Martin MT, Yang PC, Jury J, Perdue MH and Vergara P. Correlation between cyclical epithelial barrier dysfunction and bacterial translocation in the relapses of intestinal inflammation. Inflamm Bowel Dis 12: 843-852, **2006**.
- Serna H, Porras M and Vergara P.

 Mast cell stabilizer ketotifen [4-(1-methyl-4-piperidylidene)-4h-benzo[4,5]cyclohepta[1,2-b]thiophen-10(9 H)-one fumarate] prevents mucosal mast cell hyperplasia and intestinal dysmotility in experimental Trichinella spiralis inflammation in the rat.

 J Pharmacol Exp Ther 319: 1104-1111, 2006.