

**ALTRES PUBLICACIONS**

**OTRAS PUBLICACIONES**

**OTHER PUBLICATIONS**

- Moubarak RS, Planells-Ferrer L, Urresti J, Reix S, Segura MF, Marqués-Fernàndez F, Sole C, Llecha-Cano N, Lopez-Soriano J, Comella JX.

*FAIM-L is an IAP-binding protein that inhibits XIAP and protects from Fas-induced apoptosis.*

J Neurosci. **2013** ;33(49):19262-75

- Vindrieux D, Gras B, Garcia-Belinchon M, Mourah S, Lebbe C, Augert A, Bernard D.

*Platelet-derived growth factor B induces senescence and transformation in normal human fibroblasts.*

Aging (Albany NY). **2013**;5(7):531-8.

- Pérez-Álvarez S, Iglesias-Guimaraes V, Solesio ME, Melero-Fernández de Mera RM, Yuste VJ, Galindo MF, Jordán J.

*Methadone induces CAD degradation and AIF-mediated necrotic-like cell death in neuroblastoma cells.*

Pharmacol Res. **2011**; 63(4): 352-60.

- López-Royuela N, Pérez-Galán P, Galán-Malo P, Yuste VJ, Anel A, Susín SA, Naval J, Marzo I.

*Different contribution of BH3-only proteins and caspases to doxorubicin-induced apoptosis in p53-deficient leukemia cells.*

Biochem Pharmacol. **2010** ;79 (12):1746-58.

- Artus C, Boujrad H, Bouharrou A, Brunelle MN, Hoos S, Yuste VJ, Lenormand P, Rousselle JC, Namane A, England P, Lorenzo HK, Susin SA.

*AIF promotes chromatinolysis and caspase-independent programmed necrosis by interacting with histone H2AX.*

EMBO J. **2010**; 29(9):1585-99.

- Moubarak RS, Solé C, Pascual M, Gutierrez H, Llovera M, Pérez-García MJ, Gozzelino R, Segura MF, Iglesias-Guimaraes V, Reix S, Soler RM, Davies AM, Soriano E, Yuste VJ, Comella JX.

*The death receptor antagonist FLIP-L interacts with Trk and is necessary for neurite outgrowth induced by neurotrophins.*

J Neurosci. **2010**; 30(17): 6094-105.

- Barbier S, Chatre L, Bras M, Sancho P, Roué G, Virely C, Yuste VJ, Baudet S, Rubio M, Esquerda JE, Sarfati M, Merle-Béral H, Susin SA.  
*Caspase-independent type III programmed cell death in chronic lymphocytic leukemia: the key role of the F-actin cytoskeleton.*  
Haematologica. **2009**; 94(4): 507-17.
  
- ter Avest PC, Fischer K, Mancuso ME, Santagostino E, Yuste VJ, van den Berg HM, van der Bom JG.  
*CANAL Study Group. Risk stratification for inhibitor development at first treatment for severe hemophilia A: a tool for clinical practice.*  
J Thromb Haemost. **2008**; 6(12): 2048-54.
  
- Gozzelino R, Sole C, Llecha N, Segura MF, Moubarak RS, Iglesias-Guimaraes V, Pérez-Garcia MJ, Reix S, Zhang J, Badiola N, Sanchis D, Rodríguez-Álvarez J, Trullas R, Yuste VJ, Comella JX.  
*BCL-XL regulates TNF-alpha-mediated cell death independently of NF-kappaB, FLIP and IAPs.*  
Cell Res. **2008**; 18(10): 1020-36.
  
- Ribas J, Yuste VJ, Garrofé-Ochoa X, Meijer L, Esquerda JE, Boix J.  
*7-Bromindirubin-3'-oxime uncovers a serine protease-mediated paradigm of necrotic cell death.*  
Biochem Pharmacol. **2008**; 76(1): 39-52.
  
- Segura MF, Sole C, Pascual M, Moubarak RS, Perez-Garcia MJ, Gozzelino R, Iglesias V, Badiola N, Bayascas JR, Llecha N, Rodriguez-Alvarez J, Soriano E, Yuste VJ, Comella JX.  
The long form of Fas apoptotic inhibitory molecule is expressed specifically in neurons and protects them against death receptor-triggered apoptosis.  
J Neurosci. 2007 Oct 17;27(42):11228-41.
  
- Yuste VJ, Lorenzo H., Susin SA.  
*AIFM1 (apoptosis-inducing factor, mitochondrion-associated, 1).*  
Atlas Genet Cytogenet Oncol Haematol. **2007**  
(URL : <http://AtlasGeneticsOncology.org/Genes/AIFM1ID44053chXq25.html>)
  
- Bras M, Yuste VJ, Roué G, Barbier S, Sancho P, Virely C, Rubio M, Baudet S, Esquerda JE, Merle-Béral H, Sarfati M, Susin SA.  
*Drp1 mediates caspase-independent type III cell death in normal and leukemic cells.*  
Mol Cell Biol. **2007**;27(20):7073-88.

- Moubarak RS, Yuste VJ, Artus C, Bouharrou A, Greer PA, Menissier-de Murcia J, Susin SA.  
*Sequential activation of poly(ADP-ribose) polymerase 1, calpains, and Bax is essential in apoptosis-inducing factor-mediated programmed necrosis.*  
Mol Cell Biol. **2007** Jul;27(13):4844-62.
- Delettre C, Yuste VJ, Moubarak RS, Bras M, Robert N, Susin SA.  
*Identification and characterization of AIFsh2, a mitochondrial apoptosis-inducing factor (AIF) isoform with NADH oxidase activity.*  
J Biol Chem. **2006** Jul 7;281(27):18507-18.
- Sancho P, Fernández C, Yuste VJ, Amrán D, Ramos AM, de Blas E, Susin SA, Aller P.  
*Regulation of apoptosis/necrosis execution in cadmium-treated human promonocytic cells under different forms of oxidative stress.*  
Apoptosis. **2006**;11(5):673-86.
- Guernon J, Dessauge F, Dominguez V, Viallet J, Bonnefoy S, Yuste VJ, Mercereau-Puijalon O, Cayla X, Rebollo A, Susin SA, Bost PE, Garcia A.  
*Use of penetrating peptides interacting with PP1/PP2A proteins as a general approach for a drug phosphatase technology.*  
Mol Pharmacol. **2006**;69(4):1115-24.
- Delettre C, Yuste VJ, Moubarak RS, Bras M, Lesbordes-Brion JC, Petres S, Bellalou J, Susin SA.  
*AIFsh, a novel apoptosis-inducing factor (AIF) pro-apoptotic isoform with potential pathological relevance in human cancer.*  
J Biol Chem. **2006** Mar 10;281(10):6413-27.
- Yuste VJ, Sánchez-López I, Solé C, Moubarak RS, Bayascas JR, Dolcet X, Encinas M, Susin SA, Comella JX.  
*The contribution of apoptosis-inducing factor, caspase-activated DNase, and inhibitor of caspase-activated DNase to the nuclear phenotype and DNA degradation during apoptosis.*  
J Biol Chem. **2005** ;280(42):35670-83.
- Yuste VJ, Moubarak RS, Delettre C, Bras M, Sancho P, Robert N, d'Alayer J, Susin SA.  
*Cysteine protease inhibition prevents mitochondrial apoptosis-inducing factor (AIF) release.*  
Cell Death Differ. **2005**;12(11):1445-8.

- Fernandez-Gomez FJ, Galindo MF, Gómez-Lázaro M, Yuste VJ, Comella JX, Aguirre N, Jordán J.

*Malonate induces cell death via mitochondrial potential collapse and delayed swelling through an ROS-dependent pathway.*

Br J Pharmacol. **2005** ;144(4):528-37.

**PROJECTES D' INVESTIGACIÓ**  
**PROYECTOS DE INVESTIGACIÓN**  
**RESEARCH PROJECTS**

*BFU2008-01328*

Apoptotic signaling in glioblastoma and resistance to TRAIL: the mitochondria and the endonucleases.

*TRA2009-0185*

Detection of microRNAs implicated in the resistance to TRAIL-induced cell death in glioblastoma multiforme: development of new diagnostic and therapeutic approaches.

*SAF2011-24081*

¿Diferentes formas de morir, mismas consecuencias?: importancia de la correcta activación del sistema endonucleásico ICAD/CAD durante la apoptosis.