

ALTRES PUBLICACIONS
OTRAS PUBLICACIONES
OTHER PUBLICATIONS

- Peluffo H, Gonzalez P, Acarin L, Arís A, Beyaert R, Villaverde A, Gonzalez B.
Overexpression of the nuclear factor kappaB inhibitor A20 is neurotoxic after an excitotoxic injury to the immature rat brain.
Neurol Res. **2013**;35(3):308-19.
- Gonzalez P, Peluffo H, Acarin L, Villaverde A, Gonzalez B, Castellano B.
Interleukin-10 overexpression does not synergize with the neuroprotective action of RGD-containing vectors after postnatal brain excitotoxicity but modulates the main inflammatory cell responses.
J Neurosci Res. **2012**;90(1):143-59.
- Shrivastava K, Chertoff M, Llovera G, Recasens M, Acarin L.
Short and long-term analysis and comparison of neurodegeneration and inflammatory cell response in the ipsilateral and contralateral hemisphere of the neonatal mouse brain after hypoxia/ischemia.
Neurol Res Int. **2012**;2012:781512.
- Shrivastava K, Gonzalez P, Acarin L.
The immune inhibitory complex CD200/CD200R is developmentally regulated in the mouse brain.
J Comp Neurol. **2012** 15;520(12):2657-75.
- Almolda B, Costa M, Montoya M, González B, Castellano B.
Increase in Th17 and T-reg Lymphocytes and Decrease of IL22 Correlate with the Recovery Phase of Acute EAE IN Rat.
PLoS One. **2011**; 6(11).
- Campuzano O, Castillo-Ruiz MM, Acarin L, Gonzalez B, Castellano B.
Decreased myeloperoxidase expressing cells in the aged rat brain after excitotoxic damage.
Exp Gerontol. **2011**; 46(9): 723-30.
- Kendall GS, Hirstova M, Horn S, Dafou D, Acosta-Saltos A, Almolda B, Zbarsky V, Rumajogee P, Heuer H, Castellano B, Pfeffer K, Nedospasov SA, Peebles DM, Raivich G.
TNF gene cluster deletion abolishes lipopolysaccharide-mediated sensitization of the neonatal brain to hypoxic ischemic insult.
Lab Invest. **2011**; 91(3): 328-41.

Interaction between glial cells and the immune system:

- B. Almolda, B. González and B. Castellano.
Antigen presentation in EAE: role of microglia, macrophages and dendritic cells.
Frontiers in Biosciences, 16:1157-71, **2011**.
- B. Almolda, B. González and B. Castellano.
Activated microglial cells acquire an immature dendritic cell phenotype and may terminate the immune response in an acute model of EAE.
J Neuroimmunology 223: 39-54, **2010**.
- E. Romero, C. Guaza, B. Castellano and J. Borrell.
Ontogeny of sensorimotor gating and immune impairment induced by prenatal immune challenge in rats: implications for the etiopathology of schizophrenia.
Molecular Psychiatry 15: 372-83, **2010**.
- B. Almolda, M. Costa, M. Montoya, B. González and B. Castellano.
CD4 microglial expression correlates with spontaneous clinical improvement in the acute Lewis rat model.
J Neuroimmunol. 209:65-80, **2009**.
- E. Romero, C. Ali, E. Molina-Holgado, B. Castellano, C. Guaza and J. Borrell.
Neurobehavioral and immunological consequences of prenatal immune activation in rats. Influence of antipsychotics,
Neuropsychopharmacology 32:1791-804, **2007**.

Interaction with glial activation and reactivity:

- GS. Kendall, M. Hirstova, S. Horn, D. Dafou, A. Acosta-Saltos, B. Almolda, V. Zbarsky, P. Rumajogee, H. Heuer, B. Castellano, K. Pfeffer, SA, Nedospasov, DM. Peebles and G. Raivich.
TNF gene cluster deletion abolishes lipopolysaccharide-mediated sensitization of the neonatal brain to hypoxic ischemic insult.
Lab Invest., **2010**.
- H. Peluffo, P. González, A. Arís, L. Acarin, J. Saura, A. Villaverde, B. Castellano and B. González.
RGD domains neuroprotect the immature brain by a glial-dependent mechanism.
Ann Neurol. 62:251-261, **2007**.

- M. Faiz, L. Acarin, H. Peluffo, S. Villapol, B. Castellano and B. González.
Antioxidant Cu/Zn SOD: Expression in postnatal brain progenitor cells.
Neuroscience Letters, 401:71-76, **2006**.
- H. Peluffo, L. Acarin, A. Arís, P. González, A. Villaverde, B. Castellano and B. González.
Neuroprotection from NMDA excitotoxic lesion by Cu/Zn superoxide dismutase gene delivery to the postnatal rat brain by a modular protein vector.
BMC Neuroscience. 7:35, **2006**.
- H. Peluffo, A. Arís, L. Acarin, B. González, A. Villaverde and B. Castellano.
Nonviral gene delivery to the central nervous system based on a novel integrin-targeting multifunctional protein.
Human Gene Therapy 14: 1215-1223, **2003**.
- L. Acarin, B. González and B. Castellano.
Decrease of proinflammatory molecules correlates with neuroprotective effect of the fluorinated salicylate triflusal after postnatal excitotoxic damage.
Stroke, 33: 2499-2505, **2002**.
- O. Sanz, L. Acarin, B. González and B. Castellano.
Glial expression of NF- κ B and I κ B α following a cortical aspiration lesion in the immature rat brain.
Journal of Neuroscience Research, 67:772-780, **2002**.
- L. Acarin, B. González and B. Castellano.
Triflusal post-treatment inhibits glial NF- κ B, downregulates the glial response and is neuroprotective in an excitotoxic injury model in the postnatal brain.
Stroke, 32:2394-2402, **2001**.
- L. Acarin, B. González and B. Castellano.
Glial activation in the immature rat brain: implication of inflammatory transcription factors and cytokine expression. B. Castellano and M. Nieto-Sampedro eds.
Glial Cell Function, Progress in Brain Research, vol. 132:385-399. Elsevier, London, **2001**.
- L. Acarin, B. González and B. Castellano.
Oral administration of the anti-inflammatory substance triflusal results in the downregulation of constitutive cerebral NF- κ B.
Neuroscience Letters 288:41-44, **2000**.
- L. Acarin, B. González and B. Castellano.

STAT3 and NFkB activation precedes glial reactivity in the excitotoxically injured young cortex but not in the corresponding distal thalamic nuclei.
Journal of Neuropathology and Experimental Neurology 59:151-163, 2000.

Glial Reactivity in different models of experimental lesions:

- P. González, F. Burgaya, L. Acarin, H. Peluffo, B. Castellano and B. González.
Interleukin-10 and interleukin-10 receptor-I are upregulated in glial cells after an excitotoxic injury to the postnatal rat brain.
J Neuropathol Exp Neurol. 68: 391-403, **2009**.
- O. Campuzano, MM. Castillo-Ruiz, L. Acarin, B. Castellano and B. Gonzalez.
Increased levels of proinflammatory cytokines in the aged rat brain attenuate injury-induced cytokine response after excitotoxic damage.
Journal of Neuroscience Research 87: 2484-97, **2009**.
- O. Campuzano, MM. Castillo-Ruiz, L. Acarin, B. Castellano and B. Gonzalez.
Distinct pattern of microglial response, cyclooxygenase-2 (COX2) and inducible nitric oxide synthase (iNOS) expression in the aged rat brain after excitotoxic damage.
J Neurosci Res. 86:3170-3183, **2008**.
- S. Villapol, L. Acarin, , M. Faiz, B. Castellano and B. González.
Survivin and Heat Shock Protein 25/27 colocalize with cleaved caspase-3 in surviving reactive astrocytes following excitotoxicity to the immature brain.
Neuroscience, 153: 108-119, **2008**.
- M. Faiz, L. Acarin, S. Villapol, S. Shultz, B. Castellano and B. González.
Substantial migration of SVZ cells to the cortex results in the generation of new neurons in the excitotoxically damaged immature brain.
Molecular and Cellular Neuroscience, 38:170-82 ,**2008**.
- L. Acarin, S. Villapol, M. Faiz, TT. Rohn, B. Castellano and B. González.
Caspase-3 activation in astrocytes following postnatal excitotoxic damage correlates with cytoskeletal remodeling but not with cell death or proliferation.
Glia 55:954-965, **2007**.
- MM. Castillo-Ruiz, O. Campuzano, L. Acarin, B. Castellano and B. Gonzalez.
Delayed neurodegeneration and early astrogliosis after excitotoxicity to the aged brain.
Experimental Gerontology 42:343-354,**2007**.

- S. Villapol, L. Acarin, , M. Faiz, B. Castellano and B. González.
Distinct spatial and temporal activation of caspase pathways in neurons and glial cells after excitotoxic damage to the immature rat brain.
J Neurosci Res. 85:3545-3556,**2007**.

- H. Peluffo, L. Acarin, M Faiz, B. Castellano and B. González.
Cu/Zn Superoxide dismutase expression in the postnatal rat brain following an excitotoxic injury.
J. Neuroinflammation, 2:12, **2005**.

- M. Faiz, L. Acarin, B. Castellano and B. González.
Proliferation dynamics of germinative zone cells in the intact and excitotoxically lesioned postnatal rat brain.
BMC Neuroscience, 6:26, **2005**.

- L. Acarin, H. Peluffo, L. Barbeito, B. González and B. Castellano.
Astroglial nitration after postnatal excitotoxic damage: correlation with nitric oxide sources, cytoskeletal, apoptotic and antioxidant proteins.
Journal Neurotrauma 22: 189-200,**2005**.

- J.M.Vela, A. Yáñez, B. González and B. Castellano.
Time course of proliferation and elimination of microglia/macrophages in different neurodegenerative conditions.
Journal Neurotrauma, 19: 1503-1520, **2002**.

- L. Acarin, H. Peluffo, B. González and B. Castellano.
Expresion of inducible nitric oxide synthase (iNOS) and cyclooxygenase-2 (COX-2) following excitotoxic damage to the immature rat brain.
Journal of Neuroscience Research, 68: 745-554, **2002**.

- L. Acarin, J. Paris, B. González and B. Castellano.
Glial expression of small heat shock proteins following an excitotoxic lesion in the immature rat brain.
Glia, 38:1-14, **2002**.

- O. Sanz, L. Acarin, B. González and B. Castellano.
NFkB and Ikb expresion following traumatic brain injury to the immature rat brain..
Journal of Neuroscience Research, 67:772-780, **2002**.

- O. Sanz, L. Acarin, B. González and B. Castellano.
Expression of a 27Kda heat shock protein (Hsp27) in the immature rat brain after a cortical

aspiration lesion.

Glia, 36:259-270, **2001**.

- L. Acarin, B. González and B. Castellano.
Neuronal, astroglial and microglial cytokine expression after an excitotoxic lesion in the immature rat brain.
European Journal of Neuroscience 12:3505-3520, **2000**.
- L.Acarin, B. González, J. Hidalgo, A. Castro.
Primary cortical glial reaction versus secondary thalamic glial response in the excitotoxically injured young brain. Astroglial response and metallothionein expression.
Neuroscience, 92: 827-839, **1999**.
- L. Acarin, J. Carrasco, B. González, J. Hidalgo and B. Castellano.
Expression of growth inhibitory factor (metallothionein-III) mRNA and protein following excitotoxic immature brain injury.
Journal of Neuropathology and Experimental Neurology 54: 389-397, **1999**.
- L.Acarin, B. González and B. Castellano.
Stat3 and NF- κ B glial expression after excitotoxic damage to the postnatal brain.
Neuroreport, 9 (12):2869-2873, **1998**.
- L.Acarin, B. González, A. Castro, B. Castellano.
Study of thalamic glial response following a neocortical excitotoxic lesion in the young brain. I. Microglial response and MHC class I and II expression.
Journal of Neuropathology and Experimental Neurology. *Neuroscience*, 89: 549-565, **1998**.
- L. Acarin, B. González, B.Castellano and A.J. Castro.
Quantitative analysis of microglial reaction to a cortical excitotoxic lesion in the early postnatal brain.
Experimental Neurology, 147: 410-417, **1997**.
- L. Acarin, B. González, B. Castellano and A. Castro.
Microglial response to N-Methyl-D-Aspartate (NMDA) mediated excitotoxicity in the immature rat brain.
The Journal of Comparative Neurology, 367:361-374, **1996**.
- B. Finsen, E. Lehrmann, B. Castellano, R. Kiefer, N.H. Diemer and J. Zimmer.
The role of microglial cells and brain macrophages in cerebral ischemia: from morphological and immunophenotypic changes and cytokine expression to functional implications for ischemic neuronal degeneration.

In Topical issues in Microglial Research, by E.A. Ling and C.K. Tan eds. Elsevier, pp. 297-328, **1996**.

Glia in hypomyelination models:

- J.M. Vela, B. González and B. Castellano.
Understanding glial abnormalities associated with myelin deficiency in the jimpy mutant mouse.
Brain Research Reviews, 26:29-42, **1998**.
- J.M. Vela, J. Hidalgo, B. González and B. Castellano.
Induction of metallothionein in astrocytes and microglia in the spinal cord from the myelin-deficient jimpy mouse.
Brain Research, 767:345-355, **1997**.
- J.M. Vela, I. Dalmau, B. González and B. Castellano.
Abnormal expression of PCNA in the spinal cord of the hypomyelinated jimpy mutant mice.
Brain Research, 714:130-139, **1997**.
- J.M. Vela, I. Dalmau, B. González and B. Castellano.
The microglial reaction in spinal cords of jimpy mice is related to apoptotic oligodendrocytes.
Brain Research, 712: 134-142, **1996**.

Glia and Development:

- I. Dalmau, J.M. Vela, B. González, B. Finsen and B. Castellano.
Dynamics of microglia in the developing rat brain.
The Journal of Comparative Neurology, 458: 144-157, **2003**.
- I. Dalmau, J.M. Vela, B. González and B. Castellano.
Expression of purine metabolism-related enzymes by microglial cells in the developing rat brain.
The Journal of Comparative Neurology, 398:333-346, **1998**.
- I. Dalmau, B. Finsen, J. Zimmer B. González and B. Castellano.
Development of microglia in the postnatal rat hippocampus.
Hippocampus, 8:458-474, **1998**.