



ALTRES PUBLICACIONS OTRAS PUBLICACIONES OTHER PUBLICATIONS

• Gou G, Leánez S, Pol O.

The role of gaseous neurotransmitters in the antinociceptive effects of morphine during acute thermal pain.

Eur J Pharmacol. 2014;737:41-6.

Pol O

La biotecnologia, crucial en la recerca de nous tractaments per al dolor crònic http://www.biocat.cat/la-biotecnologia-crucial-en-la-recerca-de-nous-tractaments-al-dolor-crònic.

Biocat. La veu dels experts. 2012, 34

• Hervera A, Leánez S, Negrete R, Motterlini R, Pol O

Carbon monoxide reduces neuropathic pain and spinal microglial activation by inhibiting nitric oxide synthesis in mice

PLoS ONE. 2012, 7 (8): e43693

• Hervera A, Leánez S, Pol O

The inhibition of the nitric oxide-cGMP-PKG-JNK signaling pathway avoids the development of tolerance to the local antiallodynic effects produced by morphine during neuropathic pain European Journal of Pharmacology. **2012**, 685:42-51

• Negrete R, Hervera A, Leánez S, Martín-Campos JM, Pol O Noves estratègies en el tractament del dolor: Mecanisme d'acció d'un agonista cannabinoide durant el dolor inflamatori crònic

Omnis Cellula. 2011, 27: 34-37

• Hervera A, Negrete R, Leánez S, Martín-Campos JM, Pol O

Peripheral effects of morphine and expression of m-opioid receptors in the dorsal root ganglia during neuropathic pain: nitric oxide signaling

Molecular Pain. 2011, 7:25

• Hervera A, Negrete R, Leánez S, Martín-Campos JM, Pol O

The spinal cord expression of neuronal and inducible nitric oxide synthases and their contribution in the maintenance of neuropathic pain in mice

PLoS ONE. **2010**, 5 (12): e14321





Hervera A, Leánez S, Negrete R, Pol O

The peripheral administration of a nitric oxide donor potentiates the local antinociceptive effects of a DOR agonist during chronic inflammatory pain in mice

Naunyn-Schmiedeberg's Archives of Pharmacology. 2009, 380: 345-352

• Leánez S, Hervera A, Pol O

Peripheral antinociceptive effects of μ - and δ -opioid receptor agonists in NOS2 and NOS1 knockout mice during chronic inflammatory pain

European Journal of Pharmacology. 2009, 602: 41-49

Pol O

The involvement of the nitric oxide in the effects and expression of opioid receptors during peripheral inflammation

Current Medicinal Chemistry. 2007, 14: 1945-1955

• Fernández-Dueñas V, Pol O, García P, Hernández L, Planas E, Puig MM Tolerance to the antinociceptive and antiexudative effects of morphine in a murine model of peripheral inflammation

Journal of Pharmacology and Experimental Therapeutics. 2007, 322: 360-368

- Pol O, Murtra P, Caracuel L, Valverde O, Puig MM, Maldonado R Expression of opioid receptors and c-fos in CB1 knockout mice exposed to neuropathic pain Neuropharmacology. **2006**, 50:123-32
- Dürsteler C, Mases A, Fernández V, Pol O, Puig MM Interaction between tramadol and two anti-emetics on nociception and gastrointestinal transit in mice.

European Journal of Pain. 2006, 10: 629-638

• Jiménez N, Puig MM, Pol O

Antiexudative effects of opioids and expression of k- and δ -opioid receptors during intestinal inflammation in mice: involvement of nitric oxide

Journal of Pharmacology and Experimental Therapeutics. 2006, 316:261-270

• Pol O, Sasaki M, Jiménez N, Dawson VL, Dawson TM, Puig MM

The involvement of nitric oxide in the enhanced expression of μ -opioid receptors during intestinal inflammation in mice

British Journal of Pharmacology. 2005, 145:758-766





- Romero A, Planas E, Poveda R, Sánchez S, Pol O, Puig MM

 Anti-exudative effects of opioid receptor agonists in a rat model of carrageenan-induced acute inflammation of the paw

 European Journal of Pharmacology. 2005 511:207-217
- Pol O, Puig MM
 Expression of opioid receptors during peripheral inflammation
 Current Topics in Medicinal Chemistry. 2004, 4:51-61
- Fernández-Galinski S, Bermejo S, Mansilla C, Pol O, Puig MM

 Comparative assessment of the effects of altentanil, esmolol or clonidine when used as adjuvants during induction of general anesthesia

 European Journal of Anaesthesiology. 2004, 21:479-482